

Table of Contents

1. Final Draft 13 User Guide.....	8
1.1. Welcome to Final Draft!.....	9
1.2. Get Technical Support.....	10
1.3. Tutorial Videos.....	11
1.4. Final Draft Menu.....	13
1.4.1. About Final Draft.....	14
1.4.2. Preferences / Settings.....	15
1.4.3. Quit Final Draft.....	26
1.5. File.....	27
1.5.1. New.....	28
1.5.2. New from Template.....	29
1.5.3. Open.....	31
1.5.4. Open Recent.....	33
1.5.5. Close Window.....	34
1.5.6. Close Tab.....	35
1.5.7. Save.....	36
1.5.8. Save As.....	37
1.5.9. Save as PDF.....	38
1.5.10. Export.....	40
1.5.11. Backup.....	42
1.5.12. Revert.....	43
1.5.13. Save as Template.....	44
1.5.14. Print Preview.....	46
1.5.15. Print.....	48
1.5.16. Register Script.....	52
1.5.17. Get Notes.....	53
1.6. Text Documents.....	54
1.7. Edit.....	56
1.7.1. Undo.....	57
1.7.2. Redo.....	58
1.7.3. Cut.....	59
1.7.4. Copy.....	60
1.7.5. Paste.....	61
1.7.6. Delete.....	63
1.7.7. Select All.....	64

1.7.8. Select Scene.....	65
1.7.9. Track Changes.....	66
1.7.10. Find.....	68
1.7.11. Go To.....	71
1.7.12. Find Selection.....	73
1.7.13. Rename Character.....	74
1.7.14. Start Dictation.....	76
1.7.15. Emoji & Symbols.....	78
1.7.16. Using Smart Drag-and-Drop.....	79
1.8. View.....	81
1.8.1. Split.....	83
1.8.2. Script - Normal View.....	85
1.8.3. Script - Page View.....	86
1.8.4. Script - Speed View.....	87
1.8.5. Beat Board.....	88
1.8.6. Scene View.....	89
1.8.7. Show / Hide Scene View.....	91
1.8.8. Index Cards - Summary.....	92
1.8.9. Cards Across.....	94
1.8.10. Show / Hide Outline Editor.....	95
1.8.11. Show / Hide Ruler.....	96
1.8.12. Document.....	98
1.8.13. Show / Hide Action/Summary/Scene Title (Scene View).....	107
1.8.14. ScriptNotes.....	108
1.8.15. Zoom.....	109
1.8.16. Zoom Outline Editor.....	111
1.8.17. Typewriter.....	112
1.8.18. Appearance.....	113
1.8.19. Show / Hide Tab Bar.....	114
1.8.20. Show All Tabs.....	115
1.8.21. Focus Mode.....	116
1.8.22. Enter Full Screen.....	118
1.8.23. Show / Hide Toolbar.....	120
1.8.24. Customize Toolbar.....	121
1.9. Format.....	122
1.9.1. Elements.....	123
1.9.2. Change Element To.....	124

1.9.3. Cast List Element Options.....	125
1.9.4. Cast List Element in Script.....	126
1.9.5. Highlight Characters.....	128
1.9.6. Set Font.....	130
1.9.7. Font.....	134
1.9.8. Size.....	135
1.9.9. Style.....	136
1.9.10. Color.....	137
1.9.11. Highlight.....	138
1.9.12. Toggle Case.....	139
1.9.13. Alignment.....	140
1.9.14. Spacing.....	141
1.9.15. Space Before.....	142
1.9.16. Leading.....	143
1.9.17. Beat Board.....	145
1.9.18. Dual Dialogue.....	152
1.9.19. Edit Dual Dialogue / Close Dual Dialogue Editor.....	154
1.10. Insert.....	155
1.10.1. Add Alt (Alternate Dialogue).....	156
1.10.2. Remove Alt.....	158
1.10.3. New Beat.....	159
1.10.4. Page Break.....	160
1.10.5. New Scene.....	161
1.10.6. Bookmark.....	162
1.10.7. ScriptNote.....	163
1.10.8. Label.....	166
1.10.9. Image.....	168
1.10.10. Non-speaking Character.....	171
1.10.11. Send to Script.....	172
1.11. Document.....	173
1.11.1. Page Layout.....	174
1.11.2. Header and Footer.....	181
1.11.3. Mores and Continueds.....	182
1.11.4. Watermark.....	185
1.11.5. Title Page.....	186
1.11.6. SmartType.....	188
1.11.7. Macros.....	190

1.11.8. Bookmarks.....	193
1.11.9. Change Target Script Length.....	195
1.12. Tools.....	196
1.12.1. Spelling.....	197
1.12.2. Thesaurus.....	200
1.12.3. Speech Control.....	201
1.12.4. Assign Voices.....	204
1.12.5. Reports.....	205
1.12.6. Combine Files.....	207
1.12.7. Names Database.....	209
1.12.8. Reformat.....	210
1.12.9. Format Assistant.....	212
1.12.10. Script Compare.....	216
1.12.11. Show / Hide Navigator.....	217
1.12.12. Collaboration.....	218
1.12.13. Sprint Timer.....	223
1.12.14. Writing Stats.....	226
1.13. Production.....	229
1.13.1. Scene Numbers.....	230
1.13.2. Edit Scene Number.....	236
1.13.3. Omit Scene.....	237
1.13.4. Revisions.....	239
1.13.5. Revision Mode.....	248
1.13.6. Mark Revised.....	249
1.13.7. Clear Revised.....	250
1.13.8. Lock Pages.....	251
1.13.9. Lock “A” Pages.....	253
1.13.10. Unlock “A” Pages.....	254
1.13.11. Unlock All Pages.....	255
1.13.12. Locking Tools.....	256
1.13.13. Tags Mode.....	261
1.13.14. Tag All Characters.....	262
1.14. Window.....	263
1.15. Help.....	265
1.15.1. Search.....	266
1.15.2. Get Support.....	267
1.15.3. Submit Feedback.....	268

1.15.4. Learn.....	269
1.15.5. Final Draft User Guide.....	270
1.15.6. Welcome to Final Draft.....	271
1.15.7. What's New.....	272
1.15.8. Idea to Draft Tutorials.....	273
1.15.9. Sample Scripts.....	274
1.15.10. Check for Updates.....	275
1.15.11. Sign In / Sign Out.....	276
1.16. Tutorials.....	277
1.16.1. Typing a Sample Script.....	278
1.16.2. Importing Content from Other Sources.....	282
1.16.3. Make Writing Dialogue Easier.....	284
1.16.4. Manipulating the Page Count.....	286
1.16.5. Revisions.....	288
1.16.6. File Management.....	292
1.16.7. Outlining a Script on the Page.....	295
1.16.8. Configuring the Workspace (video only).....	297
1.16.9. Creating Lists.....	298
1.17. Elements.....	299
1.17.1. Elements in a Script.....	300
1.17.2. Adding Paragraphs.....	304
1.17.3. Modifying Elements and Creating New Custom Elements.....	305
1.18. Beat Board and Outline Editor.....	312
1.18.1. The Beat Board.....	313
1.18.2. Outline Editor.....	338
1.18.3. Idea to Rough Draft (The 1-2-3 Workflow).....	351
1.19. Navigator.....	354
1.19.1. Tabs and Columns.....	355
1.19.2. Navigator > Script.....	363
1.19.3. Navigator > ScriptNotes.....	371
1.19.4. Navigator > Characters.....	376
1.19.5. Navigator > Tags.....	389
1.20. Panels.....	390
1.20.1. Script Panel.....	391
1.20.2. Index Card Panel.....	392
1.20.3. Scene View.....	402
1.20.4. Scene View and Index Card Panels.....	403

1.20.5. Send to Script -- Summary Cards.....	409
1.20.6. Split (Horizontally/Vertically), Unsplit, Swap.....	410
1.20.7. Additional Script View and Panels Notes.....	413
1.21. Tagging.....	414
1.21.1. Tagging an Item.....	416
1.21.2. Linking a Character with Tagged Items Throughout a Script.....	418
1.21.3. The Tags Navigator.....	422
1.21.4. Tagging in the Navigator.....	432
1.22. The Toolbar.....	435
1.22.1. Toolbar Icons Not Found in Menus.....	438
1.22.2. Status Bar.....	440
1.23. Header and Footer.....	446
1.23.1. Header and Footer Content.....	448
1.23.2. Header and Footer Options.....	453
1.23.3. Placeholder Fields.....	454
1.23.4. Page Numbers on the Title Page.....	457
1.24. Reformatting.....	458
1.24.1. Reformatting a Single Paragraph.....	459
1.24.2. Reformatting Many Paragraphs.....	461
1.25. SmartType.....	463
1.25.1. Entering SmartType Items in the Script.....	465
1.25.2. New SmartType Entries.....	467
1.25.3. Modify SmartType Entries.....	468
1.25.4. Correcting and Deleting Erroneous SmartType Entries.....	469
1.25.5. Rebuilding SmartType Lists.....	470
1.25.6. Reorder SmartType Lists.....	471
1.25.7. Managing SmartType Lists.....	472
1.25.8. SmartType Options.....	473
1.25.9. Scene Intros and Times Separators.....	475
1.26. Shortcuts & Menus.....	476
1.26.1. Adding Paragraphs with the Return Key.....	477
1.26.2. Adding Paragraphs with the Tab Key.....	479
1.26.3. Element Shortcuts.....	481
1.26.4. Keyboard Shortcuts.....	482
1.26.5. INT. / EXT. Creates Scene Headings.....	487
1.27. Language.....	488
1.27.1. Spell-Checking.....	489

1.27.2. Spelling Options.....	492
1.27.3. Thesaurus.....	494
1.27.4. Grammarly.....	495
1.27.5. Foreign Language Spell-Checkers and Thesauri.....	496
1.28. Glossary of Screenwriting and Final Draft Terminology.....	497

1. Final Draft 13 User Guide



FINAL DRAFT® 13
PROFESSIONAL SCREENWRITING SOFTWARE
It all starts with the script.

User Manual



1.1. Welcome to Final Draft!

Welcome to Final Draft 13! Final Draft is the industry-standard screenwriting software that will be with you every step of the way on your screenwriting journey. Final Draft automatically formats your screenplay so you can focus on what you do best -- writing.

That's not all. Final Draft also provides educational resources, industry news and interviews, and all the tips and tricks you need to take your writing skills to the next level. Visit www.finaldraft.com/learn to explore our free resources, and if you ever need help, our team is standing by at finaldraft.com/contact to assist you.

If you have a previous version of Final Draft, this video will show you what's new in 13:

[What's New Video](#)

If you're new to Final Draft, watch this video to see how easy it is to use:

[Quick Start Video](#)

1.2. Get Technical Support



IMPORTANT *You must first register in order to receive customer support from a Final Draft technician. The online registration form is [HERE](#). If you purchased Final Draft 13 from the Final Draft web store or are already registered, there is no need to register again.*

Self-Service Technical Support Options

Knowledge base

The [Final Draft Knowledge Base](#) is an online resource that contains hundreds of plain-English articles dealing with technical issues, how-to's, troubleshooting, tricks, and tips.

Videos

The [Final Draft® Learn page](#) has many helpful tutorial videos.

Assisted Technical Support Options

Email

Log on to [Email Support | Final Draft®](#) and email us with your issue. You should receive a reply no later than the end of the next business day, although it is usually faster.

Live Chat

Log on to [Final Draft Support](#) Monday - Friday between 8:30am and 5:30pm PT (data fees may apply).

1.3. Tutorial Videos

Click a link to watch a tutorial video:



NOTE

Some of the videos below demonstrate Final Draft 12, but the functionality is the same in Final Draft 13.

- [What's New in Final Draft 13](#)
- [Alternative \(Alt\) Dialogue](#)
- [Autosave and Backup](#)
- [Basic Reports](#)
- [Boneyard in the Beat Board](#)
- [Collaboration](#)
- [Comic Book Adaptation](#)
- [Configuring the Workspace](#)
- [Creating Custom Elements](#)
- [Creating a Title Page](#)
- [Custom Color PDFs](#)
- [Custom Beat Views](#)
- [Dual Dialogue](#)
- [Emoji](#)
- [Flow Lines on the Beat Board](#)
- [Focus Mode](#)
- [Highlighting Characters](#)
- [Idea to Script](#)

- [Importing a PDF](#)
- [Locked Pages and Page Numbering](#)
- [Midnight / Night / Day Mode](#)
- [Outline Editor](#)
- [Outline Elements](#)
- [Reformat Tool / Format Assistant](#)
- [Revisions](#)
- [Navigator 2.0](#)
- [ScriptNotes](#)
- [Structure Lines](#)
- [Tagging for Production](#)
- [Tagging for Writers](#)
- [Track Changes](#)
- [Typewriter Mode](#)
- [Using the Beat Board](#)
- [Quick Start](#)
- [Watermarks](#)
- [Writing Stats](#)

1.4. Final Draft Menu

The Final Draft menu contains program information, controls for configuring the program and a command to close the program.

- [About Final Draft](#)
- [Preferences](#) (macOS 12) / [Settings](#) (macOS 13 and later)
- [Quit Final Draft](#)

1.4.1. About Final Draft

Displays the Final Draft version number, your user name and Final Draft copyright information.



1.4.2. Preferences / Settings

Preferences (macOS 12) / Settings (macOS 13 and later) are settings that control the way in which many Final Draft features operate. Settings are saved between sessions.

To set Preferences / Settings


1. Choose Final Draft > Preferences / Settings and the dialogue appears, open to the General tab;
2. Click the desired tab and make any changes;
3. Click OK to apply the settings.

The three tabs are

- [General](#)
- [Auto-Save / Backup](#)
- [Format Assistant](#)

1.4.2.1. General tab

The first tab of the Preferences dialogue is for general application preferences:



General

Speech Commands

Enables / disables speech commands. See [Edit > Start Dictation](#).

Scroll keys mimic MS Word

Enables / disables the option to make keyboard navigation and scrolling functions consistent with Microsoft Word conventions rather than macOS conventions.

Capitalize first word of a sentence

Enables / disables the automatic capitalization of the first letter of the first word of new sentences.

Automatically Check for Updates

Enables / disables the option to connect to an online service that determines if the installed version of Final Draft 13 can be updated. If a newer version is available, it can be downloaded for free.

Recent Items

Sets the number of recently-used documents offered by the Welcome to Final Draft screen that appears when the program is opened.

Track Writing Stats

Enables / disables recording of pages written / session times over a selected period of time. The data collected can be seen only by the user (unless the user decides to share them). See Writing Stats for more information.


Beat Board: Create Flow Lines via Drag/Drop

Enables / disables the creation of flow lines between Beats on the Beat Board by dropping one on top of another. See [Flow Lines](#).


Appearance

System sets Final Draft's color scheme to be controlled by the operating system's. For example, if the computer is set to switch to Dark Mode at a certain time of day, Final Draft will switch to a dark mode at that time as well.


Day Mode sets Final Draft's color scheme to black text and markings on a white page and a white background behind the Toolbar:



Night Mode sets Final Draft's color scheme to white text and markings on a dark grey page and a black background behind the Toolbar:



Midnight Mode sets Final Draft's color scheme to white text and markings on an almost-black page and a black background behind the Toolbar:



System / Day / Night / Midnight mode may be also be selected with the icon in the [Status bar](#) at the bottom of the application window:



Zoom – Disable Trackpad Zooming


Check this box to eliminate unintended zooming if the trackpad is touched accidentally. Checking this box has no impact on zooming through other means. See [Zoom](#) for more information.

Writer

Enter the name to be used for [Track Changes](#). From the color picker, choose a color to be associated with this writer for Track Changes and [collaboration](#).

1.4.2.2. Auto-Save / Backup tab

The second tab of the Preferences dialogue is Auto-Save/Backup preferences:



Auto-Save Every

Check this box to have Final Draft automatically save open documents at a time interval specified. Defaults are On and 15 minutes.

To change the Auto-Save time interval, select a different number of minutes from the Auto-Save Every dropdown.


Ask Before Auto-Save

Check this box to have Final Draft display a confirmation message before it automatically saves the open document.

If changes have been made to the open document since the last time it was saved, and the Ask Before Option is checked, a confirmation message appears before Final Draft saves the document:



If multiple documents with unsaved changed are open, a prompt to save N documents appears:



NOTE

Even if the time has expired, Final Draft will not interrupt your typing to save the script. It will wait for approximately 10 seconds of inactivity before triggering an Auto-Save.

To save, click Save.

To not save at this time, click Don't Save.

To continue to Auto-Save automatically, check Do not ask me this again but keep Auto-Save on.

To disable Auto Save, check Turn Auto-Save off.

Auto-Backup Enabled

Check this box to have Final Draft automatically create a backup copy of a document every time it saves. The maximum number of backup copies Final Draft keeps in the backup folder can be set here and the location of the backup folder may be changed. This can be on the local hard drive or, better yet, an external storage device.

When Final Draft creates a backup copy it is named [date] [time] [filename].fdx. For example, if a script named *Tangle & Moss* is saved on December 31, 2024, at 1:37pm, the backup is named *2024121337 Tangle & Moss.fdx*.

Backup Folder File Count

To change the maximum number of copies Final Draft saves to the backup folder, enter a number in Backup Folder File Count (default is 1000; maximum is 10,000).

After the maximum number of backups are saved, the oldest backup will be deleted at the moment a new backup is created.

Open Backup Folder

Click this button to access the backup script files.

Select New Folder

Choose this option to move or rename the backup folder. For example, Final Draft can be set to save backups to a cloud storage synch folder or another hard drive.

To change the location of the backup folder

1. Outside of Final Draft, create the new backup folder in the desired directory or storage device and give it an appropriate name (such as **Final Draft Backups**);
2. In Final Draft, go to the Final Draft menu and choose Preferences;
3. Select the Auto-Save/Backup tab;
4. Click Select New Folder button;
5. Navigate to the new backup folder that has been created;
6. Select the new backup folder and click Open;
7. The path to the new backup folder will be displayed.




IMPORTANT *The auto-save and auto-backup functions are on by default. Unless your computer uses some other backup system, DO NOT disable the auto-save and auto backup.*

1.4.2.3. Format Assistant tab

The third tab of the Preferences dialogue is the Format Assistant preferences.

See [Format Assistant](#) for details.



These options determine whether and / or how to use the Format Assistant before printing.

Scan for formatting errors before printing

Check this box to have Format Assistant check scripts before they are printed.

Always ask me before printing

Check this box to have Final Draft ask whether a script is to be scanned for formatting errors before printing.

1.4.3. Quit Final Draft

Closes all open scripts and documents as well as the Final Draft program.

To quit Final Draft

1. Choose Final Draft > Quit Final Draft;

Any script that contains unsaved changes displays the Save Changes message.

2. Click Save to save changes or Cancel to return to the script(s).

1.5. File

The File menu contains commands for opening, saving and printing scripts and file management.

- [New](#)
- [New from Template](#)
- [Open](#)
- [Open Recent](#)
- [Close](#)
- [Save](#)
- [Save As](#)
- [Save as PDF](#)
- [Export](#)
- [Backup](#)
- [Revert](#)
- [Save as Template](#)
- [Print Preview](#)
- [Print](#)
- [Register Script](#)

1.5.1. New


Creates a new document using the last template chosen. The default template is Screenplay. This command can also be issued by pressing Command + N on the keyboard.

1.5.2. New from Template

Creates a new document from a template.

To create a new document from a template

1. Choose File > New from Template and the New Document dialogue appears:



2. Select the desired document type from the list of template categories.

- **My Templates** are templates customized and saved by the user under File Save As Template > My Templates;
- **Structure** presents templates that demonstrate writing methods and story structures taught by important screenwriters and screenwriting teachers;
- **Scripts** are formatted for screenplays, television dramas, sitcoms and stageplays;
- **TV** templates are formatted for one-hour and half-hour scripted television shows;
- **Graphic Novels** are documents that describe the complete characteristics of each panel in a graphic novel or comic book;
- **Text** documents are generic text documents such as treatments, letters or resumes. See [Text Documents](#) for additional information;

3. Select the template from the list of templates in the selected category;
4. Click New.

A new window named “Untitled [name of template]” appears.

Example: If the Broadway Musical template was chosen, the new script will be named “Untitled Broadway Musical.” This is a placeholder file name until it is given the correct file name when the file is first saved.



IMPORTANT *When you go to File > New from Template, Final Draft will use this template as the new default document when the program is opened next time. To change this, go to File > New from Template, choose the new default template and exit Final Draft. The next time Final Draft is opened, a blank copy of the template you chose will be displayed.*

1.5.3. Open

Opens an existing Final Draft file or other types of files. This command can also be issued by pressing Command + O (as in Oscar, not zero) on the keyboard.

To open an existing file

1. Choose File > Open and the Open dialogue appears;
2. Navigate to the location of the file to be opened;
3. Click the file to be opened;
4. Click Open.

If a Final Draft file is selected, a window containing the document opens, ready for editing or printing.

Final Draft can open the following file types:

Final Draft Documents include scripts and text documents (.fdx extension), as well as templates (.fdxt extension). Although a Final Draft template can be opened using the File > Open command, a new document will be created as though a template has been selected using the File > New from Template command. If a template has been edited, choose File > Export > Document and save it as the same name as the original template.

Final Draft 5-7 Documents are documents created in earlier versions of Final Draft (.fdr and .fdt extensions).

Plain Text Documents are standard text files (.txt) with no formatting.

PDF Documents are Portable Document Format files, a widely-used file type. The PDF must be text-based, not image-based.

Rich Text Format are rich text files (.rtf) created by other word-processing programs with formatting retained.

File Converter Files are in an intermediate format (.fcf) used to pass files between very old versions of Final Draft (FD4 and older) or Final Draft AV and more recent versions of Final Draft.

If the selected file is a plain text, rich text or .fcf file, a dialogue appears asking whether the file is to be converted to a script or text document. If the selected file is to be imported as a script, choose Script and the text will be brought in and formatted in the default screenplay template.

The document appears in a new window.



NOTE

Even with Final Draft's built-in formatting intelligence, some files may require additional reformatting after conversion. See [Reformatting](#) for more information.




NOTE

Network Note: *When a file is opened over a network, the first user who opens a file will be the only user who will be able to edit and save changes to the original. Other users will be able to open the file at the same time but will have to save changes using a different name using File > Save As.*

1.5.4. Open Recent

Lists the Final Draft files that have been most recently opened. Go to the [Preferences](#) panel to set the maximum number of files to be listed here.



If the script to be opened does not appear on this list, go to File > [Open](#).

The Clear Menu command removes all scripts listed in this menu.

1.5.5. Close Window

This command closes the currently open document. The keyboard shortcut for this command is Command + W.

If the file has been changed since it was opened, the Save Changes dialogue appears;

1. Click Save to save all changes before closing the script;

- or -

2. Click Don't Save to close the script without saving it.

- or -

2. Click Cancel to return to the script.

1.5.6. Close Tab

If Tab view is enabled in Mac System Preferences, the [Tab bar](#) is enabled and more than one document is open, this menu item is visible.

The command closes the document whose tab is currently in focus. The keyboard shortcut for this command is Command + W.

If the file has been changed since it was opened, the Save Changes dialogue appears;

1. Click Save to save all changes before closing the script;

- or -

2. Click Don't Save to close the script without saving it;

- or -

2. Click Cancel to return to the script.

1.5.7. Save

Saves changes made to the document since the last time it was saved.

When saving a script for the first time:

1. Choose File > Save and the standard Save As dialogue appears;
2. Navigate to the location where the file is to be saved;
3. Type the name of the script into the Save As name field;
4. Click Save.

To save changes while working in a script, choose File > Save (or Command + S on the keyboard), and Final Draft saves the file.



TIP

Although Final Draft has an auto-save function that is on by default, it is still good practice to save your work manually before you take any kind of break from your writing or at some regular interval, such as when you start a new page. Command + S is a quick and easy way to save your file and prevent data loss.



IMPORTANT

Make sure to back up your work to a storage resource outside of your computer — cloud storage, external drive, USB stick, even email. If your computer becomes inoperable or is lost or stolen, you will need the ability to recover your data.

1.5.8. Save As

Allows a copy of the current script to be saved under a different name or to a different location.

This command is also used to assign a name to a new script that was created with File > New, or when a non-Final Draft file is imported (which creates an unnamed script).

1. Choose File > Save As and the standard Save dialogue appears;
2. Navigate to the folder where the file is to be saved;
3. Type in the name of the script in the Save As name field;
4. Click Save.



NOTE


Do not use the Save As command repeatedly when you intend to merely save recent changes to a script. Use the Save command instead. Overuse of the Save As command may lead to the operating system changing the file to Read-Only.

1.5.9. Save as PDF

PDF (Portable Document Format) is a widely-used format recognized by Adobe Reader and PDF viewing programs. Saving a script or document in this format makes it available to anyone who does not have a copy of Final Draft or the Final Draft Trial.

To save a document as a PDF file

1. Choose File > Save as PDF or press Command + Shift + P on the keyboard;
2. The Save As dialogue opens:



3. Navigate to the location where the PDF document is to be saved and enter a file name;
4. Check or uncheck the box to include or exclude the title page;
5. Check or uncheck the box(es) to Keep Colors (Text and / or Page);
 - If the script has been set to Night Mode or Midnight Mode, or if its color scheme has been changed under Document > Page Layout > Colors, and the Keep Colors box is checked, the PDF will also have that color scheme;
6. If the script is in [Revision Mode](#), check or uncheck the boxes to display revised text colors and / or pages' colors. Note that revised text and page colors override any other coloring that has been applied, including those from Night Mode or Midnight Mode.
7. Click Save.

A PDF file of the document is created.

To return to the document without creating a PDF, click Cancel.

1.5.10. Export

Export > Script

Saves a script in formats usable by Final Draft and other programs.

1. **Final Draft Document** saves the document to the standard Final Draft (.fdx) file format;
2. **Final Draft Template (.fdxt)** saves the document as a Final Draft 12 template (.fdxt extension). A template is a document that can be reused and saved under another name without overwriting the original. If a script has been customized to certain specifications and the intention is to format other scripts in this way, save it as a template;
3. **File Converter Format (.fcf)** saves the document in the File Converter format, readable by Final Draft 7 and earlier;
4. **HTML Document (.html)** saves the document as a web document readable by web browsers. (NOTE that saving in this format does not publish the file to the internet);
5. **Rich Text Format (.rtf)** saves the document as a formatted text file, including all paragraph indents and element styles. A script exported from Final Draft as RTF and opened in most word processors will retain many element styles (such as scene headings in all uppercase and character names uppercase and indented toward the middle of the line);
6. **Plain Text (.txt)** saves the document to a standard text file with no formatting. A script exported from Final Draft as TXT and opened in most word processors will not retain any element styles;
7. **Scheduling Export (.sex)** saves the document in a format that is importable by EP Scheduling;

8. **Text with Layout (.txt)** saves the document as a plain text file that uses white space to simulate formatting for indents and line spacing;
9. **Avid Script-Based Editing** exports a script to a format readable by Avid's professional editing systems (.txt extension);
10. **Tab-Delimited Dialogue (.txt)** exports all dialogue in the script along with filename, date, character name, dialogue number and scene numbers in a tab-delimited text file for spreadsheet or database import.



NOTE

Movie Magic Scheduling 5 and later are able to import Final Draft files directly; there is no need to export Final Draft scripts out of the .FDX format to get them into this scheduling program.

Export > Beat Board

Saves the [Beat Board](#) as a PDF file, readable by any PDF viewer. If you are printing a large Beat Board PDF to paper, you may want to set the print job to print on multiple (tiled) pages. Check your PDF application's documentation for instructions.

1.5.11. Backup

Creates a backup copy of a document.

To back up a document

1. Choose File > Backup. The standard Save dialogue appears with the year, month, day and time appended to the end of the file name;
2. Navigate to the folder where the backup will be saved;
3. Click Save.



TIP

If possible, back up your scripts to an external storage device.

1.5.12. Revert

Rolls a script back to its last saved state.

1. Choose File > Revert;
2. A confirmation dialogue appears;
3. Click Revert to undo all changes made since the last save or click Cancel to return to the script.




IMPORTANT The *Undo* command will not undo the Revert command.

1.5.13. Save as Template

Saves the active document as a reusable template. Choose Add to My Templates to save to the My Templates folder, where the file will be available under File > New from Template > My Templates, or choose Save... to choose a location on the computer or other storage device.

To remove a template from the My Templates list

1. Go to File > New from Template;
2. From the template categories, choose My Templates;
3. Your customized template(s) will be listed; click the X on the right side of the row:




4. Confirm that you want to delete this template.

1.5.14. Print Preview

Displays a document exactly as it will appear in print.

To preview the script, choose File > Print Preview.

The currently displayed page will be in the Preview window:




To print the script, click Print.

To move from page to page, use the vertical scroll bar on the right side of the Preview window or type a desired page number into the Page box and press Return:



To view two pages side by side, check the Double View box:



To return to the single-page view, uncheck this box.

To return to the script editing window, click Close.



NOTE

You cannot edit or change the script while in File > Print Preview.


1.5.15. Print

Outputs part or all of a document, according to the current Page Setup. Many Final Draft-specific options are offered. The Print menu can also be opened by pressing Command + P on the keyboard.




IMPORTANT *This sheet enables you to output a document with specific instructions (only certain pages or scenes, a certain revision set, colors, character sides, etc.); these settings may be applied to either PDF or printed output.*

The Print window may open with the Final Draft section collapsed. Although a print job can be set up in this top section (which displays the operating system print settings), best practice is to use Final Draft's print settings. If the Final Draft section of the Print window is collapsed, click the arrow on the left to expand it:



The Final Draft print settings are now displayed. These -- not the operating system print settings -- should be used.



Print Range

1. Click the Pages or Scenes radio button to choose between printing pages or scenes (Pages is selected by default);
2. If only certain pages or scenes are to be printed, enter a page range or a scene range in the appropriate fields;
 - To print a range of pages or scenes, click the Page or Scene radio button and enter the first page or scene number followed by a dash followed by the last page or scene number (e.g. 1-6);
 - To print individual pages or scenes, enter the numbers separated by commas (e.g. 2,7,9);
 - To print a range and individual pages or scenes in the same print job, combine the entries (e.g. 1-6, 8,11,12);
3. To print all pages, leave the Pages and Scenes boxes empty and leave the default setting (Odds and Evens) as the selection in the dropdown menu;
 - To print only odd pages (1,3,5, etc.) choose this from the dropdown menu;
 - To print only even pages (2,4,6, etc.) choose this from the dropdown menu.

Options

Entire Range

Choose this from the dropdown menu to print all pages (default).

Revision Set

If Revision Set is chosen, the next dropdown menu becomes enabled and a revision set may be chosen for printing (only pages that are part of that revision set will be printed).

Revised Pages Only

Choose this option to print only pages that have revised text.

Unrevised Pages Only

Choose this option to print only pages that do not have revised text.

Back to Front

To print in reverse order, check this box.



IMPORTANT *If your printer is already set to print in reverse order, setting Final Draft to print backward as well will likely result in your printed script starting with the last page first. Before you check the Back to Front box here, ascertain how your printer is set up. The command to print backward should be given to either Final Draft OR the printer, not both.*

Scan for Format Errors

Check this box to bring up the Format Assistant before pages are printed. The Format Assistant will ask if the script is to be examined for common formatting errors and fix them if desired, or bypass the error(s) and print the script as is. If any errors are found, they may be corrected before printing or the script can be printed without the errors corrected. See [Format Assistant](#) for more information.

Include Title Page

Check this box to print the title page(s) along with the print job.

Keep Colors

Text / Background -- settings to preserve text and / or background display colors, including Night and Midnight modes.

Revisions

Text Color / Page Color -- settings to preserve revised text colors and / or revised page colors. Checking one or both of these boxes will supersede any other color settings that have been applied to the text or the background.

Character Sides

If a character name is chosen from this dropdown menu, only pages that contain that character's dialogue will be printed. Default is No Character Sides. Check the Character Name on Top of Page box to have that name printed at the top of each page.

PDF Dropdown

Displays the standard Mac print sheet PDF menu, including options to Open in Preview, Save as PDF and others.

1.5.16. Register Script

Opens the computer's default web browser to a page on the Final Draft website. This page contains information on registering scripts via email with the Writers Guild of America's registry service.



NOTE

*You **do not** need to be a member of the WGA to use this service.*



IMPORTANT

*Using the File > WGA command does **not** register a script.*

No script registry information is retained by Final Draft, A Cast & Crew Company.

1.5.17. Get Notes

Opens the computer's default web browser to a page offering script coverage by [We Screenplay](#), Hollywood's #1 script coverage service.

1.6. Text Documents

Though primarily designed for writing screenplays, Final Draft can be also used for writing regular word-processed documents — treatments, letters, resumés, etc.

1. Choose File > New from Template and the New Document dialogue appears;
2. Click the Text Documents icon to display the list of available text documents;
3. They are:
 - a. Manuscript
 - b. Query Letter
 - c. Text Document — blank
 - d. Text Outline
 - e. Treatment
4. Select a text document to use as a template;
5. Click OK.

The **Manuscript** and **Treatment** templates have sample content and are actually script documents that use screenplay macros and commands. The Toolbar is the same as for when a script is open and the Tab and Return keys operate as they do when a script is being written. It is safe to delete the sample content before writing begins.

The **Query Letter** and **Text Outline** templates have sample content and are text documents. The Tab and Return keys operate as they do in a regular word processor, and most scriptwriting-specific functions are disabled. It is safe to delete the sample content before writing begins.

The Text Document does not have sample content; it opens blank. The Tab and Return keys operate as they do in a regular word processor, and most scriptwriting-specific functions are disabled.

When a text document is the active document, many commands in the menus are disabled. These functions are screenwriting-specific and are not needed for general word processing.

Any text document may also be saved as a Template (see File > [Save as Template](#)).

All [Reports](#) are text documents, which can be edited and saved as stand-alone documents.

1.7. Edit

The Edit menu contains commands for using the computer's clipboard, finding and replacing text, tracking different authors' changes, inserting symbols and using dictation.

- Undo
- Redo
- Cut
- Copy
- Paste
- Delete
- Select All
- Select Scene
- Track Changes / Accept / Reject
- Find
- Go To
- Find Selection
- Replace Character
- Start Dictation
- Emoji & Symbols
- Using Smart Drag-and-Drop

1.7.1. Undo

Reverses the last editing action made to a script. It performs the same function as Command + Z on the keyboard.

Most editing actions can be undone. Depending on the last action, the text of the Undo command contains the type of action to be undone, such as "Undo Typing" or "Undo Cut." If there is no reversible action, the label will say "Can't Undo" and the command is disabled.

1.7.2. Redo

Reverses the previous Undo command. It performs the same function as Command + Shift + Z on the keyboard.

If Undo was used to reverse an action, Redo will re-perform the action that was undone. Depending on the last action, the text of the Redo menu command contains the type of action to be undone, such as "Redo Typing" or "Redo Cut."

Redo is useful for correcting an unintentional Undo. For example, if a format change is made, such as changing the font or the style of an element, and the Undo command is used, the script will revert to its previous state by selecting Edit > Redo. If there are no commands that can be re-performed, the label will read "Can't Redo" and the command will be disabled.

1.7.3. Cut

Deletes selected text, index card(s), scene(s) or Beat(s) from the script and moves it / them to the Clipboard. It performs the same function as Command + X on the keyboard.

Cut can be undone. It is active when a range of text is selected. If no text is selected, the Cut command is disabled.

1.7.4. Copy

Copies selected text, index card(s), scene(s) or Beat(s) to the Clipboard. Unlike the Cut command, The Copy command does not delete text from the current location. It performs the same function as Command + C on the keyboard.

Copy can be undone. It is active when a range of text is selected. If nothing is selected, the Copy command is disabled.

1.7.5. Paste

Copies text from the Clipboard into the script. It performs the same function as Command + V on the keyboard.

The text is placed wherever the cursor is located. If a range of text is selected, the pasted text replaces the selection. Pasted text will assume formatting according to the following rules:

- If the text was copied or cut from a Final Draft document, it will retain its formatting characteristics of element type, margins, font styles, etc.;
- Text that is copied or cut from another program will assume the formatting characteristics of the document into which it is being pasted;*
- If one paragraph or less is pasted, the text will take on the formatting characteristics of the paragraph into which it is pasted. Once the text has been pasted, it may then be [reformatted](#);
- If the paragraph from which the text was copied is an action or dialogue and an entire sentence or more is copied, it will retain its formatting when pasted into an element of a different type;
- If more than one paragraph is pasted, the Paste command attempts to format the text according to its position. Once the text has been pasted, it may be necessary to reformat it using the Reformat command.



TIP

The best way to bring content in from other programs or web pages is to save the file out of that program as a PDF or from that program or the web page as a plain-text TXT file or RTF (rich text format) file. See [Importing Content from Other Sources](#) for more information.

*To apply a different format to this script, see [Applying a Template](#). If the script needs reformatting, see [Reformat](#).

The Paste command places an index card (or cards) or a scene (or scenes) in [Scene View](#) at the insertion point.

When a Beat (or Beats) on the [Beat Board](#) are cut or copied and then pasted onto the Beat Board, the paste will be in the center of the Beat Board.

When a Beat (or Beats) on the Beat Board are cut or copied and then pasted onto a script page, the title of the Beat will be pasted in at the insertion point as a scene heading and the body of the Beat will be pasted in as action. If multiple Beats are copied or cut and pasted onto a script page, the paste order on the page will correspond to the order in which they were selected on the Beat Board.

1.7.6. Delete

Removes the currently selected text. The Delete command is only active when text, an index card, a scene in [Scene View](#) or a Beat on the [Beat Board](#) is selected. It performs the same operation as pressing the Delete key when something is selected.

1.7.7. Select All

Highlights all text, index cards, scenes in [Scene View](#) or Beats on the [Beat Board](#). It performs the same function as Command + A on the keyboard.

Use this command to take some action on the entire script, such as copying the entire script into the Clipboard or modifying text attributes.




TIP

If you need to strike a new copy of the file, do not select all text in a script, copy it and paste it into a new blank document. If a file is duplicated this way, [SmartType](#) lists will not be populated with the script's content. Instead, go to File > [Save As](#) and rename the file. This will give you a complete copy of the script with all of its metadata intact.

1.7.8. Select Scene

Selects the entire scene in which the cursor is located.

A scene in Final Draft is defined as a Scene Heading followed by other elements such as Action, Character, or Dialogue paragraphs until the next Scene Heading begins. That is, Scene Headings delineate the boundaries between scenes.



Use Edit > Select Scene to take some action on an entire scene, such as changing the font or moving it to another location.


1.7.9. Track Changes

Similar to other word processors' Track Changes feature, this function displays changes (edits) made by various writers in their unique color. The writer's name and color are set in the Final Draft menu > Preferences > [General](#) tab).

New text added by a writer will be in that writer's color and text deleted by a writer will be in his or her color and struck through.

Changes made by other writers may be accepted or rejected. Accepting a change will remove the writer's color from the text and turn it black; rejecting a change will return the paragraph to its prior state.

When the mouse is hovered over an edit, this popup appears:



It displays the writer's name, when the edit was made, and what text was added to or removed from the page. The option to accept or reject the change is presented. Clicking on the left-pointing arrow will move to the previous change; clicking on the right-pointing arrow will move to the next change.

The popup can be dismissed by moving the cursor away from it or pressing the Escape key on the keyboard.

Tracking Menu

Turn on Tracking -- puts Final Draft into Track Changes mode. When Track Changes is enabled, this menu item reads Turn Off Tracking.

Next Change -- scrolls the script down to the next edit (keyboard shortcut is Command + Option + K).

Previous Change -- scrolls the script up to the previous edit (keyboard shortcut is Command + Shift + Option + K).

Accept Change -- removes color from added text or removes deleted (struck-through) text; applies only to the edited text in which the cursor is currently located (keyboard shortcut is Command + Option + A).

Reject Change -- removes added text or the strike-through from text that an author meant to delete; applies only to the edited text in which the cursor is currently located (keyboard shortcut is Command + Option + R).

Accept All Changes -- accepts every edit in the script (keyboard shortcut is Command + Shift + Shift + Option + A).

Reject All Changes -- rejects every edit in the script (keyboard shortcut is Command + Shift + Option + R).

Accept / Reject Change / All Changes can be undone with Command + Z or redone with Shift + Command + Z.

1.7.10. Find

Searches for text in a document.



NOTE

Find begins its search from the cursor position in the document, not the top of the script.


To search from the top of the script, first:

Scroll to the top of the script and click the mouse at the beginning of the text

- OR -

press Command + Home.

Choose Edit > Find, and the Search dialogue appears, open to the Find tab:



To find text in the script

1. Enter the text to search for in the Find field;
2. Click Find Next.;
3. If the searched text is found, searching stops and the found text is selected;
4. If the text is not found, a message appears to indicate that;

1. If Final Draft reaches the end of the script without finding the text, it asks if the search should continue from the beginning;
2. To find the next occurrence of the same text, click Find Next again.

Click the down arrow next to the Find box to view a list of the last 10 words or phrases that were searched for since the current session of Final Draft was initiated. Select a word in the list to search for it again.

To replace found text

1. In the Replace field, enter the text to be used as a replacement for found text;
2. Click Replace to replace a single instance of found text or Replace All to replace all instances of found text.



IMPORTANT *Be careful when using Replace All — you cannot use the [Undo](#) command to reverse it.*

Match Case

The search will match upper and lower case type exactly.

Whole Words Only

The search will check for complete matches only.

Choose the direction to scan by clicking the Forward or Backward radio button.

Forward will search from the cursor to the end of the document; Backward will search from the cursor to the beginning of the document.

Search in Elements

Limit the search to only the elements in this list that are checked.

To dismiss the Search window, press the Escape key on the keyboard or click the red exit button at the top left of the window.



TIP

Don't use the Find & Replace command to change a character's name throughout a script. Use [Edit > Rename Character](#) instead.

1.7.11. Go To


Scrolls the script to another location, per the user's instruction.

To access the Go To options

1. Choose Edit > Go To

- or -

1. Press Command + G on the keyboard:
2. Choose which item to go to from the Go To dropdown menu on the left:



If **Page** or **Scene** are chosen , enter the desired page or scene number (if the scenes have been numbered) into the text field and click Go; the script will be scrolled to that page number or scene; press the Escape key on the keyboard to dismiss the Go To window.

If **Paragraph** is chosen, a dropdown menu will be displayed that offers a selection of paragraph types; choose the desired paragraph type and (if appropriate) enter a search item in the text box; click Previous or Next to scroll the script to the previous or next paragraph of that type; press the Escape key on the keyboard to dismiss the Go To window. Examples are to find the previous or next occurrence of the word "paper" in Action paragraphs or the word "help" in Dialogue paragraphs.

If **Bookmark** is chosen, the script's bookmarks (if any have been created) will be displayed; double-click the desired bookmark (or single-click it and click Go); the script will scroll to that bookmark; press the Escape key on the keyboard to dismiss the Go To window.

If **Revision** is chosen, a list of the revision sets will be displayed; double-click the desired set and Previous or Next to scroll the script to the previous or next piece of text that was edited while the script was in the that revision set; press the Escape key on the keyboard to dismiss the Go To window.

If **Header Label** is chosen, a list of the Header labels will be displayed; double-click the desired Header label (or single-click it and click Go); the script will be scrolled to the previous or next page with that Header label; press the Escape key on the keyboard to dismiss the Go To window.


1.7.12. Find Selection

Searches for the next instance of highlighted text without having to use the Find / Replace dialogue.


To use this command, highlight a word or phrase on a script page and click Find Selection. The script will scroll to the next occurrence of the word or phrase. To scroll to the next occurrence of the word or phrase, go to Edit > Find Selection again or press Command + Shift + F on the keyboard.

1.7.13. Rename Character

To change a character's name throughout the script, choose it from the Character to Rename dropdown menu...



...and type the new name into the Rename To field:



IMPORTANT Enter the new character name in Initial Caps only. In the example, "Margaret" is correct; "MARGARET" or "margaret" will result in wrongly-cased instances of this name everywhere in the script.

After the new name has been entered, click Rename.

The program will scan the entire document and change every instance of that name. Note that the character name will be replaced in all elements (i.e. Action, Parentheticals, Alt Dialogues, etc.). The name will also be changed in all tools (i.e. [SmartType](#), the [Characters](#) section of the Navigator, [Reports](#), etc.).




IMPORTANT *This action cannot be [undone](#). If you need to revert to the previous character name, choose the unwanted new name from the dropdown menu, type in the original name and press OK.*

1.7.14. Start Dictation

Final Draft 13 takes advantage of the dictation feature built into the Mac operating system. It understands natural-language voice commands to perform keystrokes and enter text. At this time, only English is supported.

To use Dictation

1. Go to Mac System Preferences (found in the Dock);
2. Go to Sounds and choose the Input tab;
3. Select a microphone (an external microphone connected to the computer or, if the computer has one, the built-in microphone);
4. Verify that the mic is picking up your voice;
5. Dismiss the Preferences window;
6. Open Final Draft;
7. Go to the Final Draft 13 menu > Preferences > **General** and if it not already checked, check the box for Speech Commands, then click OK;
8. Choose Edit > Start Dictation or press the Command key twice or click the microphone icon in the status bar:



The voice commands “return” and “tab” are interpreted by Final Draft as those keys on the keyboard.

The voice command “new paragraph” will break the line in which blinking cursor resides and wait for the user to issue the command for the type of paragraph type desired, i.e. “new paragraph... scene heading.”


The voice commands “period,” “comma,” “question mark,” “semi-colon” and other punctuation marks at the end of a sentence will insert the announced mark.

The voice commands “undo” and “redo” will perform the same actions as Edit > Undo <*last action*> and Edit > Redo <*last action*>.

To stop dictation, click the Done button in the microphone icon.

1.7.15. Emoji & Symbols

Opens the Mac OS dialogue window for choosing and inserting emojis or non-standard or foreign-language characters.



Choose the category from the row of icons at the bottom of this window (click the right-pointing arrow for Show Next Categories to display Letterlike Symbols, in this example). Double-click the desired character to place it into the script at the current cursor position. The emoji or symbol will be the same font size as the regular text into which it is placed.




IMPORTANT *Not all characters are supported in Final Draft. If an unsupported character is inserted, it will usually be displayed as a question mark, a slash, a box or some other symbol.*

More information from Apple on using the Mac emoji picker is here: <https://support.apple.com/guide/mac-help/use-emoji-and-symbols-on-mac-mchlp1560/mac>


1.7.16. Using Smart Drag-and-Drop

When a block of dialogue is dragged from one place to another, the correct character element is created automatically when the dialogue is dropped.

In this example, the line "C'mon! Feels great! So refreshing!" is selected and dragged -- without the character name above it -- to a new location:



Smart Drag-and-Drop knows that this is dialogue so it automatically brings the appropriate character name with it:



Smart Drag-and-Drop also recognizes other script elements and behaves correctly and predictably when text is dragged-and-dropped anywhere in a script. The same also holds true for Edit > Cut / Copy and Paste.

The drag-and-drop feature simplifies the relocation of text without having to use the Cut and Paste commands. Text may be selected, dragged with the mouse, and dropped or placed:

- within a Final Draft script
- between Final Draft scripts



NOTE

Edit > [Undo](#) is available to reverse undesired drag-and-drop actions. You may also use Command + Z.

1.8. View

The View menu contains commands for changing how a document is displayed.

- Split > Vertically / Horizontally / Unsplit / Swap
- Script - Normal View
- Script - Page View
- Script - Speed View
- Beat Board
- Scene View
- Show / Hide Scene View >
 - Show Action
 - Show Scene Title
 - Show Summary
- Index Cards - Script
- Index Cards - Summary
- Cards Across >
- Outline Editor
- Show / Hide Ruler
- Document >
 - Show / Hide Outline in Script
 - Show Structure Lines
 - ScriptNotes
 - Show / Hide Alts
 - Invisibles
- Zoom


- [Zoom Outline Editor](#)
- [Typewriter >](#)
 - Enable
 - Frame
 - Line
 - None
- [Appearance >](#)
 - System
 - Day Mode
 - Night Mode
 - Midnight Mode
- [Show / Hide Tab Bar](#)
- [Show All Tabs](#)
- [Focus Mode](#)
- [Enter Full Screen](#)
- [Show / Hide Toolbar](#)
- [Customize Toolbar](#)

1.8.1. Split

Divides the document window into two panels. To change what one or both panels show, click into a panel and from the View menu or the View icon in the Toolbar choose a script view, an Index Card view, Scene View or the Beat Board.

Split Vertically

Divides the document window into two side-by-side, upright panels:



Split Horizontally

Divides the document window into two panels, one on top of the other.

Unsplit Panels

1. Select the panel that will remain displayed;
2. Choose View > Unsplit Panels

- or -

2. Click the Split icon in the Toolbar and choose Unsplit Panels.


The panel that is not selected is hidden and the remaining panel expands to fill the document window. This command is disabled if only one panel is displayed.

Swap Panels

Replaces the view of one panel with the other. For example, if a script is split vertically into two panels with the panel on the left set to Script View and the panel on the right set to Scene View, the Swap Panels command will place the left-hand panel into Scene View and the right-hand panel into Script View.

1.8.2. Script - Normal View

Displays the text of the script with all active components: page breaks (as a line), page numbers, dialogue breaks, mores, continueds, headers and footers.




NOTE

Whichever Script View (Normal, Page or Speed) is active when a script is saved will be the view in which it appears when it is reopened.

1.8.3. Script - Page View

Displays the script on more realistic-looking "pages" as it would look if printed to paper, with all active components: page numbers, dialogue breaks, mores, continuations, headers and footers. Page breaks are displayed in the darker areas between pages. Script - Page View is the default view for new scripts and text documents.




NOTE

Whichever Script View (Normal, Page or Speed) is active when a script is saved will be the view in which it appears when it is reopened.

1.8.4. Script - Speed View

Displays only the text of the script, as if it were a single, continuous page. With Speed View enabled, more of the text appears onscreen. It resembles [Normal View](#) but without any of the active components, such as page numbers and mores and continuations that occur for page breaks.



NOTE

Whichever Script View (Normal, Page or Speed) is active when a script is saved will be the view in which it appears when it is reopened.

1.8.5. Beat Board

Displays the [Beat Board](#).


1.8.6. Scene View

Switches the current panel to Scene View, which displays each scene in its own row.

Because the rows of Scene View are shorter than [Index Cards](#), more scenes are visible.

When View > Scene View is chosen for the first time, Scene View displays the scene heading, the scene title, the first line of scene summary and the first line of the scene's action.

A scene row may be dragged and dropped to another location within Scene View and the scene will be relocated in the script as well.



See [Show / Hide Action/Summary/Scene Title \(Scene View\)](#) for information on determining what is displayed in each scene row.

1.8.7. Show / Hide Scene View

These commands are available when a script is in [Scene View](#) and are identical to the context menu displayed by right-clicking or Control + clicking into a Scene View row:

A Scene View scene with all components visible:



Show / Hide Action

Hides or shows the first line of action (taken from the script page).

Show / Hide Scene Title

Hides or shows the scene title, if scene titles have been written.


Show / Hide Summary

Hides or shows the first line of the summary, if scene summaries have been written.

The Scene Heading cannot be hidden.


1.8.8. Index Cards - Summary

Switches the current panel to Index Cards with the scene summary field displayed. The cards are initially blank so that text can be entered on them for development ideas, notes, sequence or act markers, comments, locations, blocking, or anything else that might be applicable.



To add a Scene Heading to a card, click once in the box containing the greyed-out *Add Scene Heading*. Text entered into the Scene Heading field will automatically be copied to the script page at the location of the scene when the mouse is clicked away from that field.

To add summary text to a scene, click once in the box containing the greyed-out *Add Scene Summary*. Text entered into the body of the card will automatically be copied as a Summary paragraph to the page. Any text written on the page as a Summary paragraph will be copied to the appropriate Summary card.




To edit existing Scene Heading or summary text, click once in the box containing that text and add and delete text as necessary.

See [Send to Script](#) for more information on moving Summary content to the script page.

1.8.9. Cards Across

The Cards Across command is only enabled when either of the Index Cards views is chosen. It determines the number of columns of cards to be displayed. The maximum is nine cards.



NOTE *The more cards that are displayed, the smaller the cards become. The smaller the card, the less text is shown.*

1.8.10. Show / Hide Outline Editor

Toggles the onscreen display of the [Outline Editor](#).

1.8.11. Show / Hide Ruler


Toggles the onscreen display of the ruler.

The ruler shows the width of the page in inches (other units of measurement are not supported).

Use the ruler to adjust indents (margins) for a particular paragraph. The indent markers represent the left and right indents of the paragraph containing the cursor or the first paragraph of a selection.

Click and drag the square indent marker on the left or the triangle indent marker on the right to a new position, which changes the margins for the current paragraph (the paragraph in which the blinking cursor resides) or all paragraphs in a selection.


In this graphic, the blinking cursor is in a dialogue paragraph and the the indent markers have moved in the ruler bar to reflect this element's default margins.



Use the indent markers in the ruler to change the indents for a paragraph. This will override the element's defaults.


Indent Markers

There are three different indent markers available in the Ruler bar on the left:




Top Line Indent Marker

The top line indent marker, when moved to the right, will force the top line of a paragraph to indent:




Lower Lines Indent Marker

The lower lines outdent marker will indent the second through the last line in a paragraph:



Paragraph Marker

The paragraph indent marker will indent the entire a paragraph:



On the right there is only the lower lines indent marker and moving this will move the right indent for all lines in the paragraph.



IMPORTANT *It is not recommended to change the indents of an entire script using the indent markers in the Ruler. See Modifying Elements -- [Paragraph Tab](#) for information on adjusting element indents globally.*

1.8.12. Document

Show/Hide Outline in Script

Show/Hide Structure Lines

Show/Hide Alts


Show/Hide ScriptNotes

Show/Hide Invisibles

1.8.12.1. Show / Hide Outline in Script

Toggles the onscreen display of Outline paragraphs on the script page (if any have been written).

Page 1 of the sample script *Tangle and Moss* with Outline paragraphs (in blue):



Page 1 of the sample script *Tangle and Moss* without Outline paragraphs:

1 2 3 4 5 6 7
CLOSE ON: A GOLD KEY

Majestic, light glinting off it.

YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open?

INT. HOME LIBRARY - DAY

Meet TANGLE, 12, precocious eyes, unruly hair. She gazes out
a window of a house on a hill surrounded by evergreens.

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the Blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say a great treasure lies on
the other side of the door.

Tangle turns from the window, intrigued by the legend.

UNCLE (CONT'D)
How does your hair get so tangled?
Every time I return to port, I find
you in some grand state of disrepair.
Should I ask the maids to better help
you maintain it while I'm at sea?

CUT TO:

KITCHEN - NIGHT (FLASHBACK)

THREE MAIDS spin toward Tangle, who's just entered. They're
sharing a bottle of Uncle's whiskey. Deck of cards waiting

1.8.12.2. Show / Hide Structure Lines


Toggle the onscreen display of Structure Lines. The default setting is hidden.

Structure Lines are vertical lines associated with Outline elements (created in the Outline Editor) and their [parent-child relationships](#) that organize a story into (for example) Acts, Sequences, and Scenes. Any paragraph next to a Structure Line is part of the act, sequence or scene indicated by that Outline element's and Structure Line's color. A paragraph may be next to more than one Structure Line because it part of both an act and a sequence.

In the example below,

1. The top lane of the Outline Editor is for Acts; Act One is cyan;
2. The second lane is for Sequences; the first sequence "Meet Tangle" and is purple;
3. The third lane is for Scenes; the first scene is "Set Up Gold Key" and is orange.


When Structure Lines are shown, a cyan line runs down the left side of the page and this line spans all sequences and scenes that are part of Act One. A purple Structure Line spans all scenes and paragraphs that are part of the "Meet Tangle" sequence and the orange Structure Line indicates all paragraphs that comprise Scene 1:



If a marker in the Outline Editor has been assigned a color, that color will be used for its Structure Line on the page.

If a scene has been assigned a color in the Navigator, that color will be used for its Structure Line on the page.

A color may be assigned to a Structure Line directly by right-clicking the scene heading of an associated paragraph on the script page and choosing a Scene Color from the context menu:



If a scene color has been assigned this way, that color will also be associated with that scene in the Outline Editor and the Navigator.

If Structure Lines are set to be shown when saving a script as a PDF or printing to paper, they will appear in the PDF or on the page. If they are hidden when saving as PDF or printing, they will not appear in the output.

1.8.12.3. Show / Hide Alts


Toggles the onscreen display of Alternate Dialogue commands and contents. Hiding Alts does not remove them from the script. See [Alternate Dialogue](#) for more information.

1.8.12.4. Show / Hide ScriptNotes

Toggles the onscreen display of the [ScriptNote](#) markers. Markers indicate the paragraph to which a ScriptNote is attached.

```
CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
                                YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open?

INT. HOME LIBRARY - DAY
Meet TANGLE, 12, precocious eyes, unruly hair. She gazes out
a window of a house on a hill surrounded by evergreens.
Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.
```



NOTE

If you print the script while the ScriptNote markers are visible, the markers will not be printed and so do not affect the script length or pagination.

More information on ScriptNotes is [HERE](#).


1.8.12.5. Invisibles

The Invisibles command shows or hides hidden characters such as carriage returns, spaces and tabs.

To show invisible characters

Choose View > Document > Show Invisibles.

Text with invisible characters shown:



INT.. HOME. -. DAY¶
Meet. TANGLE,. 12,. precocious. eyes,. unruly. hair.. She. gazes. out.
a. window. of. a. house. on. a. hill. surrounded. by. evergreens.¶

The paragraph marks ¶ indicate hard carriage returns (inserted by the user) and the small dots indicate hard spaces between words (inserted by the user).



NOTE

If you print your document while the invisible characters are visible, they're not printed and won't affect the script length.

To hide the invisible characters

Choose View > Document > Hide Invisibles.

The color of the invisibles can be changed under Document > Page Layout > Colors.



TIP

Show invisibles when there appears to be erroneous white space on a page (extra blank lines or extra blank spaces). The invisibles will indicate where carriage returns, spaces

or tabs have been manually inserted; once they have been revealed by the invisibles, they can be deleted if necessary.

1.8.13. Show / Hide Action/Summary/Scene Title (Scene View)

These commands are available when a script is in [Scene View](#).

A Scene View scene with all components visible:



To access the following Hide / Show options, right-click or Control + click on a Scene View card and a context menu will be displayed.

Show / Hide Action

Hides or shows the first line of the action that appears on the script page.

Show / Hide Scene Title

Hides or shows the scene title, if scene titles have been written.

Show / Hide Summary

Hides or shows the first line of the summary, if scene summaries have been written.

The Scene Heading cannot be hidden.




NOTE


Hiding or showing a part of a Scene View card will hide or show that part in all cards, not just the selected card.

1.8.14. ScriptNotes

The ScriptNotes command hides or shows [ScriptNote](#) markers. Markers indicate the paragraph to which a ScriptNote is attached.



A number in the ScriptNotes marker indicates the number of ScriptNotes that are attached to the paragraph:



NOTE

If you print the script while the ScriptNote markers are visible, the markers will not be printed and so do not affect the script length or pagination.

1.8.15. Zoom


The Zoom submenu allows the user to change the display of the document, making text larger or smaller to better fit the monitor and its resolution. It does not change the script's font size and will not affect the pagination.

To change the current magnification level

Select a zoom size from the View > Zoom submenu

- or -

drag the Zoom slider at the bottom right of the document window – left to zoom out / right to zoom in:



- or -

click the percentage to the right of the zoom slider to display a menu of pre-set sizes:

spin toward Tangle, who's just entered. They're
little of Uncle's whiskey. Deck of cards waiting.


HEAD MAID
speak a word, we'll toss you in
this here pot!

MAID drops a live LOBSTER into a boiling pot --
SAM ESCAPES as the THIRD MAID SLAMS the lid --

BACK TO:

- PRESENT TIME

she her head at Uncle: No maids.



- or -

if the mouse has a scroll wheel, hold down the Command key on the keyboard and scroll up or down to zoom in or out;


- or -

hold down the Command key and press the plus or minus keys on the right-hand side of an extended keyboard.


1.8.16. Zoom Outline Editor

The Zoom Outline Editor enlarges or reduces the size of the [Outline Editor](#). Each tick between the numbers represents an eighth of a page.

 The Outline Editor may also be scaled with the zoom slider on the right:



The Outline Editor may be resized vertically by dragging its bottom border up or down:




1.8.17. Typewriter


When Typewriter mode is enabled, the typing area is fixed at about 1/3 of the way down the screen and as text is typed, the script scrolls up instead of the typing area scrolling down. The position of the typing area is not adjustable.

To aid the user's focus, there are two options to indicate the typing area:

- **Frame:** the typing area has a box around it;



- **Line:** the typing area has a line under it;




If None is selected the typing area is not set off in any way.

To disable Typewriter mode, go to View > Typewriter and click Enable to uncheck it.

1.8.18. Appearance

Switches the program's color schemes. See [Appearance](#) for more information.



Day, Night and Midnight modes are available for all script page views, the SmartType window, the Navigator, the ruler, the Beat Board and the Outline Editor.

See Document > Page Layout > [Colors](#) for more color options.

1.8.19. Show / Hide Tab Bar

In macOS 10.15 Catalina -- Dock preferences, when the box for Prefer Tabs when Opening Documents -- Always is checked, and in macOS 11 Big Sur and later, in Preferences > General, Prefer Tabs Always When Opening Documents is checked, and Final Draft is launched, a tabbed view, similar to a web browser, is an option.

Select Show Tab Bar to display a tab for each open document. The user may switch from one to another by clicking its tab:




Right-clicking or Control + clicking on a tab offers options to close the tab, close other tabs, move the tab to a new window or [show all tabs](#).

A tab may be closed by clicking the X on the left. Hold down the Option key on the keyboard and click the X to close all other tabs.

A new document type of the last-chosen template may be opened by clicking the plus sign at the right end of the Tab bar.

1.8.20. Show All Tabs

Displays all open documents as tiles:




Click on a document tile to expand it to fill the Final Draft application window.

To close a document in this view, click the X at its upper left corner. If the document is unsaved, a standard Save window will be displayed.

To create a new document, click the tile with the plus sign.

1.8.21. Focus Mode

Focus mode displays the current document (whether Pages, Cards, Scene View or any combination of views) without the menu bar, toolbar, tab bar, Outline Editor or ruler at the top of the screen and with the Final Draft document window maximized.




To enter Focus mode

Go to View > Focus mode

- or -

click the Focus mode icon at the lower right of the application window:



To exit Focus mode

Press the Escape key on the keyboard;

- or -

move the mouse arrow to the very top of the screen and hold it there until the menu bar and toolbar are displayed. Go to View > Focus mode; the document window will be restored to its previous smaller size and the menu bar and toolbar will be visible again;


- or -

click the Focus mode icon at the lower right of the application window.

1.8.22. Enter Full Screen

Full-screen mode displays the current document (whether Pages, Cards, Scene View or any combination of views) without the menu bar or toolbar at the top of the screen and with the Final Draft document window maximized.

If the tab bar, Outline Editor or ruler were set to be shown in regular view, they will be shown in Full Screen mode as well. For a view that hides all of these components, use [Focus mode](#).



To enter full-screen mode

Go to View > Enter Full Screen; the menu bar, toolbar or ruler will be hidden and the Final Draft document window will maximize on the screen

- OR -

on the keyboard, press Control + Command + F.

To exit full-screen mode

Move the mouse arrow to the very top of the screen and hold it there until the menu bar and toolbar are displayed. Go to View > Exit Full Screen; the document window will be restored to its previous smaller size and the menu bar, toolbar will be visible again

- or -

on the keyboard, press Control + Command + F.

1.8.23. Show / Hide Toolbar

The Hide / Show Toolbar command shows or hides the toolbar on the current document window. Click the menu item to toggle the [Toolbar](#) on and off.

1.8.24. Customize Toolbar

Displays the [Customize sheet](#).

1.9. Format

The Format menu contains commands for how text is configured.

- [Elements](#)
- [Change Element to ... Submenu](#)
- [Cast List Element Options](#)
- [Cast List Element in Script](#)
- [Highlight Characters](#)
- [Set Font...](#)
- [Font](#)
- [Size](#)
- [Style](#)
- [Color](#)
- [Highlight](#)
- [Toggle Case](#)
- [Alignment](#)
- [Spacing](#)
- [Space Before](#)
- [Leading](#)
- [Beat Board](#)
- [Dual Dialogue](#)

1.9.1. Elements

The Elements section contains information about how elements are used in Final Draft. Scripts are comprised of different types of information -- scene headings, action, characters, dialogue and others. Each of these has its own indents (margins), alignment, spacing, casing and other attributes. Final Draft calls these unique paragraphs "Elements." In this sense, a script can be described as a stack of elements.


The specifications for all elements are defined in the Format > Elements dialogue. Other word-processing programs may refer to them as styles or style sheets.

Whenever a new paragraph is created, it gets its characteristics from the specifications in the Elements dialogue, which gives the script a consistent, professional look. An entire script may be altered by changing the settings for one or more elements. For example, if the indents (margins) for the dialogue element are changed, every existing and new paragraph of dialogue is (re)formatted accordingly.

- [Elements in a Script](#)
- [Adding Paragraphs](#)
- [Modifying Elements and Creating New Custom Elements](#)

1.9.2. Change Element To


Use the Change Element To... submenu to reformat an individual paragraph as a different element. The Element submenu contains all the elements currently defined for the script. Choose Format > Change Element To > *<element type>* and the paragraph the cursor is in is reformatted accordingly.



There is also an **Element** selector in the Toolbar and a paragraph may be right-clicked or Control + clicked to display the context menu, which offers the Change Element To... submenu.

1.9.3. Cast List Element Options


If the Cast List element is used in a script (primarily in 3-camera shows)...




and the order of names in the paragraph needs to be changed, the three options presented are Alphabetical, Order of Appearance in Each Scene, and Custom Order.

The Custom Order option is used if the names are to be arranged in a certain way. If (for example) the showrunner wants the leads to always be listed first, check the Custom Order radio button and drag the character names into the correct order.

In this example, Tangle is the first lead and Mossy is the second lead; their names, in that order, should always be first in the Cast List paragraph. Mossy is dragged up under Tangle in the list...




...and whenever he appears in a scene, his will be always the second name listed (Tangle will always be first, if she is in the scene).



1.9.4. Cast List Element in Script

Automatic Cast List Generation

The Cast List feature is typically used in three-camera shows to list which characters appear in a scene. The Cast List appears directly below the Scene Heading.



To generate a Cast List for each scene

1. Enter a Scene Heading in the script;
2. Press Return to insert a new Action paragraph;
3. Type some action;
4. Once the scene has been started, place the blinking cursor at the end of the Scene Heading and press Return;
 1. The cursor will be blinking on a blank line; press Return to bring up the Elements menu;
 2. Choose Cast List.

As characters are entered into the scene, their names automatically appear in the new Cast List paragraph. When a character is removed from a scene, it is removed from the Cast List for that scene.

When finished, click OK.

For information on adding a non-speaking character to a scene's Cast List, see [Insert > Non-Speaking Character](#).

To change the order of the characters in a scene's Cast List, see [Cast List Element Options](#).

1.9.5. Highlight Characters

Highlight characters to place emphasis on individual characters and his / her dialogue.

Highlight individual characters to easily find where that character appears in the script.


Highlighting multiple characters can aid the planning and scheduling of a performance.

This feature may be used for table reads and to distribute a copy of the script to each cast member with his / her own lines highlighted.

If a character or characters are highlighted, the colors will be displayed when a PDF of the script is created. If a color printer is being used and Print Text in Color is selected in the [Print](#) window, the character highlighting will be printed exactly as it is onscreen.

Choose Format > Highlight Characters and the Highlight Characters dialogue appears.

In this example, Tangle and her dialogue will be highlighted in blue:



1. Choose a character;
2. Click the down-pointing arrow to select a color from the list;
3. Click OK to apply the highlighting and return to the script.

To use a color that is not on the list, choose Custom to define a color. A standard Mac color picker will be displayed.

Click the check box next to a character's color picker to highlight that character in the script. Check the Display All check box to highlight all the characters. Uncheck the Display All check box to turn off character highlighting for all characters.

This is how a highlighted character appears in the script:

```
TANGLE
Did you know anyone who found it?

Tangle waits for an answer as Uncle returns his focus to the
maps across the table.

Uncle
TANGLE (CONT'D)
UNCLE
Perhaps your father found it.

TANGLE
Perhaps if I find it, I'll find my
father, too!
```


One, some or all characters may be highlighted at any time.

Character names and their dialogues may also be highlighted in a Character Navigator tab. See Character Navigator for more information.

1.9.6. Set Font

Set Font

Enabled when text is selected. Opens the Set Font dialogue box.



From the list on the left, choose a feature (selected text, scene numbers, Mores and Continueds or Index Cards) whose text is to be changed. Options are available for font, size, color, highlighting, style and casing.

Sample text is displayed in the field at the bottom of this window.

When the desired changes have been made, click OK to accept them and return to the script.

Use these commands to change the font, point size, style, color and highlight color of the text.

To change font attributes:

Choose Format > [font attribute] submenu.

Font

Displays a list of available fonts, one which can be applied to selected text.

[font attribute] Submenus

All standard options for the font type, point size and font styles are available from these submenus.



IMPORTANT *The default type is Courier Final Draft, 12-point, plain text (i.e. not bold, italicized, underscored, etc.). Changing the font or font size will very likely result in pagination issues and other problems. Certain font attributes may be changed as needed without causing problems, but avoid global changes to the typeface.*


Color Submenu

Change the color of text by selecting an item from the Color submenu.

To change text color, select a color from the submenu;

- or -

select Custom, choose a color from the standard Mac color picker and click OK.



The selected text will be rendered in the chosen color.

Highlight

Similar to changing the color of a selected block of text, choose the color that will be used.



TIP

The Highlighter tool can also be placed on the toolbar by selecting it from View > [Customize Toolbar](#).

Select a block of text, go to Format > Highlight and choose a color.

The selected text will be highlighted by the chosen color:

To choose a different highlight color:

Select a color from the submenu;

- or -

select Custom, choose a color from the standard Mac color picker and click OK.

To change highlight color, choose a color from the color swatch and click OK. The text becomes highlighted with the chosen color.

To highlight text as it is typed:

1. Position the cursor;
2. Choose the highlight color as described above.

All text that is typed, from the cursor position until a new paragraph is created or the cursor is placed elsewhere, will be highlighted with the selected color.



TIP

To change the color of the page background, use Document > Page Layout > Colors.

1.9.7. Font

Choose a font from this menu and selected text will be changed into this font.



NOTE

Not all fonts installed in the operating system are supported by Final Draft.

1.9.8. Size


Choose a point size from this menu and selected text will be changed to this point size.

1.9.9. Style

Check menu items as desired to change the appearance of selected text.

1.9.10. Color

Select a color swatch to change the color of selected text. Choose a predefined color from the list...



- or -

select Custom... and the standard Mac color picker will appear. Choose or create a custom color and click OK. The selected text will be in the chosen color.



NOTE

To change the color of the page background, use Document > Page Layout > Colors. See Page Layout > [Colors tab](#) for additional information about this feature.

1.9.11. Highlight

Select a color swatch to change the background color of selected text. Choose a predefined color from the list

- or -

select Custom and the standard Mac color picker will appear. Choose or create a custom color and click OK. The background of the selected text will be in the chosen color.

To remove highlighting from selected text, choose None as the highlight color.

1.9.12. Toggle Case

Changes the casing of selected text from uppercase to lowercase and lowercase to uppercase.

Example: To change the word "enters" from lower case to uppercase, highlight it and go to Format > Toggle Case. The word is now "ENTERS."

1.9.13. Alignment

Determines how text is aligned: left, centered, right, or right- and left-justified.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the formatting change will affect all of them.

1.9.14. Spacing

Determines the spacing between lines in a paragraph to either 1, 1.5 or 2 lines.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the spacing change will affect all of them.

1.9.15. Space Before

Allows the user to change the number of blank lines preceding a paragraph to 0, 1, 2 or 3 lines. For more than 3 blank lines, click Other, enter the desired number of line spaces and click OK.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the formatting change will affect all of them.



IMPORTANT *If possible, do not insert blank lines above paragraphs by using the Return key. Use the Space Before command instead in order to avoid spacing or page-breaking errors if content is added or removed.*

1.9.16. Leading

Pronounced "ledding." Determines the vertical distance between the lines of a paragraph. A paragraph's leading style can be Loose, Normal, Tight or Very Tight. The tighter the leading, the less space a paragraph will take up on a page.

For example, Very Tight or Tight leading can be used if a paragraph is at the top of a page and there is a reason to move it to the top of the previous page. Select some quantity of text on the previous page and adjust its leading in order to reduce it enough to be moved to the previous page.

Select one or more paragraphs on the previous page and set its leading to Tight. It may take a few attempts to determine the amount of text that needs to be selected and tightened for the paragraph at the top of the next to move to the bottom of this one.

Loose Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Regular Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Tight Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Very Tight Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the Blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. He
says, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

The Leading command is meant to be used to adjust selected text. To change the spacing between line throughout a script, see [Line Spacing](#).

1.9.17. Beat Board

These commands are available when the Beat Board is the current active panel.

- [Align Selected](#)
- [Connect](#)
- [Connection Color](#)
- [Disconnect](#)
- [Grid Snapping](#)



1.9.17.1. Align Selected

These commands are available when the Beat Board is the current active panel.

Align Selected > To Grid

If Grid Snapping is off and this command will snap selected Beats to the nearest grid line or grid half-line.


Align Selected > To Grid > Make Column



Align Selected > To Grid > Make Row



Align Selected > To Grid > Cascade



Note that after Beats are cascaded, they are not still selected. They must be selected again to perform some batch function on them (i.e. color, move, delete, etc.)

1.9.17.2. Connect

- Connect -- when two Beats are selected and this command is issued, a Flow Line will be drawn between the two Beats.
- Connect with Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the second Beat selected will be drawn;
- Connect with Reverse Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the first Beat selected will be drawn;
- Connect with Double Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards both Beats will be drawn.

A Flow Line type may also be changed at any time by right-clicking or Control + clicking on it and choosing another type from the context menu.

Beats can be connected by dragging one on top of the other. The dragged Beat will return to its original location and there will a Flow Line (with no arrows) between the two. Beats can be disconnected the same way.



NOTE *The ability to connect Beats by dragging one on top of the other can be disabled in the [Preferences](#) menu.*

Flow Lines stay attached to Beats even when they are moved.

1.9.17.3. Connection Color

Displays a color picker to change the color of a Flow Line. Click on a Beat at either end of the Flow Line to select it.

A Flow Line color may also be changed at any time by right-clicking or Control + clicking on it and choosing another color from the context menu.

1.9.17.4. Disconnect

When a Beat with one Flow Line is selected and this command is issued, the Flow Line between it and the other Beat to which it is connected will be removed.

When a Beat with multiple Flow Lines is selected and this command is issued, the Flow Line between it and the first Beat to which it was connected will be removed.

A Flow Line may also be removed at any time by right-clicking or Control + clicking on it and choosing Disconnect from the context menu.

1.9.17.5. Grid Snapping

When Grid Snapping is enabled, Beats will, when created or moved on the Beat Board, automatically be positioned along the nearest horizontal or vertical grid line or along the midpoint between horizontal or vertical grid lines.




Enabling Grid Snapping will not snap existing Beats to the grid; Beats are only aligned along a grid line at the end of a move.

1.9.18. Dual Dialogue

Positions two consecutive dialogue paragraphs side by side.


1. Type in both speeches (including the character names), one after the other. For example:



```
treasure, you must do it together -  
and search for the Old Man.  
TANGLE  
Who's he?  
MOSSY  
Say what?  
GRANDMOTHER  
(to Tangle)  
He just is.
```

2. Place the cursor anywhere in the first character name;
3. Go to Format > Dual Dialogue or press Command + D on the keyboard.

The speeches are now next to each other:



```
treasure, you must do it together -  
and search for the Old Man.  
TANGLE Say what? MOSSY  
GRANDMOTHER  
(to Tangle)  
He just is.
```




To edit dual dialogue text

Click anywhere in the dual dialogue paragraph and the Character Name / Dialogue Character Name / Dialogue paragraph sets will shift from the side-by-side format to the single-column format; edit the desired text and click elsewhere on the page. The paragraphs will automatically return to the side-by-side format.

To revert dual dialogue to the normal single-column format

Click anywhere in the dual dialogue paragraph and click the un-dual icon on the left:



together - and search for the Old
Man.

Who's he? TANGLE

Say what? MOSSY

GRANDMOTHER
(to Tangle)
He just is.

The diagram shows a script layout with a red arrow pointing to the character name 'TANGLE' in the line 'Who's he? TANGLE'. The script is presented in a stacked format with horizontal dashed lines separating the lines of text. The text is centered, and the character names are in all caps.

The speeches revert to the original stacked format.

1.9.19. Edit Dual Dialogue / Close Dual Dialogue Editor

When the blinking cursor is in a dual dialogue paragraph, the menu item reads Edit Dual Dialogue. This command shifts the two character name/dialogue sets from the side-by-side format to the single-column format; edit the desired text and click elsewhere on the page. The paragraphs will automatically return to the side-by-side format.

When the dual dialogue sets are in edit mode, the menu item reads Close Dual Dialogue Editor. This command returns the dual dialogue sets to the side-by-side format.

See [Dual Dialogue](#).

1.10. Insert

The Insert menu contains commands for adding certain kinds of content to a document.


- [Add Alt \(Alternate Dialogue\)](#)
- [Remove Alt](#)
- [New Beat](#)
- [Page Break](#)
- [New Scene](#)
- [Bookmark](#)
- [ScriptNote](#)
- [Label...](#)
- [Image...](#)
- [Non-speaking Character](#)
- [Send to Script](#)

1.10.1. Add Alt (Alternate Dialogue)


Allows the user to write and store multiple speeches spoken by a character in a particular place in the script. Each of these speeches can later be retrieved and displayed on the script page so the user can decide which one to use. Unused speeches may be kept or deleted.

To create an alternate dialogue ("alt")

1. Type a character's speech (a dialogue paragraph);
2. Click the plus sign to the right of the text or on the keyboard press Shift + Command + . (period):



3. The dialogue paragraph will be cleared;
4. Type a new speech:



Both speeches are retained and can be displayed under the character name, one at a time, for review.


Alt Dialogue Controls

At the left of the dialogue paragraph are Previous / Next arrows and an x of y indicator.

Click the left-pointing arrow to display the previous alt; click the right-pointing arrow to display the next alt.

The x of y indicator between the arrows displays the ordinal number of the currently-displayed alt and the total number of alts stored for this character in this location on the page.

When the x of y indicator is clicked ("3/3", in this example) , a menu of all alts by this character in this location on the page is displayed. Click the desired alt to display it under the character name.



At the right of the dialogue paragraph is plus sign icon and a minus sign icon.

Click the plus sign icon to add a new alt. There is no limit to the number of alt dialogues that can be added.

Click the minus sign icon to delete the currently-displayed alt.

Note that there is no confirmation of the deletion and no ability to undo this command.

When the script is printed or saved as a PDF, only the currently-displayed alts will be in the script.

1.10.2. Remove Alt

Deletes the selected alternate dialogue from the script. See [Alternate Dialogue](#) for more information.

1.10.3. New Beat

Inserts a new, blank Beat onto the [Beat Board](#).

1.10.4. Page Break

Inserts a page break at the current cursor position, which moves the paragraph containing the cursor, or the beginning of the selection range, to the top of the next page.

To remove a forced page break

1. Position the cursor just after the page break to be removed;
2. Choose Insert > Page Break to remove the check mark.



IMPORTANT *Don't break pages by adding blank lines to the end of a page. This can cause gaps to appear in your script if enough text is added or removed elsewhere and the "page break" is forced up or down. Use [Space Before](#) instead.*

1.10.5. New Scene

This command is only enabled when the active panel is an [Index Card Panel](#) or [Scene View](#).

To insert a new scene

Select Insert > New Scene from the main menu or select Insert New Scene from the Scene View context menu.


The new scene is inserted after the currently selected scene. If no scene is selected, the new scene is inserted at the end of the script.

1.10.6. Bookmark

Places a new bookmark at the location of the cursor.

To insert a bookmark

1. Click the paragraph (or select a word or a block of text) where the bookmark is to be placed;
2. Choose Insert > Bookmark or press Command + \ (backslash) and the Insert Bookmark dialogue appears. The first 32 characters of the paragraph or the selected text form the default name of the bookmark:



3. Click OK to create the bookmark.

Pre-populated text may be replaced with a manually-entered name for the Bookmark:



IMPORTANT See [Bookmarks](#) for additional information on using and managing Bookmarks.



TIP Bookmark all Act and Scene breaks for quick navigation around a television or play script.

1.10.7. ScriptNote

Creates a ScriptNote. A ScriptNote is a field containing information entered by the user that pertains to a particular paragraph.



TIP


A web address entered into a ScriptNote will, when clicked, open the computer's default web browser to that web page.

To insert a new ScriptNote

1. Click the paragraph with which the ScriptNote is to be associated;
2. Choose Insert > ScriptNote or on the keyboard press Command + Shift + K;

A clickable ScriptNote marker will appear on the right side of the page adjacent to that paragraph, ready for text to be entered.

3. Enter text in the ScriptNote window -- Title and / or Body. If desired, choose a color and / or a ScriptNote category.



Showing / Hiding a ScriptNote


To display the contents of a ScriptNote, click on the marker on the right of the script page.

To dismiss a ScriptNote, press the Escape key on the keyboard or click onto the script page.

Previous / Next ScriptNote


Click the left- or right-pointing arrow to move to the previous or next ScriptNote. The previous or next ScriptNote may be attached to this paragraph or a different paragraph.

If multiple ScriptNotes are attached to a paragraph, their number will be indicated in the marker:



ScriptNote Range

A block of text may be associated with a ScriptNote by selecting that text and then inserting a ScriptNote. When the ScriptNote is opened, the text that was selected at the time the ScriptNote was created will again be highlighted. In this example, "the key" was selected when this ScriptNote was made and is now associated with this ScriptNote.



Deleting a ScriptNote

Click the Trash icon at the upper right of the ScriptNote.

See [ScriptNotes Navigator](#) for more information.

1.10.8. Label

Inserts new header text onto a page. This label text will be displayed at the top of each subsequent page until a new label is inserted.


Many television scripts and stage plays require the act and/or scene number/letter appear in the header at the top of each page. If, for example, "Act 1 Scene A" needs to appear on Pages 1-8, Act I Scene B" needs to appear on Pages 9-16 and "Act 2 Scene A" on Pages 17-24, the Label system enables the user to apply these labels easily.



TIP Before inserting labels into a script, the Label placeholder field must be added to the Header. See the [Header and Footer](#) section for detailed information.

To insert a Label

1. Position the cursor at the top of the page on which the script label text should begin;
2. Choose Insert > Label or press Command + Shift + L on the keyboard;
3. The Insert Label dialogue appears:



4. Type the Label name;
5. Click OK.

The label text will appear in the header or footer.



NOTE

If the cursor is not at the top of the page, the label will be placed on the following page.

To stop a Label run

Insert a new Label and in the Label Name box, tap the space bar once. The new label will consist of a blank space and will therefore be invisible.

To navigate to a labeled page quickly

1. Choose Edit > [Go to](#);
2. Select Header Label from the Go to dropdown menu;
3. Click Go to;

The script scrolls to the Label's location.

4. Click Close.

To change the Label text

1. Use Edit > Go to to find the label text desired;

- or -

1. Position the cursor where the label text was placed;
2. Choose Insert > Label;
3. The Label dialogue appears;
4. Edit the text;
5. Click OK to apply the changes.

1.10.9. Image


Opens a standard Mac dialogue box that allows the user to navigate to and select a .GIF, .JPG, .JPEG or .PNG image file to place at the insertion point on a script or title page. The image, when inserted, will be resized to fit on the page.

An image's horizontal location on the page will be determined by the paragraph type in which the blinking cursor resides when the image is inserted – that is, if the blinking cursor is in (for example) a blank Character paragraph, the image will be placed close to the middle of the line because the Character element is close to the middle of the line; if the blinking cursor is in a Transition paragraph when an image is inserted, the image will be located towards the right side of the line because Transitions are located towards the right side of the line.

To change the alignment of an image, place the blinking cursor on the same line as the image and go to Format > [Alignment](#).

To change the number of blank lines above an image, place the blinking cursor on the same line as the image and go to Format > [Space Before](#).

An image can be resized by dragging the resize handle at the bottom right corner. To reduce the size of the image, drag the resize handle up and to the left; to enlarge it, drag the resize handle down and to the right.



Once inserted, an image may be repositioned in the same way as a text selection via drag-and-drop or with the Cut / Copy / Paste commands.

To delete an image, place the blinking cursor on the same line as the image and if the cursor is to the left of the image, on the keyboard press the Delete key. If the cursor is to the right of the image, on the keyboard press the Backspace key.

The Insert Image command is only available for page views – Normal, Page and Speed. Images are not supported in Scene View or Index Card views.

Alternate Methods of Inserting an Image

Right-click or Control + click on a script or title page to open a standard Mac dialogue box that allows the user to navigate to and select an image

- or -

drag an image file icon from any folder (including the Desktop) directly onto the script or title page

- or -

drag an image from the Beat Board onto a script page.



IMPORTANT *Images larger than 1mb in size are not recommended. If a script file contains many large image files, program performance may be affected.*

1.10.10. Non-speaking Character

Adds a character with no dialogue to the cast list of the scene containing the cursor.

Final Draft automatically tracks and displays all speaking characters in a scene and with this command, the program can also account for non-speaking characters, extras or background cast.



The order in which the inserted non-speaking character appears in the Characters section of the Navigator and the Cast List element in the script is managed under [Cast List Element Options](#).

1.10.11. Send to Script

When a Summary index card is selected or a range of cards is selected, this command copies the summary text into the body of the script as Action at the location of the scene on the page. Note that text entered into the Scene Heading field of a Summary card is automatically placed on the script page as a Scene Heading when the mouse is clicked outside of the card's Scene Heading field.

When a Beat is selected, this command copies the Beat Title onto the script page as an Outline 1 and the Beat body as a Summary paragraph. If more than one Beat is selected, the paste onto the script page will be in the order in which the the Beats were selected.

1.11. Document

The Document menu contains commands for how a document is configured.

- [Page Layout](#)
- [Header and Footer](#)
- [Mores and Continueds](#)
- [Watermark](#)
- [Title Page](#)
- [SmartType](#)
- [Macros](#)
- [Bookmarks](#)
- [Change Target Script Length](#)


1.11.1. Page Layout

- [Margins](#)
- [Colors](#)
- [Options](#)

1.11.1.1. Margins

Set margins to determine the amount of white space between text and the top and bottom edges of the page and between body text and text in the header or footer.

To change the page margins of a document, click the Margins tab if it is not already selected.



Text Margins: Top and Bottom

Measured in inches from the top and bottom of the page, these settings control the amount of space at the top and bottom of each page to allow for the header and footer. Varying these settings can change the page count of a script. The defaults for the US Screenplay template are one inch at both the top and bottom.

If the text margin is set so that it overlaps the header or footer, Final Draft automatically adjusts the text margin so that the text fits in between the header and footer without any overlap.

Header/Footer Margins

Measured in inches from the top and bottom of the page, these settings control the amount of white space above the header and below the footer. The default for the US Screenplay template is 0.50 for both.

To change any Margin settings

1. Click the up or down arrows next to the setting;

2. Click OK to apply the new settings to the script.

If the header or footer margin is set to a value that is less than the header or footer margin of the printer, the text in the header or footer may get clipped. Final Draft will display a warning, giving the user the chance to adjust the margins to match the printer's settings.



TIP

Write down the current settings before adjusting them so that if you need to revert your margins you will have the right values.

See [Paragraph Tab](#) for information on adjusting horizontal element indents.

Paper Type

Set the paper type to either US Letter or A4. The paper type is an attribute of the script file and will open to the chosen page size on any computer on which it's opened.

1.11.1.2. Colors

In the Colors tab of the Page Layout dialogue, the background (page) color, the text color, and the color of the invisible characters may be changed. Changing these settings applies only to the currently active script.



NOTE

If Night Mode or Midnight Mode have been chosen and new Background or Text colors are chosen here, they will not be visible until the color scheme has been set to Day Mode.

If colors are changed here and the script is saved as a PDF with the Keep Colors box checked, the chosen background and text colors will be in the PDF.

To change the background or text colors, click the Colors tab if it is not already selected.

The default colors are white for background, black for text and gray for invisibles.

To change any of the color options

1. Click a color swatch;
2. The standard Colors window appears;
3. Create or choose a color;
4. Quit the Colors box;
5. The new color will be displayed in the color swatch;


6. Click OK and the color change will be applied to the script.



TIP To quickly change the color scheme, use the [Appearance](#) icon at the lower right of the screen.

1.11.1.3. Options

To change the optional settings of a document, click the Options tab if it is not already selected.



Line Spacing Options

The options are Very Tight, Tight, Normal, and Loose. The default setting is Normal.

The Line Spacing setting controls how closely the lines of text are spaced vertically; it applies to the entire document.

A script that is exactly 100 pages in the default Final Draft screenplay template will come in at 90 pages in Very Tight, 95 pages in Tight and 107 pages in Loose.



NOTE

We strongly recommend using Normal because it comes closest to the roughly 1-minute-per-page rule relied upon by readers, development people and (in particular) production staff.

For more information on adjusting the quantity of text on a page, see [Manipulating the Page Count](#).


Enable Smart Quotes

Check this option to use angled left and right quote marks in the script.


Break Dialogue and Action at Sentences

Check this box to prevent Final Draft from breaking a sentence at the bottom of a page and continuing it at the top of the next page; it will force the new sentence to start at the top of the next page. Uncheck this box to allow the sentence at the bottom of a page to run to the end of the line and continue at the top of the next page.

With the box checked:




With the box unchecked:



1.11.2. Header and Footer

Shows the Header and Footer dialogue:



A document's header and footer contain text that will appear at the top and bottom (respectively) of every page of the document. When a new script is created, the default header contains a page number on the right side.

The page number label is represented by a small rounded rectangle containing "Page #." When displayed or printed, the "Page #" symbol is replaced by the actual page number for each page.


The header appears at the top of every page except the first page. The header can be made visible on the first page if necessary. See [Header and Footer Options](#) for instructions.

See [Header and Footer](#) for more information.

Footers are rarely if ever used in a script.

1.11.3. Moers and Continueds

Sets the text and options for dialogue and scenes that span across page breaks.



Dialogue Breaks

☒ Bottom of page: (MORE)

☒ Top of next page: (CONT'D)

☒ Automatic Character continueds

Scene Breaks

☐ Bottom of page: (CONTINUED)

☐ Top of next page: CONTINUED: (#)

Text Font

Courier Final Draft 12

Set Font...

Cancel OK

Dialogue Breaks

Final Draft will attempt to keep a character's dialogue on the same page; however, lengthy speeches may exceed a single page. When that occurs, the Bottom of Page text (MORE) is placed just beneath the dialogue at the bottom of the first page. At the top of the next page, the name of the character is repeated along with the Top of Next Page text (CONT'D).

Bottom of page

Check this box and the text in this box will appear at the bottom of the page when there is a break in dialogue. This text may be edited but (MORE) is standard.

Top of next page

Check this box and the text in this box will appear at the top of the next page when there is a break in dialogue. This text may be edited but (CONT'D) is standard.



NOTE

In addition to entering the text, the check boxes for these options must also be checked or the text will not be displayed or printed.

Automatic Character Continueds

If this option is checked, the Top of Next Page text will be placed after the character's name when the character's dialogue within a scene is interrupted by an element that is not another character's dialogue (i.e., an Action or General element). The character continued text is not inserted if a character's speech is continued from one scene to the next.

Scene Breaks

The Scene Breaks Mores and Continued should be enabled for production scripts. When a scene is continued from one page to the next, the Bottom of Page text (CONTINUED) is placed at the bottom of the first page, and the Top of Next Page text (CONTINUED:) appears at the top of the next page along with the scene number that is being continued.

Bottom of page

Check this box and the text in this box will appear at the bottom of the page when there is a break in dialogue. This text may be edited but (CONTINUED) is standard.

Top of next page

Check this box and the text in this box will appear at the top of the next page when there is a break in dialogue. This text may be edited but (CONTINUED:) is standard.



NOTE

In addition to entering the text, the check boxes for these options must also be checked or the text will not be displayed or printed.

CONTINUED: (#)

Check this box to add a number after the CONTINUED (e.g. (2), (3), etc.) at the top of each continued page, indicating how many pages are included in the same scene.



NOTE

The Scene Breaks Continueds and Scene Continueds are used in scripts in production and are not recommended for [spec scripts](#).

Set Font

The text box displays the current font and size setting that the Mores and Continueds will use when they are displayed and printed.

To set Font attributes


1. Click Set Font;
2. The standard font dialogue appears;
3. Make any changes and click OK;
4. Click OK to save changes in the script.

1.11.4. Watermark

Opens the Watermark editing window. In this window the user can enter text that will appear on all printed and PDF pages:



Enter the watermark text and click OK to return to the script. To preview how the watermark will look, go to File > [Print Preview](#).



Once a watermark has been added to a script and the script has been exported as a PDF, the watermark cannot be removed from the PDF.

To remove a watermark from a Final Draft script, go to Document > Watermark, clear the text box and click OK.

The position, font and size of the watermark text cannot be changed.

1.11.5. Title Page

Opens the script's title page in a separate document window.

Type the script's title, the writer's contact information and any other pertinent information over the sample text and delete any unneeded sample text. When the title page has been edited, close the title page editing window with the red Close button at the upper left. This will return the user to the script. When the script is saved, the updated title page will be saved as well.

Images may be placed onto the title page(s) via the methods described in the [Image](#) section.


To create multiple title pages

Position the blinking cursor at the end of the page and go to Insert > [Page Break](#). As many additional title pages for cast lists, location lists, introductions, etc. that are needed may be created.

Title pages are numbered with Roman numerals (*i, iv, ix*) so they will be visually distinct from the script pages' numbering. Title page numbers may be removed by going to Document > [Header and Footer](#) and removing the Page field.

Including or excluding the Title Page in the output

When a script is to be printed (File > [Print](#)) to paper or PDF, a check box allows the user to include or exclude the title page from the print job:




TIP

The title page uses tab stops in the same way the Header does. See Header and Footer > [Tab Stops](#) for more information.

1.11.6. SmartType

Manages the SmartType lists. Use of SmartType lists eliminates having to enter names and phrases over and over again. The following example of the Character SmartType list is taken from the sample script *Tangle & Moss*:



In this screen the characters, extensions, scene intros, locations, times and transitions used in a script may be viewed, changed, reordered and alphabetized. Clicking Rebuild will scan the script and repopulate the SmartType list from the script's contents.



NOTE Clicking *Rebuild* when there is nothing in a script will result in all SmartType lists being empty.


SmartType options control whether lists appear automatically and how to handle special situations for entering characters.

See [SmartType](#) for more information.

1.11.7. Macros

Macros are key combinations for entering text. Final Draft comes with many built-in macros for entering the most frequently-used scriptwriting terms (INT., EXT., - DAY, CUT TO:, etc.). When a macro is typed, the associated text is automatically inserted into the script. Macros to create specific element paragraphs before and after their text is entered may also be created. Keystrokes that activate existing macros and change their behavior may be modified.

Choose Document > Macros and the macros dialogue appears:



The list displays the key combinations and the macro names.



NOTE

Almost all of the Macro key combinations are hard-coded and only the Macro Element and the Transition To elements can be changed. The Macro name and the Macro text cannot be changed.

Macro Name

Contains the name of the macro, which is displayed in the status area at the bottom of the script window when the appropriate keys are pressed.

Macro Text

Contains the text that is inserted into the script when the macro is invoked.

Macro Element

The Macro Element pop-up list determines what type of paragraph will be created when the macro is invoked. Unlike the Command key combinations, invoking a macro does not split the paragraph the cursor is currently in. The Macro Element mechanism eliminates the need to manually move to the end of a paragraph and create a new one before the macro is invoked. Select the desired element type for the paragraph where the text is to be inserted or choose General to leave the element unchanged.

For example, if the cursor is positioned in the middle of an action paragraph and Option + 1 is pressed, the appropriate text is entered and a new scene heading paragraph is added *after* the existing paragraph.

Transition To dropdown menu

Used to switch to another paragraph type after the Macro Text has been entered. This eliminates having to manually create a new paragraph after the Macro is invoked. Select the desired element type for the paragraph that is to be added or choose None to leave the element unchanged.

Example: If the cursor is currently at the end of a partially-entered scene heading and Option + 4 is pressed, the appropriate text is entered at the end of the scene heading and a new action paragraph will be added.

Custom Macros

There are two available Macro key combinations that can be fully customized: Option + 0 (zero) and Option + Shift + 0 (zero).


To create a custom Macro

1. Select the macro (either Option + 0 or Option + Shift + 0) from the list;
2. Enter a macro name in the text field above the list;

3. Click in the Macro Text field and type the text to be entered when the macro is invoked;
4. Set the behavior by selecting the element paragraphs desired from the Macro Element and Transition To dropdown menus.
5. When finished, click OK.

1.11.8. Bookmarks

Opens a dialogue containing options for managing Bookmarks. Bookmarks are placeholders in a script and may be set anywhere. See Insert > [Bookmark](#) for more information on how Bookmarks are created and placed in a script.



To change the name of a Bookmark

1. Select the bookmark in the list;
2. Edit the name of the bookmark.;
3. Click OK to apply any changes and return to the script.

To go to a Bookmark

1. Go to Document > Bookmarks;
2. Select the bookmark in the list;
3. Click Go to

- or -

3. Double-click the bookmark in the list.

Alternatively:

1. Choose Edit > Go to;
2. Select Bookmarks from the Go to dropdown menu;
3. Click the Bookmark name;

4. Click Go to.

The script scrolls to the bookmark's location and selects the paragraph containing the bookmark.

To delete a Bookmark

1. Select the bookmark in the list;
2. Click Delete;

The bookmark is removed from the list;

3. Click OK to apply any changes to the script.



TIP

The Bookmarks icon, like most icons, can be added to the Toolbar. See [The Toolbar](#) for more information.

1.11.9. Change Target Script Length

The [Outline Editor](#) defaults to 120 pages, considered the average feature film script length. Double-click anywhere in the Outline Editor to adjust the target script length (the number of pages represented):



The more pages there are, the longer the Outline Editor will be.

Enlarge or reduce the size of the Outline Editor under View > [Zoom Outline Editor](#).



TIP

*To work with percentages rather than pages, set the Target Script Length to **100**. Now each hash mark represents 1% of the total project rather than page numbers. For example, placing a Beat at 33 means that it occurs a third of the way in, regardless of how many pages precede that Beat.*

1.12. Tools

The Tools menu contains commands for program features that aid in writing and proofing a script.

- [Spelling](#)
- [Thesaurus](#)
- [Speech Control...](#)
- [Assign Voices](#)
- [Reports](#)
- [Combine Files...](#)
- [Names Database...](#)
- [Reformat...](#)
- [Format Assistant...](#)
- [Script Compare...](#)
- [Hide / Show Navigator](#)
- [Collaboration...](#)
- [Sprint Timer / Writing Stats](#)

1.12.1. Spelling


To Begin Spell-Checking

Choose Tools > Spelling. The Spelling dialogue appears and checking begins with the first misspelled word highlighted and a list of suggestions to correct the error.

When the spell-checker encounters a misspelled or unknown word, that word is highlighted in the script and the word appears in the Misspelled Word area in the Spelling dialogue, along with a list of possible alternatives. The first item in the Suggestions list appears in the Change To text field. In this example, the spell-checker has found "Majetic" as a misspelled word:

```
CLOSE ON: A GOLD KEY  
Majetic, light glinting off it.  
YOUNG GIRL, (PRE-LAP)  
And what is the key for? What door  
will it open?
```

To accept the suggestion "Majestic" and continue spell-checking, confirm that "Majestic" is in the Change To field (if not, choose it from the Suggestions field) and then click Replace (or choose another option):



To substitute an alternate word:

1. Select a word from the Suggestions list or type another word in the Change to box. It appears in the Change To text field;
2. Click Replace. If there may be more than one instance of the misspelled word in the script, click Replace All.

Alternately:

Double-click a suggested word. The new word replaces the misspelled word in the script and spell-checking continues.

To instruct the spell-checker to learn a word, click Learn. The word in the Misspelled Word area is added to the computer's user dictionary and spell-checking resumes.

To disregard the word considered misspelled and continue, click Ignore.

To disregard all instances of that word in the document, click Ignore All.

When the spell-checker reaches the end of the script, it asks if the search should continue from the beginning of the script. If the spell-checking was started in the middle of the script, when the spell-check reaches the end of the script it may be continued from the top of the script. Click Yes to continue.

When the entire script has been checked, a message indicates that the whole script has been checked. Click OK to close the Spelling dialogue.




NOTE

You can halt spell-checking at any time and close the Spelling dialogue by clicking the Close button.

Spell-checking with the Contextual Menu

Access spell-checker functionality from a context menu.

1. Right-click or Control + click on a misspelled word and the context menu appears:



2. Select the correct word

- or -

3. Select any of the alternative words

- or -

3. Choose to have the spell-checker ignore or learn the word

- or -

3. Make the correction manually by typing directly into the script.



NOTE


Final Draft 13 supports Grammarly. See [this topic](#) for more information.

1.12.2. Thesaurus


Find alternate word choices while writing.

To find words in the thesaurus

1. Right-click or Control + click on the word to be replaced;
2. Choose Synonyms and a list of alternate word choices will be displayed;
3. Choose the desired word and it will replace the word on the page.




Another way to call a list of synonyms is to right-click or Control + click on a word and from the context menu, choose Thesaurus. A standard Mac word lookup (curated by Apple) is displayed:



1. Pick a replacement word;
2. Close the window;
3. Highlight the word to be replaced;
4. Type the new word in.

1.12.3. Speech Control

Shows the Speech Control toolbar, which contains a set of buttons to direct the playback of the script being read.




Assign Voices

Specify different voices for each character for playback with Tools > Speech Control.

Characters tab

Displays the SmartType Character list along with the names of all available “actors.”



To assign an actor to a character


1. Click a character;
2. Click the actor to be assigned to this character;
3. Click the Preview button to hear the actor “audition”;
4. If the pair is acceptable, click OK or click a different actor.

Narrator tab

Set an actor as the "narrator" of the script. The narrator is the voice that reads the text for elements other than dialogue.

To assign an actor to the narrator and to set which elements the narrator reads:

1. Click the Narrator tab:




2. Select an actor to be the narrator from the Narrator's Voice list;
3. Check the elements that the narrator will read from the Narrator Reads list;
4. Click the Preview button to hear the narrator “audition”;
2. To accept the pair, click OK or click a different narrator.

Actors tab

Modify the voices an actor uses in the Actors tab. To set an actor’s voice:

1. Click the Actors tab:



2. Select the actor whose voice is to be modified;
3. Select a voice from the Voice dropdown;
4. Make any changes desired to the pitch and speed;
5. Click the Preview button to hear the voice “audition”;
6. When finished, click OK.



NOTE

Not all voices in the Actors dropdown menu will work.

1.12.4. Assign Voices

Opens a dialogue for associating characters with actors; the voices are provided to Final Draft by the Mac operating system. See [Speech Control](#) for more information.

1.12.5. Reports

Final Draft's reports present information from a script in a variety of ways. Though the report formats cannot be changed, the information produced by the reports can be edited, saved and printed. The font used when the reports are printed may be modified.

The user can choose to generate all reports as either script documents or text documents.

To create a report

1. Choose Tools > Reports > [Report Name];
2. A dialogue appears with different options depending on the report chosen;
3. Once options are set, click OK.

Available Reports


- **Scene Report** contains the scene number (if the scenes have been numbered), intro, location, time of day, page number, page length and other data for each scene. There is an option to include each scene's tags;
- **Location Report** contains each location and the number of times it appears in a scene heading in the script;
- **Character Report** contains the scene numbers (if any), scene headings, character extensions, parentheticals, complete dialogue and other data for a character. It will also indicate if the character has any monologues of more than 100 words;
- **Cast Report** contains a list of each character, how many times he or she appears, and other data;

- **Script Report** contains the text from specified elements, presented in screenplay format. Note that choosing all the elements will generate a report that is identical to the actual script;
- **ScriptNote Report** contains the page number, scene heading, note text and other data of each ScriptNote in the script;
- **Statistics Report** can include the number of words and paragraphs, the number of each element and their percentage of all elements, character statistics, scene statistics, profanity usage and other data;
- **Tags Reports**
 - **By Scene** contains a list of all scenes in the script and all tags contained in each scene and their categories;
 - **By Tag** contains a list of all tags by category and the page numbers on which the tagged items appear and (optionally) the scene headings of scenes in which the tagged items appear.



TIP


All reports in the Tools > Reports menu are also available in the Navigator tabs:




1.12.6. Combine Files

Creates a new script containing the currently-open script and additional selected scripts.

1. If it has not already been saved, save the currently-open script;
2. Go to Tools > Combine Files;
3. A standard Mac Open dialogue will be displayed;
4. Navigate to the location containing the desired FDX script files;
5. Select the desired file(s). To select multiple files, Command + click on each one:




6. When all desired files have been selected, click Combine;
7. The File Order window containing the names of the selected files will be displayed; if necessary drag them into the order in which they should appear in the new script:



8. Click Create New File.

A new document will be created containing the first script and the selected scripts in the chosen order. Each successive section begins on its own page. In addition, the Title Page (Document > Title Page) contains the names and starting page numbers of the scripts that have been added to the first script:



	ii.
Joe Green Sketch.....	1
Airplane Sketch.....	1
Football Sketch.....	1
Travel Agent Sketch.....	3

This is a new, untitled document and should be saved with a unique file name.

If additional writing is to be done in this combined script, the SmartType lists should be rebuilt in order to eliminate repetitive typing. Go to Document > SmartType and rebuild all of the SmartType lists. See [Rebuilding SmartType Lists](#) for more information.




NOTE *The Combine Files command works only with FDX script files.*

1.12.7. Names Database

Provides over 90,000 names and is useful in providing unique or interesting alternative names, as well as determining their correct spelling.

To find a character name:

1. Choose Tools > Names Database to show the Names Database dialogue:




2. Type the first few letters of a name in the Name Prefix text field. In this example, we want to find some variations on the name "Michael";
3. Click the Look Up button. The list contains all the names that begin with the letters entered;
4. Scroll through the list. Select the desired name;
5. Click the Add to SmartType button to include the selected name in the Character SmartType list;
6. When finished, click the Close button.

1.12.8. Reformat

Converts text that is not formatted properly into correct script format, such as when a Dialogue paragraph is erroneously formatted as an Action paragraph. If a script written using another word processor is imported, the built-in formatting logic will apply; however, some elements may still need to be reformatted.

Choose Tools > Reformat. The paragraph containing the cursor is selected and the floating Reformat window appears:



The paragraph containing the cursor is selected and its current element type is indicated in bold (Selected:).

1. Choose a new element for the paragraph;

- OR -

1. Press the number key for the new element for the paragraph;

The paragraph is reformatted and the next paragraph in the script is automatically selected.


2. Continue reformatting each paragraph as needed;

- Click Next to skip a paragraph without any reformatting;
- Click Previous to select the previous paragraph;
- Click Delete to delete the current paragraph;

There is no confirmation dialogue and the deletion cannot be undone.

3. When done, click Close or press the Escape key on the keyboard to dismiss the Reformat tool.

In this example, the character name "UNCLE" is incorrectly rendered as Action:



The Reformat tool has selected the text and is waiting for the user to choose the correct element. Press the number 3 on your keyboard or click Character from the Reformat window and the text will be re-rendered as a Character paragraph. The next paragraph will immediately be selected, ready for the next reformatting choice. If the next paragraph is correctly formatted, click Next.

See [Reformatting](#) for more information.

1.12.9. Format Assistant

Final Draft is designed to automatically format a script correctly; however, because formatting errors may occur while a script is being edited, Format Assistant can display an alert if a script has:


- Characters with no dialogue
- A dialogue without a character preceding it
- Characters with two consecutive dialogues
- Elements that begin with a blank space
- Empty elements

The Format Assistant may be run at any time. It can also be set to run automatically before printing.

To use the Format Assistant

Go to Tools > Format Assistant. The Format Assistant will search a script for errors and if it finds an error, it will highlight the paragraph containing the error.

In the example below, the paragraph that begins with "Meet Tangle" has a blank space at the beginning. Format Assistant will identify this error and the proposed correction and present the option to fix or ignore the issue:



Clicking the Fix button will delete these blank spaces and move to the next found rule violation.

- Text in the **Rule violation** area indicates which formatting rule was broken;
- Text in the **Correction** area indicates how the error will be corrected.

To correct an error, click Fix. The error is corrected and the search for additional errors continues.

To disregard an error and continue checking for more errors, click Ignore.

To disregard an error and remember to disregard it until the script is closed, click Ignore.

Choose which Format Assistant rules to use by checking or unchecking the check box next to the desired Rule.



NOTE *The Rules are changed and retained for the current script only.*


When the Format Assistant has found and reported on all the errors it can, it will display this message:

When finished, close Format Assistant by pressing the Escape key on the keyboard or by clicking the red Close button at the upper left corner of the window.

Format Assistant Options

Set whether and how to use the Format Assistant before printing.

From the Tools > Format Assistant dialogue, click Options and the Format Assistant Options dialogue appears:



Scan for formatting errors before printing


Check this option to have Format Assistant check scripts before they are printed.

Always ask me before printing

Check this option to have Final Draft ask whether a script is to be scanned for formatting errors before printing.

Printing and Format Assistant

By default, Final Draft asks if the Format Assistant is to be run before printing. From the File > [Print](#) dialogue, click Print and the following appears:



To run the Format Assistant, click Scan Now and the Format Assistant begins scanning.



NOTE

Any Rules you have previously changed for the current script are in effect.

If the Format Assistant does not find any errors, the script prints. If the Format Assistant does find errors, the Format Assistant window appears, asking if they should be corrected.



NOTE

In order to print the corrected script, you have to again choose File > Print.

To print without running the Format Assistant, click Print Now.

To run the Format Assistant automatically before printing, check the box next to "Do not ask me this again but always scan before printing."

To disable the Format Assistant, check Turn Format Assistant off.

1.12.10. Script Compare

Examines two scripts and displays their differences.

To compare two scripts

1. Open the first script;
2. Choose Tools > ScriptCompare;

The standard Open dialogue appears;

3. Choose the script to be compared and click Open.

After the two scripts are compared, a third script appears. It contains text from both scripts with the first script's text in red and the second script's text in blue.

In the first script, the line of text is "This is the Ice Cream Sketch." In the next draft, "...is ..." has been deleted and replaced with "cannot be..."

```
INT. ICE CREAM PARLOR - DAY  
This is cannot be the Ice Cream Sketch.
```

This new document is named *[Scriptname] Changes* and can be saved for future reference.

1.12.11. Show / Hide Navigator

Displays or hides the [Navigator](#).



1.12.12. Collaboration

Final Draft 13's Collaboration tool allows the user to work on and discuss a script with any number of Final Draft 13 users anywhere in the world in real time.

Users can share either script pages or a Beat Board. The view may be switched during a collaboration session.


To Host a Collaboration Session

1. Go to Tools > Collaboration > Host or click the Collaboration icon in the Toolbar;
2. In the Host tab, enter a name to be used for the session;
3. Choose a script to share. If a script is currently open, it will automatically be selected as the script to share or click the dropdown menu to display a list of options:
 - Display an Open dialogue from which to choose a script OR
 - Select a new blank document from a template OR
 - Select a recently-used script:




4. After the script is chosen, click OK;
5. The Collaboration window is displayed;

6. Send (via phone, text message or other method) the Session ID to whoever else will be participating (NOTE: the Session ID in the graphic below is an example and will not work if used):



7. When the other participant(s) attempts to join the session, the Host can either Deny or Allow their entry.



8. If the Host approves their entry, the script will automatically be shared. As participants enter the room, their presence will be indicated in the upper-left panel in the Collaboration window.

To Join a Collaboration Session

1. Go to Tools > Collaboration > Join;
2. The Join Collaboration window is displayed;
3. Enter a name to be used for the session;
4. Type or paste in the Session ID (received from the Host of the session);
5. Click OK;
1. When the host approves the participant's entry, the shared script will open on the participant's screen and the participant will now be able to edit the script and view others' editing in real time.




IMPORTANT *All participants in a collaboration session must be on the exact same version of Final Draft 13. To determine which version is installed, go to the Final Draft menu and choose About Final Draft.*

The Collaboration Window

The Collaboration window's title bar displays the name of the shared script.

The panel at the upper left displays the names of the room's participants and the Session ID. Each participant has a unique colored marker next to his or her name (set in the Final Draft 13 menu > Settings (or Preferences) menu in the [General](#) tab).

The panel on the left displays session messages / chat messages and participant entries / exits. The collaboration window may be moved and resized as necessary.



The Session ID

The Session ID must be sent to other participants so they can join the session. It can be selected and copied and pasted into an email or instant message or read aloud. If the Session ID is read aloud, note that the Session ID has only uppercase letters.

The Session ID is not reusable for future Collaboration sessions. It expires permanently when the session is closed. However, a participant can leave a session

and as long as that session is still live on the Host's computer, he or she can re-enter it with the original Session ID.

Refresh

If, after some time has elapsed since the start of the collaboration session and the shared script fails to update on some or all participants' screens, the Host can click Refresh to re-send the updated script to each participant. This command will ensure that all participants have on their screen the current version of the script, containing all recent edits.



NOTE

No matter which view (Normal, Page or Speed) the script is in when the session begins, the program automatically switches to Page View. This is the only supported view and the screen may not be split.

Chat

The Collaboration window allows participants to exchange text messages in real time. Type a message into the box on the bottom right and press Return on the keyboard to broadcast it to the other participants.

The large box on the right of the Collaboration window is the transcript of the session's chat.

Click the Sound button on or off to notify participants with a chime when another participant has sent a text message.

Saving

The Host can save a copy of the script to local storage (hard drive, NAS drive, external drive, etc.) at any time during the collaboration session with the regular File > Save or Save As command. Guests can save a copy at the end of the session.

Closing a Session


To leave a Collaboration session, any participant may click the Leave button at the bottom right of the Collaboration window. The session ends when the Host closes his or her Collaboration window. When a session is closed, all participants will be prompted to save the script they have been working on.

Session Timeout

After approximately 20 minutes of inactivity, the collaboration session will close. A new session must be created.


1.12.13. Sprint Timer

Opens two types of clock for timing a writing session. This feature may also be accessed by clicking the timer icon in the bottom-right toolbar:




Countdown mode: Counts down a user-set number of minutes. The default time for a writing sprint is 25 minutes but this number may be highlighted and the desired number of minutes entered. The minimum number of minutes is 1 and the maximum number is 999.

When the desired number of minutes has been typed in or if the 25-minute writing sprint is acceptable, press **Start Sprint** to begin the countdown.



Stopwatch mode: Times the writing session up from 00:00:00 (zero hours, zero minutes and zero seconds).




Click away from the Sprint Timer to hide it; click the icon to display it. Hiding it does not stop the clock.

At any point in the writing sprint, either clock may be stopped temporarily by clicking the Sprint Timer icon and pressing the Pause button. When the Pause button is pressed, the button converts to the Resume button. Press the Resume button to restart the clock from the point at which it was paused.


At any point in the writing sprint, the countdown or stopwatch may be cancelled by clicking the Sprint Timer icon and pressing the End Sprint button. If the Sprint Timer is in Countdown mode, the default number of 25 minutes will be restored.

In Countdown mode, when the set time has elapsed, the Sprint Timer will pop up and present the user with the option to begin another writing sprint (the Reset button) or open the computer's default web browser to their Twitter page (the Twitter button), where the user can tweet about his or her writing progress to followers.



Show Stats

When this section of the Sprint Timer window is expanded, information about the current writing session is displayed:




Click the down-pointing arrow next to Hide Stats to collapse this section of the window.

Click the graph icon at the bottom right to open the [Writing Stats](#) panel.

1.12.14. Writing Stats

Displays informational graphs about writing progress. This feature may also be accessed by clicking the blue graph icon at the bottom right of the window.

At the top of the table choose Words, Pages or Time and then choose the time period for which the statistics are to be displayed.



The graph shows how many pages were written over the selected time slice or how much time was spent in Final Draft over that time slice.


Time Out After

Sets the number of minutes of user inactivity observed before the current session ends and Final Draft stops tracking time. Choices are 3, 5, 10, 15, 30 and 60 minutes.

Timing will resume when the user writes, edits, scrolls or opens a menu.

Set Goals

On first run, Final Draft offers the opportunity to set writing goals but they can be edited in this panel.



Writing Goals

pages / Day


words / Day

Minutes / Day

Cancel OK

In the first two settings, select the number of pages or words expected to be written per day, week, month or year. In the third setting, select the number of expected minutes or hours to be spent writing per day, week, month or year.

When a goal is set and their criteria are selected for display, an indicator will serve as a reminder. In this example, the user has set 5 pages per day as a goal and has clicked Pages and Day as the criteria for the graph. The indicator reflects the goal.




Depending on the situation, the goal indicator will be either green, amber or grey.

- Green – the goal was met during the set time period;
- Amber – the goal was not met during the set time period;
- Grey – the goal cannot be measured against the set time period because the page is set to display a different data set. For example, if the goal of 3 pages per day is set but the the Pages per Month chart is shown, the goal indicator will be grey.

The Goal Line

When a goal is set and the user exceeds those goal, a line will be displayed. In this example, for the week of October 8 - 14, the writer averaged 9 pages per day with a

page goal of 5 pages per day. The goal line is at 5 pages and the graph indicates in a visual way how many times and by how much the page goal was exceeded.



1.13. Production

The Production menu contains commands that assist in configuring and organizing a shooting script.

- [Scene Numbers](#)
- [Edit Scene Number](#)
- [Omit Scene](#)
- [Revisions...](#)
- [Revision Mode](#)
- [Mark Revised](#)
- [Clear Revised](#)
- [Lock Pages](#)
- [Lock "A" Pages](#)
- [Unlock "A" Pages](#)
- [Unlock All Pages](#)
- [Locking Tools Submenu](#)
- [Tags Mode](#)
- [Tag All Characters](#)

1.13.1. Scene Numbers

Final Draft does not automatically assign scene numbers as scenes are created or deleted. Instead, the Scene Numbers command must be used to number or renumber scenes. The Scene Numbers command allows the user to number or renumber scenes or other elements.



TIP

Traditionally, scenes are not numbered until pre-production begins. If you are submitting a [spec script](#), numbering the scenes is not recommended.



NOTE


In this section, only Scene Numbers are described. You can number other elements in a script using the Scene Numbers command. To do this, position the cursor in the element you want to number and select the Element from the dropdown list in the Scene Numbers dialogue.

In standard screenplay format, scene numbers would normally be assigned to scene headings only. If the script requires that a heading not be assigned a scene number, the shot element should be used instead of the scene heading element.

Final Draft also contains options for nonstandard numbering by permitting any element to be numbered. Nonstandard numbering is used in animation, interactive, multimedia and other scripts.

To number scenes using the default settings

1. Choose Production > Scene Numbers;
2. Click Number/Renumber;



Choose the desired numbering scheme (numbers then letters / letters then numbers);

4. Click OK.

By default, Scene Heading is selected as the paragraph type to be numbered. Every scene heading is assigned a scene number, starting with the number entered in the Starting Number field (the default is 1), and incrementing by one.



NOTE

If the Keep Existing Numbers option is unchecked (and numbering has previously occurred), a confirmation message appears when OK is clicked.

Numbers Tab

Element

Select the element to number. Only one element may be numbered at a time.

Number/Renumber

Check this box and click OK to initiate numbering.

Remove Numbers

Check this box and click OK to remove all scene numbers from the script.

Starting Number

Select the number to begin numbering with.

Number from Current Scene

Check this box to begin numbering with the scene at the current cursor position. If this box is not checked, the script will be numbered from the beginning.

Keep Existing Numbers

Specify whether to lock existing scene numbers. If this box is checked, new scenes which have been inserted between previously numbered scene headings are assigned "A" and "B" scene numbers.

Restart Numbering Every


Numbers an element (other than the one already numbered) but the numbering restarts at 1 after each occurrence of another specified element.

For example, if an animation script's scenes have been numbered and there is a need to number dialogue within a scene as well, go to Production > Scene Numbers and choose Dialogue from the Element dropdown menu. Check the box for Restart Numbering Every and from this dropdown menu choose Scene Heading. Click OK and all dialogue paragraphs will be numbered; the dialogue numbering will restart from 1 after each scene heading.

If (for example) dialogue paragraphs are set to be numbered but the Restart Numbering Every box is not checked, the dialogue numbering will be consecutive throughout the script.

Options Tab

Click the Options tab and this window appears:



Draw Number on Left and Draw Number on Right checkboxes

Specify whether to display numbers to the left and/or right of paragraphs.

Left and Right Location Settings

Click the up or down arrows next to the Location box to adjust the location of the scene numbers. Placement of scene numbers is measured in inches from the left edge of the page.



NOTE

Once changed, these settings remain for future (re)numberings no matter which element is selected in the Elements dropdown list.

Font

Choose the font and font size of the numbers.

To set Font attributes

1. Click Set Font;
2. A font dialogue appears;
3. Make any changes desired and click OK.

Renumbering scenes in an already numbered script

When a script is in production it is common for new scenes to be written and inserted between two existing and numbered scenes. This new scene must also be numbered but it cannot use a number that has already been assigned.

To create a new scene and number it

1. Position the cursor at the end of the text of the scene after which the new scene will be added;
2. Press Control + 1 to create a new scene heading;
3. Type the letter I (as in Interior) or E (as in Exterior);
4. Press Tab twice;

The Location SmartType list appears, allowing the location to be selected.

4. Press the Tab key to accept the choice;
5. The Time SmartType list appears, allowing the time of day to be selected. Press the Tab key to accept the choice;
6. The cursor moves to blank Action paragraph;
7. Type the scene (in this example, "Uncle gazes out of the window.").



Following is the process for numbering this sample scene for production purposes:

To number a new scene in a script in which scenes are already numbered

1. Choose Production > Scene Numbers;
2. Check Add Numbers;
3. Be sure that Keep existing numbers is checked. If it is not checked, all currently-numbered scenes will be renumbered;

4. Click OK.




Note that the new scene is now correctly numbered 28A. All other scenes have retained their original numbers.

A scene may be renumbered to fit another numbering format requested by someone in production. Individual scene numbers may be adjusted manually as well.

1.13.2. Edit Scene Number

To manually renumber an individual scene

1. Place the cursor in the scene heading to be edited;
2. Choose Production > Edit Scene Number;
3. In the Change Scene Number to window, enter the desired number;
4. Click OK.



34	INT. CASALINDA - MOMENTS LATER	34
	Tangle races through, exploring --	
34.5	MAIDS QUARTERS - CONTINUOUS	34.5
	No maids!	
36	HOME LIBRARY - MOMENTS LATER	36
	No Uncle.	



NOTE

If the scene has yet to be numbered, the dialogue appears blank.

Removing an Unwanted Scene Number

In the event that a scene (or another element) has been assigned a number erroneously, it can be removed by going to Production > Edit Scene Number, deleting all text from the box and clicking OK.

1.13.3. Omit Scene

Once scenes are numbered, use the Omit Scene command to indicate that a scene has been deleted. Since the scene numbers must not change, the term “Omitted” replaces the text of the deleted scene.

To omit a scene

1. Place the cursor in the scene to be omitted;
2. Choose Production > Omit Scene.

The scene is removed from view and stored (see below). The scene heading text becomes “OMITTED” but the scene number remains.

In this example, Scene 34 will be omitted:

33	INT. CASALINDA - MOMENTS LATER	33
	Tangle races through, exploring --	
34	MAIDS QUARTERS - CONTINUOUS	34
	No maids!	
35	HOME LIBRARY - MOMENTS LATER	35
	No Uncle.	
	Tangle takes in the emptiness.	

When the Omit command is issued, the page looks like this:

33	INT. CASALINDA - MOMENTS LATER	33
	Tangle races through, exploring --	
34	OMITTED ▶	34 *
35	HOME LIBRARY - MOMENTS LATER	35
	No Uncle.	
	Tangle takes in the emptiness.	

Since this scene was omitted while the script was in revision mode, the omitted scene is marked as revised. The scene itself has not been revised; the omission of the scene is a revision.


The triangle icon indicates that the omitted scene can be viewed or retrieved.

To view an omitted scene

1. Double-click the triangle icon;


34 OMITTED ▶

2. and this dialogue appears:



3. Click View.

A small window containing the omitted scene appears:



Click the red Close button when done.

To retrieve an omitted scene and put it back into the script

1. Double-click the triangle icon and a dialogue appears;
2. Click Unomit.

The scene is restored.




NOTE

You can permanently delete an omitted scene's text and scene number from the script by selecting and deleting it. However, this is not recommended because all remaining scenes would then have to be renumbered. The point of the Omit command is to remove a scene but still have it accounted for. Deleting an omitted scene defeats the purpose of the feature.

1.13.4. Revisions

Select, modify and create revision sets. Each revision set is typically distinguished by color or other characteristics.

Choose Production > Revisions, and the Revisions dialogue appears:



Revision Mode checkbox

Turns Revision Mode on and off. This switch has the same functionality as the Production > Revision Mode menu item.

The Revision Set Table

Shows all revision sets being used or yet to be used and some of the properties of each set.

Active revision set

When new text is added to a page, it has the characteristics of the active revision set (revision mark, page color and / or text appearance). The active revision set is indicated by checkmark in the first column of the Revisions table.

To make the previous revision set the active set, click Previous Revision Set.

To make the next revision set the active set, click Next Revision Set.


To set another revision set as the active set, double-click anywhere in that set's row.



IMPORTANT *Best practice is to move sequentially down through the revision set list. Skipping sets or choosing sets out of order may lead to unintended consequences.*

Show Page Colors

Check this box to display a revision set's color down the sides of the script if there are revisions on that page. Most Final Draft templates already have the correct page color assigned to each revision set.




To change the properties of a revision set

See [Edit Revision Set](#).

Show Text and Mark

Expand the Show Text and Marks dropdown menu to choose what will be displayed:



From Active Revision Set Only

Displays as revised only the revisions made in the active (current) revision set. For example, if Show Active Revision Set is selected and Revision Set 4 is the active revision set, new revisions will be in the Revision Set 4 revision style (colored text or page, margin marks, etc.) and no revisions made in revision sets 1-3 will be displayed as revised.

If the Active Revisions placeholder field is in the Header and the Show Active Revision Set option is chosen, the header of each page will show the current revision set whether the page contains revisions or not.

Collated Script

Displays each page's revision marks from the highest (most recent) revision set in which edits on that page were made. For example, if all of the revisions on Page 5 were made when Revision Set 1 was the active set, they will be in the revision set style (colored text or page, margin marks, etc.) of Revision Set 1. At the same time, if Page 12 contains revisions only from Revision Set 2, those edits will have the revision set style of Revision Set 2. At the same time, Page 24, edited while Revision Set 3 was active, will show the revision set style of Revision Set 3.

If the Collated Revisions placeholder field is in the [Header](#) and the Show Collated Script option is chosen, the header of each revised page will show the highest (most recent) revision set in which edits on that page were made. Per the example above, the header on Page 5 will display “Revision Set 1,” the header on Page 12 will display “Revision Set 2” and the header on Page 24 will display “Revision Set 3.”

From All Revision Sets

Displays every revision set on every revised page. For example, if a page contains revisions from Revision Set 1, Revision Set 2 and Revision Set 3, these revisions will be in the respective revision set style of the revision set in which they were made. If this option is selected, further choices to show or hide revised text will be offered. Note that “hidden” revised text will still be visible but it will not be displayed as revised.

From All Revision Sets After and Including Latest Draft

Displays every revision set on every revised page from the last revision set marked as a [Full Draft](#). For example, if Revision Set 3 is marked as a Full Draft, and a subsequent revision set is set to show text and marks from all revision sets after and including latest draft, this set will show revisions starting with Revision Set 3.

None


When this option is chosen, no revised text is colored or styled and no revision marks are displayed.

To apply the options, click OK.

To add or delete a new revision set

To add new revision set, click the plus sign icon at the bottom left of the table window. A new untitled revision set will be added to the bottom of the list of revision sets. If

necessary, this new revision set can be dragged into the correct place on the list of revision sets above. In the example below, "Production White" has been created and will be dragged into position above the Blue set:



Revision sets can be dragged from one place in the list to another, if the order of revision sets needs to be changed before entering revision mode.



IMPORTANT Do not delete a revision set that has already been used. Problems in page labeling, revision set printing or exporting to PDF may result.

If a revision set is deleted, the revision set is cleared from the list and all revisions in the script that were marked with that revision set are no longer marked as revised. Note that the active revision cannot be deleted.

When all changes are complete, click OK.

Mark Location

Adjusts the margin for revision marks, measured from the left edge of the page.


To change the margin setting, click the up or down arrow to adjust the value (as measured from the left edge of the page).

Click OK to apply all changes.

For an overview on revisions, see [Revisions](#).

1.13.4.1. Edit Revision Set

Click the Gear icon at the bottom right of the table window and the Edit Revision Set window is displayed:



Label

In most Final Draft templates, the standard US production revision sets will already be listed and only the date of the revision set needs to be added to the revision set label.

To edit the revision set name, overtype the current name in the Label field or leave the default name in place but (optionally) modify the date or remove the date placeholder text.

Page Color

Set the page color for the revision set. If the Show Page Colors box is checked, the color assigned to a revision set in this window will run down the sides of revised pages. In most Final Draft templates, the standard US production revision sets will already be listed and the matching page color chosen for each set.

Page Color Show On dropdown menu

Options are Revised Pages Only (appropriate for a Collated draft) and Full Draft.

Collated Draft

A collated draft is one in which different revision sets are displayed (pieces of text are marked revised) simultaneously on a page-by-page basis, depending on which revision set was active when changes were made to this page or that. Most scripts start out this way and stay this way until enough rewriting has been done to warrant moving to a full-color draft. A collated draft will usually have pages of many different colors.

Full Draft

When more than 50% of the pages have been revised in a certain draft color (this is the typical criterion), that draft is known thereafter as (for example) the “Blue Draft” or the “Full Blue.” Every page of this draft is now blue and considered a part of the Blue revision set whether it’s been revised or not.

Text Style

To change the style or color of text that has been revised while this revision set is active:

Choose which, if any, style the revised text is to have. The choices are

- Underline -- the text is underscored by a continuous line. The lines applied to the text are the same color as the text;
 - Choices for underlining are found in the Underline Style dropdown menu
 - Regular (default)
 - Dotted
 - Word (only words underlined, not the spaces between them;
- **Bold** -- the text is rendered bold.
- ~~Strike-out~~ -- the text is struck through its horizontal center with a continuous line.

Color

Click on the color swatch and choose a predefined color from the list

- or -

select Other... and use the standard Mac color picker create a custom color and click OK.

The default revised text color is black.

To change the revision mark

Highlight and overtype the current revision mark.



NOTE

*The asterisk (" * ") is standard for production scripts. Other symbols may be used to denote a distinct set of revisions from a particular person, or that person's initial(s) may be used. No more than two characters are recommended for a revision mark.*

1.13.5. Revision Mode

Toggles revision mode on and off. When the script is in revision mode, all text added or edited is marked as revised per the active revision set's style (colored text or page, margin marks, etc.). It is easier to turn on revision mode than to manually mark every change after the fact using the Mark Revised command. All new text entered is marked as revised and displayed in the current revision style. Any lines from which text has been deleted will have a revision mark (if a revision mark is one of the attributes of the current revision set) next to them.

In this example, the dialogue is originally "And what is the key for? What door will it open?"

```
CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
      YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open?
```

When "Am I the one to open it?" is added, this new text is blue (because that is how this revision set's text has been configured), margins of the page turn blue (because this edit is made while the active revision is the Blue set) and revision marks appear in the right margin.

```
CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
      YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open? Am I the one to open
it?
```

(Note that revised text is usually black; for purposes of illustration and to point out that this option is available, the revised text in the graphic above has been set to blue).

1.13.6. Mark Revised

Marks selected text as revised using the active revision set style. This revision will be part of the current revision set.

To mark revision text

1. Select the text;
2. Choose Production > Mark Revised or Command +] (end bracket).

The text marked revised appears as though it has been typed in as a revision -- it will appear in color (if the active revision set has been assigned colored text), the margins will be colored (if the revision set has been set to show page colors) and a revision mark or marks will appear (if the revision set has been set with revision marks).

1.13.7. Clear Revised

Deletes any revision marks and reverts revised text to normal.

To clear text which has been marked as revised

1. Select the revised text;
2. Choose Production > Clear Revised or Command + [(open bracket).

Revision marks and revision styles are removed, and the text appears the same as other text in the script.

To clear all the revised text in a script

1. Choose Edit > Select All or Command + A on the keyboard;
2. Choose Production > Clear Revised or Command + A on the keyboard.

Deletes any revision marks and reverts revised text to normal.

1.13.8. Lock Pages

Like any other word processor, Final Draft automatically repaginates when text is added to or removed from the document. If a document is exactly 10 pages long and 2 pages' worth of text is added to the beginning, what were pages 9 and 10 are now pages 11 and 12. This is not an issue if a script is not about to go into production. However, when a script is broken down by scene and page in collateral production documents (i.e., schedules, prop lists, talent call sheets), automatic repagination with each change would be a critical problem.

For example, when a script has been distributed to cast and crew and The Big Important First Act Monologue starts on Page 15 and The Big Chase Scene has been designated as Scene 25, no matter how much the script is rewritten, all subsequent versions must still have The Big Important First Act Monologue on Page 15 and The Big Chase Scene must still be Scene 25. Otherwise, people would not be, in a very literal sense, on the same page.

Also, once a script has been issued, every page and scene must now be accounted for without exception — if Page 15 or Scene 25 are deleted without permanent denotation, cast and crew will wonder if they're missing a page. Final Draft's page-locking feature is designed to protect a script's pagination against changes caused by the addition and removal of content.

To lock script pages

1. Choose Production > Lock Pages;
2. A dialogue appears asking whether to enable [Revision Mode](#).
3. Click either the Yes or No button, depending on the situation. (Enabling revision mode is recommended).

From this point forward, if enough text is added to a page to cause existing text to spill over to the next page, Final Draft moves the additional text to a blank A page without affecting the next existing script page. Conversely, when text is deleted or omitted from a locked page, the text from the next page does not flow backward onto that preceding page.

When pages are locked, the menu command changes to Lock "A" Pages and other locking and unlocking commands are enabled.



NOTE

"Locking pages" or "locking a script" is not a security setting and does not refer in any way to its accessibility to certain individuals or groups.

1.13.9. Lock “A” Pages

Pages for each revision may be locked separately. For example, pages have been locked so there is now a 21A, 21B, etc. If the Lock “A” Pages command is chosen, Final Draft locks all existing A and B pages, which then act just like any other locked page (retaining their starting position, etc.)

When new text is added to a locked A page that causes an overflow to a new page, it becomes an “AA” page, and so on. Likewise, if there are multiple locked pages and more than a page is deleted, the multi-page range that appears in the header reflects the page range that was deleted (such as 7BB-9A).

1.13.10. Unlock “A” Pages

Reverts one level of page-locking. It becomes enabled only after A pages are locked.

To unlock “A” pages

1. Choose Production > Unlock “A” Pages. A confirmation dialogue appears;
2. Click Yes.

The last level of locking is overridden and the appropriate pages are unlocked.

This command may be chosen multiple times, if applicable.

No matter how many times “A” pages are unlocked, the Production menu item still reads “Unlock A Pages” — that is, the menu item does not dynamically track levels of page-locking.

1.13.11. Unlock All Pages

Completely unlocks the script and renumbers the pages in standard numerical order (removing all “A” and “B” page numbers).

To unlock all pages

1. Choose Production > Unlock All Pages;
2. A confirmation dialogue appears.
3. Click Yes.

All pages are unlocked and the script repaginates so that the pages are renumbered consecutively.



IMPORTANT *You cannot go to Edit > Undo to move a just-unlocked script back to its locked state with all of its A pages intact. DO NOT unlock a production script unless you have a backup of the locked script and an important reason to do so. This function should be used only in extraordinary circumstances.*

1.13.12. Locking Tools

Relock Pages

Removes all A page numbers from the page containing the cursor to the end of the script, renumbers them in normal sequential order, then locks them again. Use this command when the locked script does not match the printed draft of the script due to pages not being properly locked at some point before changes were made.

To relock pages

1. Place the cursor at the beginning of the page where relocking is to begin;
2. Choose Production > Relock Pages;
3. A confirmation dialogue appears;
4. Click Yes.

All pages following the current page are unlocked and repaginated normally, then locked again.

Adjust Locked Page


Changes the starting position for a single locked page. This can be useful when a particular locked page must be moved up or down a paragraph or two to match a printed draft.

To adjust locked pages

1. Place the cursor at the beginning of the paragraph where the locked page to is start;
2. Choose Production > Locking Tools > Adjust Locked Page;
3. A confirmation dialogue appears;

4. Click Yes;

1. The Adjust Locked page dialogue appears:



6. Select the page number where the current paragraph is to begin;

7. Click OK. The script repaginates to reflect the new starting position for the specified locked page.



IMPORTANT *If the page number you need is not on the list, it is because that page it is not a valid candidate. Final Draft cannot number a page in a way that is inconsistent with its pagination logic or normal sequential numbering.*

Edit Page Number

Manually change the number of a page that displays in the header or footer.

To modify a page number

1. Position the cursor in the page whose number is to be edited;
2. Choose Production > Edit Page Number;
3. The Edit Page Number dialogue appears:



4. Enter the new page number;

Click OK.

The page number changes.

Lock New Page

Creates a new locked page at the current cursor position. The new locked page extends from the insertion point (the blinking cursor) to the end of that page. This should only be necessary if a page is incorrectly numbered.

To create a new locked page

1. Place the cursor exactly where the new locked page is to begin;
2. Choose Production > Locking Tools > Lock New Page;
3. A confirmation dialogue appears.
4. Click Yes.

The page becomes locked.

Unlock Page

Unlocks a single page. This essentially removes the top border of the page and allows as much text as will fit to flow backward onto the previous page. Use this command if a page is incorrectly numbered or is improperly numbered as an “A” page.

To unlock a page

1. Place the cursor on the page to be unlocked;
2. Choose Production > Unlock Page;
3. A confirmation dialogue appears;
4. Click Yes.

The page becomes unlocked and text from the following page will move up into it.

Unlocking Pages

A user may want to delete some content on pages after they have been locked, resulting in “orphan” pages. It is common to combine the page numbers and put the remaining script contents on a single page to cut down on paper and confusion.

There are two ways content can be moved around: unlocking a page or deleting all the contents on a single page to create a page “x-y” on the prior page. Unless a page number is not expected to be used again, we don't advise unlocking a page once the pages are locked and suggest the second method described below in “merging pages”.

However, sometimes it is impossible to get the desired results without unlocking pages.

To manually unlock an individual page

1. Place the cursor in front of the first contents at the top-most position of the page to be unlock in order to have its contents move up to the prior page;
2. Choose Production > Locking Tools > Unlock Page;
3. A dialogue will ask to confirm the unlocking of the page at the cursor location. Click Yes.

The contents from the page move up to the prior page, filling any available space on the prior page.

Repeat steps 1-4 on any other pages to be unlock and move up to other content. For example, if there is an empty page 1A, 2 and 3 and they should be merged with page 1.

Once all the pages to merged together have been unlocked, the new page must be unlocked so that any subsequent changes made to the script will maintain the proper pagination and page numbering.

To manually re-lock an individual page

1. Place the cursor in front of the first contents at the top-most position of the page to be relocked;
2. Choose Production > Locking Tools > Lock New Page;
3. A dialogue appears asking to confirm whether the page should be locked at the cursor location. Click Yes.

The contents on the page are now locked.

Continue these steps for any other remaining pages that were created as a result of unlocking pages.



NOTE

You do not need to lock pages beyond any that were affected by the “unlock” process. So, for example, if you unlocked pages 1A, 2 and 3 and merged them all into a single page, you only need to relock that single page. You will not need to lock pages 4 and after.

1.13.13. Tags Mode

Places Final Draft into Tags mode, in which items may be tagged. All tagged text will be displayed in the color assigned to the document's tags. Selecting this menu item while Final Draft is currently in Tags mode will take Final Draft out of Tags mode. See [Tagging](#) for more information.

1.13.14. Tag All Characters

Scans the entire document for speaking characters and tags them as Cast Members.

This command may be used whenever it is necessary to update a Cast Member with additional associated tags. See [Tagging](#) for more information.

1.14. Window

The Window menu contains commands for displaying the currently open documents. The bottom of the Window menu contains a list of all currently open documents.

Minimize

The Minimize Window command (also Command + M) minimizes the active document window into the dock.

Zoom

The Zoom command resizes the active document window. Choose Window > Zoom and the active document window toggles between its original size and a size where all its contents are visible (depending on the monitor). This performs the same operation as clicking the window's maximize button.

Tile Window to Left / Right of Screen

Splits the screen in two and moves the Final Draft application window to the chosen side of the screen. This command also places the open document in [Full Screen](#) mode.

Replace Tiled Window and Remove Window from Set

Not used by Final Draft.

Show Previous / Next Tab

These commands cycle through the open documents, filling the screen with the chosen document.

Move Tab to New Window

Places the open document into its own window. This document will no longer be listed in the Tab bar and cannot be cycled using the Show Previous / Next Tab command.

Merge All Windows

If any documents have been moved to their own window, this command returns them to the Final Draft application window from which the command was issued. They will again be listed in the Tab bar.

Bring All to Front

Brings all open Final Draft documents to the front of the screen if they are behind windows from other applications.

File List

At the bottom of the Window menu is a list of all currently-open documents. To make a document the front-most (active), select it from the list.

1.15. Help

The Help menu contains commands for features that assist the user manage the program.

- [Search](#)
- [Get Support](#)
- [Submit Feedback](#)
- [Learn](#)
- [Final Draft User Guide](#)
- [What's New](#)
- [Sample Scripts](#)
- [Check for Updates](#)
- [Sign In / Sign Out](#)

1.15.1. Search

Searches the Final Draft menus and the internet for the word or phrase entered by the user and returns clickable results.

1.15.2. Get Support

Opens the computer's default web browser to the Final Draft [support page](#). This page has information and links for:

- Program installers
- Frequently-asked questions
- Self-service support options
- The searchable online [knowledge base](#)
- These assisted support options (registered customers only)
 - [Email](#)
 - [Chat](#)

1.15.3. Submit Feedback

Opens the computer's default web browser to Final Draft's [feedback](#) page, where the user can suggest changes or enhancements to Final Draft products. An internet connection is required.

Final Draft customers are encouraged to submit suggestions on how the program can be improved.



TIP

The Submit Feedback channel is a way for us to collect information on what new functionality our clients need in the program or to let us know if a particular feature can be improved.



IMPORTANT

For problems installing or using Final Draft, please log on to www.finaldraft.com/support for troubleshooting resources and ways to reach our support staff.

1.15.4. Learn

Opens the computer's default web browser to the [Learn](#) page on the Final Draft website. This page offers articles, tutorials and videos all geared to help you learn and get the most out of Final Draft. An internet connection is required.

1.15.5. Final Draft User Guide

Opens the web page on which this user guide can be accessed. An internet connection is required.

1.15.6. Welcome to Final Draft

Displays the splash screen seen when the program is opened.

In the left-hand panel:

Quick Start -- opens the computer's default web browser to a video that demonstrates how to begin using Final Draft.

Idea to Draft -- displays a menu of document types which, when one is selected, walks the user through the beginning stages of writing a script of that type.

What's New displays a list of new features and functionality.

Launch with most recent file(s) -- check this box to have Final Draft open next time with the most recently edited script or scripts;

Resources links to the [Learn](#) page on the Final Draft website. This page features how-to screenwriting articles, software tutorial videos, testimonials from the pros, and the official Final Draft blog.

In the right-hand panel:

New File -- opens a new Screenplay document.

New Beat Board -- opens a new Screenplay document with the Beat Board as the main view.

Under these buttons is a list of recently-edited files, which can be opened by double-clicking.

Browse opens a standard Open dialogue box that allows the user to navigate the computer and find a desired document to open.

1.15.7. What's New

Contains details about new features in Final Draft 13.

Final Draft 13's new features are demonstrated in this video:

1.15.8. Idea to Draft Tutorials

Contains links to online video tutorials about writing various kinds of scripts.

1.15.9. Sample Scripts

This User Guide refers to *Tangle and Moss*, a sample project at various stages of writing and production.

- ***Tangle and Moss - Outline*** represents a script in its beginning stages, when the writer is working on the broad strokes of the story. It is not tagged.
- ***Tangle and Moss - Script*** represents a working draft of a script. It is tagged for story and character structures and arcs.
- ***Tangle and Moss - Shooting Script*** represents a script that is being or will shortly be produced. It has been scheduled and budgeted and distributed to cast and crew. It is tagged for production breakdown.

1.15.10. Check for Updates

Enables / disables the option to query the Final Draft server to determine whether a newer version of Final Draft 13 is available for download. If a newer version is available, it can be downloaded for free. An internet connection is required.

1.15.11. Sign In / Sign Out

Displays the Sign-In / Out screen. When a user wants to temporarily or permanently disable full program functionality on this computer, he or she signs out of Final Draft on this screen. He or she may then sign into Final Draft on another computer. When the user has signed out of Final Draft on this computer and wants to resume using it on this computer, the Sign-In / Out screen appears on launch.

1.16. Tutorials


The Tutorials section contains topics that help the user learn best practices when using Final Draft.

- [Typing a Sample Script](#)
- [Importing Content from Other Sources](#)
- [Make Writing Dialogue Easier](#)
- [Manipulating the Page Count](#)
- [Revisions](#)
- [File Management](#)
- [Outlining a Script on the Page](#)
- [Configuring the Workspace \(video only\)](#)

1.16.1. Typing a Sample Script

With Final Draft open to a blank, untitled screenplay document:


Type the letter **i**



A SmartType menu will come up and offer INT. or I/E. INT. (the abbreviation for Interior) will be highlighted; accept it by pressing the Tab key. Note that Final Draft capitalizes everything in this element automatically, which is standard. A period and a space are also added automatically.

Type in a location such as **house** and hit the Tab key. The Time of Day SmartType menu will come up and allow the user to choose when the scene takes place.

Choose **Day** with the arrow key, the letter **D** on the keyboard or the mouse and hit the Tab key.




A blank Action paragraph has been created, ready to be typed into.

Type this sentence: **BOB enters and sits down on the sofa.** Note that the first letter of the sentence is automatically capitalized.

Press Return again to move to the next paragraph. Press Return to bring up the Elements menu and choose Character.

INT. HOUSE - DAY
BOB enters and sits down on the sofa.



Type in **bob** and press Return. The name will be rendered in all uppercase.

A new, blank dialogue paragraph has been created. Type **alone at last!**. Press the Tab key to insert a new Parenthetical paragraph and type **sees Sue**. Note that the parentheses will be added automatically. Press Return to continue Bob's dialogue.

Type **what are you doing here?**

INT. HOUSE - DAY
BOB enters and sits down on the sofa.
BOB
Alone at last.
(sees Sue)
What are you doing here?

Press Return twice to bring up the SmartType menu of elements. Choose Character with the arrow key, the letter **C** on the keyboard or the mouse and type **sue**. Press Return and type Sue's line, **waiting for you.**

INT. HOUSE - DAY
BOB enters and sits down on the sofa.
BOB
Alone at last.
(sees Sue)
What are you doing here?
SUE
Waiting for you.

No Scene [G] General [1] Scene Heading [2] Action... [Cmd+Control] hold for more Elements

Note that Final Draft will insert the next appropriate element when Return is pressed, depending on which element the cursor is in. For example, when the cursor is at the end of a scene heading, pressing Return brings the next logical element, action. When the cursor is at the end of a character name, Return inserts a dialogue element.

The Status bar at the bottom will indicate what the Return and the Tab key will insert (not available in Revision Mode).

```

INT. HOUSE - DAY
BOB enters and sits down on the sofa.

      BOB
Alone at last.
(looks Sue)
What are you doing here?

      SUE
Waiting for you.

```

[Tab] Select Time of Day, [Enter] Action, [Cmd] hold for Elements

At this point in the scene, a new character is introduced but is offscreen. Create the new character **JANE** by typing her name into a blank Character paragraph. When the blinking cursor is to the left of the E, press Shift + 9 to insert an Open Parenthetical. The Character Extension SmartType list will be displayed; choose (O.S.) by pressing the **O** key on the keyboard, using the down-pointing arrow on the keyboard by or selecting it with the mouse:


```

INT. HOUSE - DAY
BOB enters and sits down on the sofa.

      BOB
Alone at last.
(looks Sue)
What are you doing here?

      SUE
Waiting for you.

```



After the Character Extension has been inserted on the page, press Return to insert a new Dialogue paragraph.

If a new paragraph of a type not offered by the Return key is desired, hold down the Command key and choose another element's number.

Example: If the blinking cursor is at the start of a blank Action paragraph and it should be a Transition instead, hold down the Command key and press the 6 key. A new blank Transition paragraph will replace the blank Action paragraph.

To do this, go to Format > Elements and from the list on the left, choose Dialogue. Change the Next Element (Enter/Return) dropdown to Character and click OK. To finish this new setting, go to Document > SmartType > Options and check the box for Automatically Guess Next Character, then click OK. From this point on, after Bob's dialogue has been typed and Return is pressed, then the character Sue has been typed or SmartTyped in and Sue's dialogue typed, Return after Sue's dialogue will insert the

character name BOB. After Bob's dialogue, press Return and the character name SUE will be inserted.

When this scene ends and it's time to move to the next scene, insert a new scene heading by pressing Command +1.

1.16.2. Importing Content from Other Sources

Scripts written in other writing programs (such as MS Word) or other screenwriting programs can be opened in Final Draft software in a few easy steps.

The fastest way to accomplish this is to save the script out of the original program as a PDF, then import the PDF into Final Draft (File > Open).

If for some reason this does not result in relatively well-formatted import, an alternative import method is to export the material from the original program as a plain text file and then import it into Final Draft.

1. Open the script in the program in which it was created;
2. Choose the Desktop as the save-to location and from the Save as Type or Format dropdown menu at the bottom of the window, choose Plain Text, Text Only or ASCII Text file (they're all the same). Recent versions of MS Word will offer Save As Other; choose Plain Text from this submenu;
3. Save the file;
4. In Final Draft, go to File > Open;
 1. Navigate this dialogue box to look on the Desktop;
 2. Double-click the text copy of the script;
 3. At the prompt to choose between formatting it as a Script or Text, choose Script;
 4. Final Draft will import the text and render it as a feature screenplay;
5. Go to File > Save and save the script with any desired file name modifications, such as today's date or the word "master" (without quotes).


To apply a different format to this script, see [Applying a Template](#). If it needs reformatting, see [Reformat](#).

If content needs to be taken from a web page or some other source that cannot be saved as a text file, copy and paste it into a word processor and follow the steps above.


1.16.3. Make Writing Dialogue Easier

Final Draft can make writing dialogue even easier by changing the Dialogue element to transition to Character with Return rather than keeping it set to its default transition-to element, Action.

1. Go to Format > Elements and choose Dialogue from the list on the left:



2. From the Next Element dropdown menu, change the value from Action to Character:



From this point forward, pressing Return after a character is finished speaking will insert a new Character paragraph instead of a new Action paragraph. Final Draft's Auto-guess Next Character function is enabled by default and once it sees that two characters are having a conversation, it will automatically insert the other character's name after the first character's dialogue is over.

To see this work (after making the change to the Dialogue SmartType element as above):

1. Go to Help > Sample Scripts > Script to open the sample script *Tangle & Moss FD13 - Script*;
2. Scroll towards the bottom of Page 2 and click the mouse at the end of 's Uncle's line, "Then better not to find it."
3. Press Return to create a new Character paragraph;
4. SmartType displays the choice TANGLE in gray;
5. Press Return to accept this option and the cursor will move to a blank dialogue paragraph, waiting for you to type Tangle's next line.

Once again, if Dialogue is set to return a Character paragraph with the Return key and there have been a couple of exchanges between two characters, Final Draft will supply their names automatically with the Return key.

To choose a different character name from the SmartType list or to enter a new name, simply overwrite the auto-suggestion. If there is a character match in SmartType, it will sketch in. If there is no character match, finish typing the new character name, press Return and it will be added to the Character SmartType list.



IMPORTANT *By changing Dialogue's default transition-to element, to insert a new Scene Heading, Action, Shot or Transition paragraph after a Dialogue paragraph, you will now need to press Command + Element Number.*

1.16.4. Manipulating the Page Count

Manipulating the page count, also called cheating the page count, is usually done to prevent widows/orphans. It is also done sometimes to keep the last line or two of a scene at the bottom of the page rather than letting it spill to the top of the next page.

Widows and orphans refer to paragraphs that should stay together but are erroneously separated by a page break. A Character name at the bottom of Page 5 and that character's dialogue at the top of Page 6 is a widow / orphan situation. Final Draft was designed to prevent this but as writers continually move, add and delete text, this can sometimes occur.

Producers need to rely on roughly one page per minute of screen time and 30 seconds per page for a sitcom. If the script is cheated too much, those formulas go out the window.



IMPORTANT *Although you can undo changes to your pagination, it's much easier to create a new copy of the file and tweak that one. Go to File > Save As and call the test copy something like "Scriptname – pagination test" (without quotes). If the new copy isn't right, you will still have the master. If it is right, rename it and use it as the new master.*

Local Indents (Margins)

Place the cursor anywhere within the paragraph whose indent is to be changed. In the ruler bar, click on the triangular indent marker on the right. Drag it to the left or the right and the text will contract or expand accordingly.

If an element's indents have been adjusted and they should be restored to their default settings, place the cursor anywhere within the paragraph and use the Revert Paragraph command.

The Revert Paragraph icon is not part of the regular toolbar set, but the Toolbar may be customized to include it. See [Customize the Toolbar](#).

Leading

Tighten or loosen the vertical line spacing (leading, pronounced "ledding") of a particular block of text by choosing Format > [Leading](#) and selecting an option. The options are Very Tight, Tight, Normal and Loose.

Global Indents

Narrow or widen the horizontal margin of one or more elements throughout the script.

1. Go to Format > Elements;
2. Click the [Paragraph](#) tab;
3. On the list on the left, click the element whose indents are to be changed;
4. Alter the left- or right-hand indents.

Changing margins through the Elements control panel is global and will be applied to every instance of that element.

1.16.5. Revisions

Revision Mode is a tool used by writers, script coordinators, writers' assistants and other production personnel to keep successive versions of a script organized. In the interest of working efficiently, it's important to be able to quickly see which pages have edits on them, and on those pages, the lines that have been changed or deleted. Final Draft's Revision Mode makes this easy.

When a script is put into revision mode, any new text added will be denoted as a revision. Revised text is black (but can be colored or styled) and there will be a revision mark (usually an asterisk) in the right margin. If text has been removed, the line from which it's been removed is also marked as revised.

If Show Page Colors is chosen as an option, any page on which a revision has been made will show that revision set's assigned color in the margins. If the revised script is saved as PDF, the entire page will be colored. You can disable the colored margins by going to Production > Revisions (Setup) and unchecking the Show Revision Page Colors box.

NOTE: You must be in Page View (View > Page View) for the colored margins to be displayed. If the zoom scaling is set too high, the colored margins may become hidden.

When you go to Production > Revision Mode, by default you're placing your script into the first revision set, sometimes called "Production White." The Collated Revisions field should already be in the header, so "Production White - 7/1/24" (or whatever the first revision set is called) will appear in the header of any page that's been revised while the script is in this set.

After enough changes have been made to the script, a certain period of time has passed or another writer takes over – whatever the criterion – the script is moved to

the next revision set. Cast and crew can then organize successive drafts by color or number.

To move to the next set, go to Production > Revisions and click Next Revision. The script is now in the Blue set, and any revisions made now will make the page margins blue. To distinguish text in the first revision set (which is black by default) from text in the second (the Blue) set, you can set the text color in the Blue set to blue.

The standard revision set colors included in Final Draft's feature and television templates are per WGA/Cole & Haag. Although some shows have their own patterns, many shows use a cycle of

1. White (Unrevised Production Draft)
2. Blue
3. Pink
4. Yellow
5. Green
6. Goldenrod
7. Buff
8. Salmon
9. Cherry
10. Tan

After Tan, the script usually goes to 2nd (or double) White, 2nd (or dbl) Blue, etc. It's common practice to add the date to the end of the revision set name.

However, if the revision set names in the template don't suit your needs, you can rename and reconfigure the existing ones or create and configure new ones. Click the

plus sign to add a new set, then configure its properties by clicking the Settings icon at the lower right of the Revisions table. There you can name the new set and optionally assign a color to it. You also have options to make revised text appear not only as a different color but also as bold, a few variations of underlined, or struck through.

Although it's not recommended to change the traditional revision mark from a standard asterisk, you also have the option to use a different mark.

Other Revision Mode Controls

Mark Location

If the scene heading indents have been extended so that the scene headings are now closer to the right edge of the page, they may step on the revision marks. You can move the revision marks even further to the right with the Mark Location adjustment tool. The measurement indicated here is from the left edge of the page.

Production > Mark Revised

You can highlight a section of text, go to Production > Mark revised and an asterisk will be placed in the margin. If the Show Page Colors option is on, that page's margins will be colored.

Production > Clear Revised

Highlight a section of text -- be sure to highlight the entire line or block margin to margin -- go to Production > Clear Revised and the revision mark will be removed. If you leave some of the text on a line as revised, the line will still have the asterisk.

To clear an entire script of revised status (colored pages and revision marks), go to Edit > Select All then Production > Clear Revised. Note that the script will still be in revision mode, so any subsequent typing will again be marked revised.

Best practice: Save every new revision set as its own separate file. When you move to the next revision set, go to File > Save as and rename the file <ScriptName> Blue Revisions 7-4-24. When you move to the Pink set, go to File > Save As and rename the file <ScriptName> Pink Revisions 7-7-24.



TIP

Revision mode isn't recommended for writing partners editing separately. Outside of production, [Track Changes](#) is easier to use for this.

1.16.6. File Management

Where the Scripts Are

No different from any other program, Final Draft saves your script to any folder you tell it to save to -- your Desktop (which is a folder), your Documents folder, the Scripts folder you created or the folder bearing the name of your movie. It can save to a USB stick, a network drive, an external hard drive or a local cloud storage synch folder such as Google Drive, iCloud, Box or DropBox. It will save anywhere the operating system gives it permission to save.

Your scripts are **not** saved to the Final Draft program itself, and if you install Final Draft on a second computer, your scripts don't automatically get copied to the new machine. They have to be copied to a USB stick and transferred, or downloaded onto the computer from cloud storage, or by some other means.

The default save-to folder is the Documents folder, and unless you specify some other folder when you save a script for the first time, that's where your script will be saved.

Auto-Save and Backup

Click to learn about the [Auto-Save and Backup](#) functions.

Beyond Final Draft's backup function, include your Final Draft scripts in whatever other backup application or procedure you use for your other files. If you don't currently have a way to back up your data, we suggest you go online and search for ways to ensure that your digital scripts, pictures, songs, letters and anything else of value are stored somewhere outside of your computer.

Save Different Versions

"Writing is rewriting," goes the saying, and you can create an unlimited number of different versions of your script. Do this so that you don't lose work that you think you no longer like, but may change your mind about later. If your script is called "Monster Movie" and you've just reworked Scene 4 (a very important scene) go to File > Save As and title this new version "Monster Movie - Scene 4 Updated - <date>." You'll still have the "Monster Movie" script with the original Scene 4, and now you have this new copy, with the improved Scene 4, right next to it. You can access the old one if you later decide that the first Scene 4 is better after all.

When you're finally finished with the project, you should have many, many different versions, all with descriptive file names and dates. If the studio says they want to go back to the version set in NYC, that they no longer like the one set in Vegas, you'll still have the correctly-labeled NYC one.

Use most or all of the characters available in a file name -- there are 255, to be exact -- to name different versions specifically:

- Monster Movie
- Monster Movie - Scene 4 Updated - <date>
- Monster Movie - Scene 9 deleted - <date>
- Monster Movie - NYC - <date>
- Monster Movie - Vegas - <date>
- Monster Movie - Happy Ending - <date>
- Monster Movie - Sad Ending - <date>

If you're working with a partner or partners, make sure that each pass everyone does is labeled, similar to:

- Monster Movie - JL edit - <date>

- Monster Movie - GS edit - <date>
- Monster Movie - RWS edit - <date>
- Monster Movie - GS edit - <date>
- Monster Movie - JL edit - <date>

1.16.7. Outlining a Script on the Page

In addition to the elements (paragraph types such as Scene Headings and Dialogue) normally present in a script, Final Draft also gives the writer the ability to outline a script using Outline Elements.

The five Outline Elements are Summary, Outline 1, Outline 2, Outline 3 and Note.

Summary can be used for any text relating to an outline.

Outline Elements 1, 2, and 3 are header-level paragraph types with unique indents. More custom Outline Elements [can be created](#).

To begin an outline using these paragraph types, go to File > New from Template and choose the Outline template to see how the sample outline text is configured.

This text can be deleted in order to start writing (Command + A on the keyboard, then the Delete key on the keyboard).

With the cursor blinking on a blank line, press the Return key to display the Elements menu. Choose Outline 1 and type in the heading of the first section of the outline.

Press the Return key to break the line and insert a new, blank Summary paragraph, which can be the first detail of this section of the outline

- or -

press the Tab key to insert a new blank Outline 2 paragraph.

Press the Tab key at the end of any Outline paragraph to cycle through the rest of the Outline paragraph types in order:

- Outline 1 then Tab inserts a new blank Outline 2 paragraph underneath it;

- Outline 2 then Tab inserts a new blank Outline 3 paragraph underneath it.

Press the Return key after any Outline paragraph to insert a new blank Summary paragraph. The new Summary paragraph will have the same left margin as the Outline paragraph that precedes it.

Outline paragraphs can also be added by using keyboard shortcuts: on the keyboard, hold down the Command and Shift keys and the status bar at the bottom of the screen will display each Outline elements' shortcut number; Command + Shift + *<number>* will insert a new Outline paragraph of that type.

Outline element text is blue by default, but this color and all other attributes can be customized the same way as any other element. See [Modifying Elements and Creating New Custom Elements](#).

Outline paragraphs can be converted into any other paragraph type.
See [Reformatting](#).

Hiding Outline Paragraphs

To hide all Outline paragraphs on the page, go to View > Hide Outline in Script (or press Command + Shift + O (the letter) on the keyboard). All Outline paragraphs will be hidden. If the script is printed or saved as PDF while Outline paragraphs are hidden, they will not be included in the printout / PDF job.

To show all Outline paragraphs again, go to View > Show Outline in Script or press Command + Shift + O (the letter).



NOTE

Showing and hiding Outline paragraphs **will** affect the script's page count.

1.16.8. Configuring the Workspace (video only)

1.16.9. Creating Lists

If a line of text is begun by typing one of the following marks...

* (asterisk)


- (n-dash)

-- (double dash)

... (ellipses)

• (bullet point[†])

...Final Draft will assume that a list is being created and when Return is pressed at the end of the line, the next line will automatically start with that mark.



When the list is complete and the next line should begin without the mark(s), press Return on the keyboard to delete the mark(s) and the cursor will move to the beginning of the line.



TIP

[†]A bullet point may be inserted from Edit > [Emoji and Symbols](#).

1.17. Elements

The Elements section contains information about how elements are used in Final Draft. Scripts are comprised of different types of information -- scene headings, action, characters, dialogue and others. Each of these has its own indents (margins), alignment, spacing, casing and other attributes. Final Draft calls these unique paragraphs "Elements." In this sense, a script can be described as a stack of elements.


The specifications for all elements are defined in the Format > Elements dialogue. Other word-processing programs may refer to them as styles or style sheets.

Whenever a new paragraph is created, it gets its characteristics from the specifications in the Elements dialogue, which gives the script a consistent, professional look. An entire script may be altered by changing the settings for one or more elements. For example, if the indents (margins) for the dialogue element are changed, every existing and new paragraph of dialogue is (re)formatted accordingly.

- [Elements in a Script](#)
- [Adding Paragraphs](#)
- [Modifying Elements and Creating New Custom Elements](#)

1.17.1. Elements in a Script

Elements are paragraph types that, when populated with clever text and arranged in the right order, comprise an award-winning script.



General

General elements are used for any text which does not fall within any of the standard elements.

Scene Heading (Slug Line)

A Scene Heading marks the beginning of a scene, describing where and when the scene takes place. Scene Headings are always written in uppercase. Traditionally, scene headings are the only element that have a scene number assigned to them. They are never “orphaned” at the bottom of a page but are placed at the beginning of the next page to stay with the action that follows.

The Scene intro indicates whether the scene is set inside or outside. The default scene intros are: INT (interior); EXT (exterior); I/E (interior/exterior).

The Location indicates where the scene is to take place.

The Time of Day indicates when the scene is to take place.

Action

Represents screen direction that tells what is happening in the scene. It may include physical and psychological action.

Character and Dialogue

A character always precedes dialogue to indicate who is doing the talking. Characters are always written in uppercase.

Dialogue represents a character's speech. It is always preceded by a character, which identifies the speaker.

Parenthetical

Parentheticals provide directions which precede or follow dialogue. They indicate an immediate action being taken by the speaker, or that the dialogue should be delivered in a certain way. Parentheticals should be no more than a few words. When a parenthetical element is added, Final Draft automatically enters both the left and right parentheses and positions the cursor between them.

Transition

A Transition marks the end of a scene and may indicate how the passage between scenes takes place. They are always written in upper case. Some examples are CUT TO:, DISSOLVE TO:, and MATCH CUT TO:.

Shot

A shot is used to indicate a camera angle, camera movement or direction within a scene. Shots are always written in uppercase and behave and paginate just like scene headings, although they do not get numbered. They will not be "orphaned" at the bottom of a page but will be placed at the beginning of the next page to stay with the action that follows the shot description.

Cast List

The Cast List feature is used in sitcoms to list which characters appear in a scene. The cast list appears directly below the Scene Heading. See [Cast List](#) for more information.

```
INT. LIVING ROOM - DAY
(ELAINE, JERRY, KRAMER)
JERRY AND ELAINE WATCH TV.
      JERRY
I don't like this show.
      ELAINE
I do.
KRAMER ENTERS AND HEADS FOR THE KITCHEN.
      KRAMER
Let me borrow your garbage. I'll get
it back to you in the morning.
```

As characters are entered into the scene, their names automatically appear in the new Cast List element. When a character is removed from a scene, it is removed from the Cast List for that scene. For information adding a nonspeaking character to a scene's Cast List, see Insert > [Nonspeaking Character](#).

Continueds and Extensions

Final Draft will automatically add a (CONT'D) after a character name if that character's speech is interrupted by an Action paragraph. Automatic Character Continueds are enabled by default and can be disabled under Document > Mores and Continueds.

A **character extension** indicates where the speech is “coming from” — offscreen, off camera, voice-over, telephone, etc.

The Element dropdown menu indicates the element type of the paragraph that contains the blinking cursor.

Changing a Paragraph's Element Type

Occasionally, a paragraph's element type may need to be changed after it has been created. See [Reformatting](#).

Outline Elements

See [Outlining a Script on the Page](#).

1.17.2. Adding Paragraphs

Final Draft offers a variety of methods for adding new paragraphs and switching elements so that the user may choose the method that works best for his or her own typing style.

Create a new paragraph with:

- Command + [#] key combination (displayed at the bottom of the screen)
- The Return key
- The Tab key

1.17.3. Modifying Elements and Creating New Custom Elements

Most scripts can be written using the default set of elements. However, Final Draft gives the user the ability to modify existing elements and create new ones, which allows complete customization of the look of any script.


To modify the list of elements and element properties

1. Choose Format > Elements and the Elements dialogue appears, open to the Basic tab;
2. The Elements dialogue contains the controls for all aspects of each element. It contains a list of the current elements as well as all the keystrokes, margins, alignment, spacing and stylistic information for each element;
3. Make changes to any element(s);
4. Click OK.

The change is applied to all instances of that element throughout the script.

Basic Tab

The Elements List contains the elements that are defined for the currently open script. The currently selected element's characteristics are determined by the options set in the Basic, Font and Paragraph tabs of the Elements dialogue.



Behavior Options

These options determine what happens when an element is added or inserted in the script.

Start New Page

When Start New Page is checked, a new page begins where the element is added or inserted.

Example: If each scene should begin on its own page, choose Scene Heading from the list on the left and check this box. Click OK and every scene will now start on a new page.

Paginate As

The Paginate As option instructs Final Draft how to break pages when the selected element text overflows between pages. The page-breaking rules for one of the screenplay elements listed may be selected, or None may be selected.

Example: The user is writing a musical and has created a special Lyrics element for use when characters are singing. Set the Lyrics element to paginate as dialogue, which ensures that it is never orphaned from its associated character element.

Shortcuts

The Shortcuts options determine which keyboard shortcuts are used to add or insert the selected element. It also indicates which element is automatically created the Return key is pressed at the end of a paragraph.

Command and Control Key Shortcuts

This option sets the keystroke combination that creates a new paragraph of the selected element type. The core elements' shortcut keys cannot be modified, but other existing elements and elements created by the user can be assigned a unique combination of keys to form the shortcut.

To change or assign an element shortcut:

1. Choose the element desired from the Element List;
2. Click in the Shortcut Key text field;
3. Replace the current character with any character desired. It can be a number, character, function key, etc.;
4. Optionally check the box to include the Control key as part of the key combination.

Note that if a key combination is identical to one already in the operating system, it cannot be used.

Enter Key / Next Element pop-up list


This option specifies which element is automatically created when the Return key at the end of an element is pressed.

To change which element is automatically created when the Return key is pressed, choose the element from the dropdown list.

Example: The Return key should bring up a new Character paragraph after Dialogue instead of an Action paragraph. Choose Dialogue from the list on the left and Character from the Next Element (Enter/Return) dropdown on the right.

Font Tab

The Font tab indicates the current font and size setting for the selected element.



IMPORTANT *You have the ability to use other third-party fonts, but this is not recommended.*

Setting a script in a different font almost always causes a change in the page count, especially when the script is sent to a computer that doesn't have that font installed. This is true even if the font is in the Courier family. Using Courier Final Draft is the way to ensure that a script retains its original page count even if it's opened on a variety of machines.

To set font and size for an element

1. Choose the element desired from the Element List;
2. Click the Font tab;
3. Click Set Font;
4. The Font dialogue appears.
5. Make any desired changes and click OK;


To set font and size for all elements:

1. Change these font attributes for one element;
2. Click Apply Font/Size to All Elements.

All the elements are set to the same font and size. Note that the Apply Font/Size to All Elements command does not apply a style or styles (such as bold or italic) to all elements.

Paragraph Tab

The Paragraph tab is the place to adjust an element's layout attributes.



Alignment

The Alignment dropdown contains the options Left, Centered, Right and Justified.

Spacing

The Spacing dropdown contains the options 1, 1.5, 2, and 3.

Space Before

The Space Before option allows the user to set the spacing *before* an element. The options include 0, 1, 2 and Other (where a value up to 30 may be entered).

Left and Right Indents

These settings control the indents (margins) of the selected element and are measured in inches from the left edge of the page.

To change the Left or Right Indent settings for an element:

1. Choose the element desired from the Element List;
2. Click the up or down arrows next to the setting.

To create a custom element

1. Click New. A default name appears in the Element list and in the text field above the list;
2. Edit the name in the text field. The name in the Elements list changes accordingly;

The Basic, Font and Paragraph tab options are set to default for those of the Action element.

3. Make any changes desired.

To delete a custom element

1. Select a custom element. The Delete button becomes enabled;
2. Click Delete.




NOTE

You cannot delete or rename a core element (General, Scene Heading, Action, Character, Parenthetical, Dialogue, Transition, Shot or Cast List).


To Apply a Template

If a certain kind of script (i.e., feature screenplay) must be converted to another kind of script (i.e., one-hour drama), there is no need to adjust all elements of the script one at a time. The script may be converted to another format by instructing Final Draft to apply the element settings from one of the templates that ship with Final Draft.

1. Click Apply a Template:



2. The template picker will be displayed; choose a category and then the desired template:



3. The element specifications of the chosen template will be applied to the script.

To Apply the Elements from Another Script or a Template not included in Final Draft

1. Click Apply a Template and the template picker appears;
2. Click Browse;
3. A standard Mac Open dialogue will appear;
4. Navigate to the script or template and click Open;
5. OK to return to the Elements Setup window;
6. Click OK to return to the script. The element specifications of the chosen script or template will be applied to the script.


1.18. Beat Board and Outline Editor

The Beat Board and Outline Editor section contains information about these two functions and how they work together to help the writer plan and structure a story.

- [The Beat Board](#)
- [The Outline Editor](#)

1.18.1. The Beat Board

Displays a field in which the user may insert and arrange Beats.



Before they "go to pages" (write action and dialogue), many writers and writing teams first outline their stories using real or virtual cards to lay out the "beats" of a script and view them from a high altitude. The Beat Board allows the user to compile and organize his / her ideas, notes, story points, scene fragments, scenes, sequences, acts, plot structure, the arc of a show season or even a series itself.





TIP

Open Final Draft, go to Help > Sample Scripts and choose one of the scripts. Open the Beat Board to see how the writer of Tangle and Mossy used the Beat Board to organize story, plot, theme, characterization and arcs.

1.18.1.1. Inserting a New Beat

To insert a new Beat, right-click or Control + click the Beat Board and choose New Beat. A new Beat will be placed on the Beat Board at that location:



A new Beat may also be inserted by

- Double-clicking anywhere on the Beat Board;
- Right-clicking anywhere on the Beat Board and then clicking New Beat;
- Pressing Command + Return on the keyboard;
- Going to the Insert menu and clicking New Beat.

Beats created in one of these ways will not have an [Outline Goal](#) in the upper right corner.

1.18.1.2. Entering Text

To enter text into the Title or Body field, click once on the Beat to select it (selection indicated by a blue border), then click again into the Title or Body field. Text may be entered or pasted when the blinking cursor is present in the field.


Text in the body field of a Beat may be modified by highlighting it and selecting a style or styles from the Format > [Text](#) section.

The font, size, style and color of text in the title field of a Beat may not be modified.

To move the blinking cursor from the Title field to the Body field, press the Tab key on the keyboard. To move the blinking cursor from the Body field to the Title field, press the Tab key again. If the cursor is in the Title field, Return will also move the cursor to the Body field.


1.18.1.3. Outline Goal

Another way to create a Beat is to right-click or Control-click on the [Outline Editor](#) on a particular page marker (hash marks represent page numbers and page eighths) and select New Beat.




A Beat marker will be created on the Outline Editor at that point and a new Beat will also be placed on the Beat Board.

Note that in the upper right corner of the Beat an “Outline Goal” (a set of numbers) is displayed. The Outline Goal indicates the script page range on which the user expects to write the content contained in the Beat.



If the marker is moved in the Outline Editor, the Outline Goal on the Beat will be updated.

If a [color](#) is assigned to the Beat, the marker in the Outline Editor will take that color as well:



To remove the Outline Goal from a Beat, right-click in the upper right of the Beat. From the context menu choose Remove Outline Goal.

1.18.1.4. Positioning and Sizing Beats

Beats may be moved anywhere on the Beat Board; they are not confined to columns and rows.



NOTE

Although the instructions below refer to moving a single Beat, they also apply to moving a grouping of Beats (see [Multiple-Selecting Beats](#)),

To move a Beat, click onto it with the left mouse button, hold the left button down and drag it to the desired location. Note that when in drag mode, the cursor changes to the drag icon.

A Beat may also be moved by clicking into it and using the arrow keys on the keyboard to send the Beat in the desired direction.

If [Grid Snapping](#) is off, each arrow keystroke will move a Beat one pixel.

If Grid Snapping is on, each arrow keystroke will move a Beat one grid space.

If Grid Snapping is on and the Shift key is held down when an arrow key is pressed, each arrow keystroke will move a Beat three grid spaces.

Beats can be resized or reshaped by hovering the cursor on any border or corner so that the double arrow appears, holding the left mouse button down and dragging inward or outward, right or left, up or down.

As more Beats are added or moved down or to the right, use the vertical and horizontal scroll bars to display further sections of the Beat Board.

To move a Beat or a grouping of Beats (see [Multiple-Selecting Beats](#)) to a section of the Beat Board that is not currently visible, drag the selection off the edge of the Beat Board and continue dragging. The Beat Board will move in the opposite direction of the drag (revealing more of the Beat Board) until the mouse button is released.

1.18.1.5. Grid Snapping

When Grid Snapping is enabled, Beats will, when created or moved on the Beat Board, automatically be positioned along the nearest horizontal or vertical grid line or along the midpoint between horizontal or vertical grid lines.



Enabling Grid Snapping will not snap existing Beats to the grid; Beats are only aligned along a grid line at the end of a move.

1.18.1.6. Copying Beats and Text from Beats

Copying a Beat

A Beat may be copied and pasted elsewhere on the Beat Board by selecting it and, on the keyboard, pressing Command + C, then clicking the Beat Board and pressing Command + V

- or -

Right-click or Control + click on a Beat and from the context menu choose Copy. Right-click or Control + click on the desired location on the Beat Board and from the context menu choose Paste.

Copying Text in a Beat

Text in a Beat may be copied to another Beat, a script page, a Summary card or a text field in the Navigator.

To copy Beat text:

1. Select the Beat;
2. Click into the Title field or the Body field;
3. Select the desired text or, if all text is to be copied, on the keyboard press Command + A;
4. On the keyboard, press Command + C

or

4. Right-click or Control + click to display the context menu and choose Copy.

The text is now on the clipboard and may be pasted elsewhere.

Text can be pasted into a Beat from any source. If a Beat is selected and the blinking cursor is in a field, right-click in the field and choose Paste. Text can also be pasted with Command + V.


If it is pasted into a script page, the Beat's title will be inserted as an Outline 1 paragraph and the Beat's body text will be inserted as an Outline Body paragraph.

If multiple Beats are selected and Command + C is chosen, and the text is pasted into a script page, the text will be placed on the page in the order of Beat selection.


There is no limit to the amount of text that can be entered into the body of a Beat; if there is too much text to be displayed in its entirety and the Beat has not been enlarged to accommodate it, use the Up or Down arrow keys or the Page Up / Page Down keys on the keyboard to scroll.

1.18.1.7. Dragging a Beat to a Script Page

If the screen is split and displays Normal, Page or Speed View in one panel and the Beat Board in the other, text may be copied from a Beat by dragging the Beat to the desired location on a script page.




The Beat's title will be inserted as an Outline 2 paragraph and the body will be inserted as a Summary paragraph. These paragraphs can be [reformatted](#).





The Beat will remain on the Beat Board after the drag.

An alternate way of moving Beat Board content to a script page is to right-click on a Beat and from the context menu, choose Send to Script:



1.18.1.8. Dragging Selected Script Text to the Beat Board

If the screen is split and displays Normal, Page or Speed View in one panel and the Beat Board in the other, script text may be selected and dragged onto the Beat Board. A new Beat will be created at the end of the drag that contains the selected script text. The selected text will not be removed from the script page and the text in the new Beat will retain its original formatting from the script page. This function is especially useful for storing content for later use.






TIP

Create a “trim bin” area on the Beat Board for bits of your script that you’re not sure you want to keep. Assign a color to these Beats so you can easily identify them. Watch this video for more information:

1.18.1.9. Coloring Beats

A Beat may be colored by right-clicking or Control + clicking into it and choosing a color from the context menu. Suggested schemes include color-coding groups of Beats by location, time of day, presence of a particular character or characters, type of scene, related scenes, or by sequence or act.




A custom color can be created and assigned to a Beat by choosing the multi-colored swatch at the bottom right of the palette. When this is chosen, a standard Mac color picker is presented.

When a Beat is colored, its corresponding Beat marker in the Outline Editor (if any) also takes on that color.

1.18.1.10. Beat Shows

A Beat may be set to display only certain pieces of text. Right-click or Control + click into a Beat and choose a display mode:


Title and Body:



Title Only:



Body Only:



This setting applies only to the selected Beat. To set the display mode for many Beats, [multiple-select](#) them.

1.18.1.11. Multiple-Selecting Beats

Beats may be multiple-selected by drawing a box around the desired Beats with the cursor. Once several have been selected, they can be moved, colored or deleted as a group. Note that there is no confirmation dialogue when deleting. To release the selection of a group, click anywhere else in the field. Text may be copied from multiple Beats and pasted in other locations; the text will paste in as a single block.

Beats may also be multiple-selected by holding down the Command key and clicking desired Beats. The order in which they are selected will determine the paste order if their contents are to be pasted elsewhere.



1.18.1.12. Align Selected Beats

These commands are available when the Beat Board is the current active panel.

Align Selected > To Grid

If Grid Snapping is off and this command will snap selected Beats to the nearest grid line or grid half-line.


Align Selected > To Grid > Make Column



Align Selected > To Grid > Make Row



Align Selected > To Grid > Cascade



Note that after Beats are cascaded, they are not still selected. They must be selected again to perform some batch function on them (i.e. color, move, delete, etc.)

1.18.1.13. Deleting Beats


To delete a Beat, click into the upper right-hand corner so that it is selected (blue outline) but it is not in text-edit mode (no blinking cursor). Press Delete on the keyboard.

To remove a Beat marker from the Outline Editor, right-click or Control + click on it and from the context menu, choose Remove. This will remove the Beat mark but leave the Beat on the Beat Board.

1.18.1.14. Images on the Beat Board

The Beat Board can display images – storyboards, lighting schematics, headshots, location ideas, wardrobe choices, etc.

Supported graphics formats are .GIF, .JPG, .JPEG and .PNG.



To insert an image, right-click or Control + click on the Beat Board and choose New Beat from Image. A standard Mac Open dialogue box will appear, allowing the user to navigate to and select an image. Locate the image and double-click it; a new Beat containing the image will be created on the Beat Board at that location.

Alternately, an image may be dragged from a folder directly onto the Beat Board to create a new Beat containing that image. The name of the graphics file will be the title of the Beat.

Insert > Image will open a standard Open dialogue and allow the user to navigate to and select an image. Locate the image and double-click it; a new untitled Beat containing the image will be inserted at the upper left of the Beat Board.

Beats containing images behave identically to Beats containing text – they may be resized, colored, dragged to a script page, etc.



IMPORTANT *Images larger than 1mb in size are not recommended. If a script file contains many large image files, program performance may be affected.*

1.18.1.15. Zooming and Moving the Beat Board

Zooming the Beat Board

The Beat Board may be reduced or enlarged to display more or less of the content area. To zoom:

Mouse and Scroll Wheel

If a mouse with a scroll wheel is being used, hold down the Command key and scroll up or down with the scroll wheel.

Keyboard


Hold down the Control key and press the plus or minus keys on the right-hand side of an extended keyboard.

Menu


Go to View > Zoom to choose a pre-set zoom size.

View Mini-Bar

At the bottom right of the application window, use the slider to zoom in and out (left is smaller, right is larger):



or click the percentage button at the far right and choose a pre-set zoom percentage:



Moving the Beat Board

The Beat Board may be dragged with the mouse by holding the left mouse button down and at the same time holding down the Space bar on the keyboard.

The Beat Board may also be dragged by holding the Space bar down and using a trackpad. Another way, if the computer is set up for this, is to use two fingers on a trackpad.

If a mouse with a scroll wheel is being used, the Beat Board can be tilted (moved up or down) by turning the scroll wheel on the mouse. The operating system's settings for scroll wheel directionality will apply to scrolling the Beat Board.

If a mouse with a scroll wheel is being used, the Beat Board can be panned (moved left to right or right to left) by holding down the Shift key and turning the scroll wheel on the mouse.

The Beat Board may also be moved with the horizontal and vertical scroll bars, as in other word processors.

1.18.1.16. Flow Lines

- Connect -- when two Beats are selected and this command is issued, a Flow Line will be drawn between the two Beats.
- Connect with Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the second Beat selected will be drawn;
- Connect with Reverse Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the first Beat selected will be drawn;
- Connect with Double Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards both Beats will be drawn.

A Flow Line type may also be changed at any time by right-clicking on it and choosing another type from the context menu:

Beats can be connected by dragging one on top of the other. The dragged Beat will return to its original location and there will a Flow Line (with no arrows) between the two. Beats can be disconnected the same way.

Connectors stay attached to Beats even when they are moved.

Connection Color

Displays a color picker to change the color of a Flow Line. Click on a Beat at either end of the Flow Line to select it.

A Flow Line color may also be changed at any time by right-clicking or Control + clicking on it and choosing another color from the context menu.


Disconnect

When a Beat with one Flow Line is selected and this command is issued, the Flow Line between it and the other Beat to which it is connected will be removed.

When a Beat multiple Flow Lines is selected and this command is issued, the Flow Line between it and the first Beat to which it was connected will be removed.

A Flow Line may also be removed at any time by right-clicking on it and choosing Disconnect from the context menu.

This feature may be disabled (so that Beats can be positioned close together rather than creating Flow Lines between them) by unchecking the box under the Final Draft 13 menu > Settings/Preferences > General:




1.18.2. Outline Editor

The Outline Editor is a story-planning tool that allows the user to lay out story beats and milestones in a linear, horizontal fashion. There are two outline levels (Lanes) by default but any number of additional lanes can be added. The user can place resizable markers representing story events in any lane (except for the Script Lane) anywhere along its length. These markers can be relocated, resized and colored to help the user visualize the story's structure.


In the second row from the bottom, the numbers and hash marks correspond to page numbers in a script. The bottom row is the Script Lane and the cells (if they are big enough) show the first part of scenes already written. The Script Lane is not editable.




To insert a new Beat marker, right-click in the desired lane, above a desired page number, and choose New Beat. A new Beat marker will be placed in the Outline Editor at that location.




Click on it to add a Beat Title and Body text and a Beat with that text will also be placed on the Beat Board.




A Beat may also be dragged from the Beat Board to the desired location in the Outline Editor:



In the example below, the writer plans for this scene to start on Page 6 and be exactly one page long. The Beat marker has been dragged from the Beat Board to Page 6 and resized so that it spans one script page, from Page 6 to Page 7. The Goal at the upper right corner of the Beat on the Beat Board is updated to reflect this intended scene length:




To change a Beat marker's width (and therefore its span of pages) place the cursor over its right or left border until the double-arrow cursor is displayed (enlarged and colored red below, for purposes of illustration) and then drag the cursor right or left:



When a Beat marker is resized, the Goal of its corresponding Beat on the Beat Board will be updated.

An existing Beat marker may be dragged from one location to another and when it is moved, its Goal will automatically be updated. Beats may be moved from one Lane to another.

When a Beat marker in the Outline Editor is double-clicked, a popup will appear containing the text in the corresponding Beat on the Beat Board:



Click into the popup to edit the content of the Beat. Both the Beat marker in the Outline Editor and the Beat on the Beat Board will be updated when the mouse is clicked away from the Beat popup.


Navigation

Double-click on a Beat marker to move the Beat Board so that the Beat associated with the double-clicked marker is displayed at the center of the screen. The Beat will also be selected (blue border).

When a marker representing a scene in the Script Lane is double-clicked, if the script pages are displayed, the script will be scrolled to the scene in the Outline Editor that was double-clicked.

Script Pages

The bottom lane of the Outline Editor (the Script Lane) displays the first few words of a written scene's scene heading in that scene's assigned color, if a color has been assigned. The number of words shown depends on the size of the cell.



When a cell in the Script Lane is single-clicked, it will display the scene or paragraph as written on the page.

When a cell in the Script Lane is double-clicked and the main program window or one of its panels is displaying script pages, the script will be scrolled to that page.

Lanes

The Outline Editor displays a layered view story units (acts, sequences, scenes and more) in a linear, horizontal way, but when the contents of the Outline Editor are sent to the script pages, the story units are laid out vertically for the writer to continue to edit and expand upon.

Each Lane in the Outline Editor can be set up to represent a story unit, so that (for example) the topmost Lane shows Acts, the next one down shows Sequences, and the next one down shows Scenes. When the Send to Script command is issued, Beat markers in the topmost Lane will be rendered on the page as Outline 1 - Act paragraphs, with their own distinct font, font size, font color and indents. Beat markers in the Sequences Lane will be rendered on the page as Outline 2 - Sequence paragraphs, with their own formatting.

Adding and Managing Lanes


Indent and Outdent

Storyboard example for a film script. The storyboard is organized into three columns: 'Outline 1 (Acts)', 'Outline 2 (Sequences)', and 'Outline 3 (Scenes)'. The first column contains 'ACT ONE'. The second column contains 'Meet Tangle' and 'Tangle sees Money/ T & M'. The third column contains 'Set', 'Mai', 'Tangle's Uncle', 'Tangle', and 'Meet'. Below the storyboard, there is a timeline with 5 frames. Frame 1 is labeled 'Realtor'. Frame 2 is labeled 'INT'. Frame 3 is labeled 'X'. Frame 4 is labeled 'HOME'. Frame 5 is labeled 'FOI' and 'FOOTER -'.

Additionally, when the Send to Script command is issued, all Outline 2 (Sequences) paragraphs on the script page will be indented and all Outline 3 (Scenes) paragraphs will be outdented.

Rename

Any Lane may be renamed at any time. There is no maximum length for a Lane name but shorter is better. When this command is chosen, a new Lane name can be overtyped into the text field:




Change Element

Any Lane may be converted to any other Lane type, The Lane types available are the default Lane types built into the template and any custom Lane types that have been created in this script by the user. Any Beat markers in the Lane being changed will, when the Send to Script command is issued, look and behave on the script page as the element type to which the Lane was changed.


Send to Script

This command copies the contents of all Beat makers in the Outline Editor to the script pages:




After the Send to Script command has been issued and all Outline Editor content has been copied to the script pages, when script pages are shown, the paragraphs from

the Lanes will be rendered vertically on the page as the element types named and defined in the Outline Editor. That is, if Lane 1 is named Outline 1 - Acts and is set to be Arial 16 and purple, with a left indent of .875", all Beats in Lane 1 will, when sent to the script, be shown as Outline 1 - Acts paragraphs on the page, with those font and indent attributes.



Location Indicator


The script page containing the cursor is indicated in the Outline Editor by a blue line.



If the cursor is placed on a different page, the Location Indicator will move to the new page marker. The script cannot be scrolled by dragging the blue line right or left.

Target Script Length

The Outline Editor defaults to 120 pages, considered the average feature film script length. Double-click or right-click anywhere in the Outline Editor to adjust the Target Script Length (the number of pages represented):



The more pages there are, the longer the Outline Editor will be. If a script is longer than the Target Script Length, the page numbers and hash marks will appear in red:



If a locked script has A pages, they will appear as gold hash marks.

If a locked script has dashed / deleted pages (i.e. "page 9-10"), the corresponding area of the Outline Editor will not display a scene content tooltip.



TIP

To work with percentages rather than pages, set the Target Script Length to 100. Now each hash mark represents 1% of the total project rather than page numbers. For example, placing a Beat marker at "Page" 33 means that it occurs a third of the way in, regardless of how many pages precede that Beat marker.


Panning the Outline Editor

If a mouse with a scroll wheel is being used, the Outline Editor can be panned (moved left to right or right to left) by placing the cursor anywhere in the Outline Editor and turning the scroll wheel on the mouse. The operating system's settings for scroll wheel directionality will apply to scrolling the Outline Editor.

If a trackpad is being used, panning can also be done by clicking anywhere within the Outline Editor and swiping left or right.


Menu

Right-click on a Beat marker to display this context menu:



- New Beat -- places a new Beat marker in the Lane at that page number location and a new Beat in the Beat Board. The Beat will have that page number as its Goal;
- Show -- moves the Beat Board so that the associated Beat is displayed at the center of the screen. The Beat will also be selected (blue border). This command is identical to double-clicking a Beat marker;
- Remove -- removes the Beat marker from the Outline Editor and the associated Beat from the Beat Board;
- Assign a color to both the Beat marker in the Outline Editor and the associated Beat on the Beat Board;
- Change Target Script Length -- [see above](#);
- Hide Outline Editor -- removes the Outline Editor from the application display. To show the Outline Editor, go to View > Show Outline Editor.

Right-click on a Scene marker in the Script Lane to display this context menu:



- Show – if script pages are displayed, the script will be scrolled to the scene selected;
- Assign a color to the Scene marker in the Outline Editor; this color will apply to the scene when it is represented in the Scene Navigator, Index Card view and Scene View;
- Change Target Script Length -- [see above](#).

- Hide Outline Editor – [see above](#).

Right-click anywhere in the Outline Editor to display the above menu but without the options to Show or Remove a Beat.

For information on zooming and resizing the Outline Editor, see [Zoom Outline Editor](#).

1.18.2.1. Parent-Child Relationships

Many forms of dramatic writing divide a story into units, each with its own purpose. The classic three-act structure, for example, is a widely-used paradigm for a feature screenplay; each act has a usual number of sequences comprised of a usual number of scenes. Final Draft's Outline Editor can help the writer organize a story within this framework.




TIP

Because any number of Lanes can be created in the Outline Editor, the writer is free to plan a story using any structure, as many levels or story units, as they want.

In the Outline Editor, when a Beat marker is placed in a Lane under another Beat marker, it becomes the "child" of that "parent" Beat marker. Having been positioned in this way, these Beat markers now form a unit.


In the illustration below, the three scenes that comprise Sequence 1 have been placed under that marker and are now its children. As well, Sequence 2 is the parent of Scenes 4 - 6. Both sequences and all scenes are children of Act One.




Because they are all part of a single unit, if (for example) the Act One marker is moved in the Outline Editor, it will take its "children" with it -- the Sequence One marker and the three scene markers will automatically be moved as well and they will all maintain their relative positions. If the Sequence One marker is moved, the Act One marker will not move with it, but the three scene markers below it will.

Removing a parent Beat from the Outline Editor will not remove its children.

This grouping of story units is indicated in two other views: On the script page, [Structure Lines](#) show the Act-Sequence-Scene parent-child relationships:



...and in a Script tab in the Navigator, groups of related scenes have a blue box drawn around them when the parent act or sequence row is selected. In the first graphic, Act One is selected and a blue box appears around its children -- all of the sequences and scenes in Act One:



In the second graphic, Sequence 1 is selected and its scenes are enclosed in the blue box.

Order	Page	Script	Color	Summary
1	1	ACT ONE		
2	1	Sequence 1 - Meet Tangle		A young girl named Tangle longs to find a
3	1	Scene 1		Some action...
4	1	Scene 2		Some action...
5	1	Scene 3		Some action...
6	1	Sequence 2 - T & M begin quest		Finally, Tangle finds the but meets Mossy.
7	1	Scene 4		Some action...
8	1	Scene 5		Some action...
9	1	Scene 6		Some action...

If the parent row is selected and dragged to another location in the Navigator, the child scenes will be moved with it.

1.18.3. Idea to Rough Draft (The 1-2-3 Workflow)

Final Draft can help a writer form a plot, organize its structure, create an outline and work out a page budget before writing the first page of a script.. Use the Beat Board to structure the events of the story, use the Outline Editor to organize the acts and scenes, and use Page View to begin writing around the skeleton.

In the example below, the writer has organized her short film into three acts, with each act having three scenes. This story structure has come to look like this after some time was spent brainstorming, adding and removing ideas, and moving them around on the Beat Board until the story was exactly where she wanted it to be.

The next step is to move this story to the Outline Editor, which is a linear representation of the story. The Outline Editor can be used to break down the story into a page budget, which helps the writer know how many pages to allot to each scene. If it's not visible, go to the View menu and choose Show Outline Editor or choose its icon from the toolbar Home Ribbon.



NOTE

There are many story paradigms that can be used to help you structure your story; this tutorial will use the three-act model.

If the script is intended to be fifty pages long, right-click anywhere in the Outline Editor and choose Change Target Script Length. The default is 120 pages, considered the standard length of a feature screenplay, but this project isn't feature length. The writer enters 50 and clicks OK. Now the Outline Editor displays a 50-page scale.

Drag the Beat markers for Acts One, Two and Three to the Outline 1 Lane and sizes them appropriately. Act One will go from Page 1 to Page 15, Act Two will go from Page 16 to Page 34 and Act Three will go from Page 35 to Page 50.

Next, drag the scenes to the Outline 2 lane. Each scene will span an average of five pages.


To make it easier to differentiate each scene, right-click a scene marker to assign it its own color. You can also edit the text in the marker and the Beat on the Beat Board will be updated as well.

To make it easier to see, zoom the Outline Editor in or out with the slider on the left right and resize vertically by dragging the bottom border up or down.

Scenes' lengths can be adjusted once they've been positioned, and the page range will be updated in the Beat on the Beat Board.

After the acts and scenes have been fine-tuned for length, create an outline on the script page by clicking the Send to Script button at the left. To see this in action, split the screen vertically with Page View on one side and the Beat Board on the other.

Beat marker contents will be brought to the page based on which Lane they are in -- in the example below, "ACT ONE" is an Outline 1 (Acts) paragraph, "Meet Tangle" is an Outline 2 (Sequences) paragraph and "Set up Gold Key" is an Outline 3 (Scenes) paragraph.



The writer now has an outline on the page, and she can write actual script content around the blue outline paragraphs. Outline paragraphs can also be converted to

regular script paragraphs by right-clicking on a paragraph and going to the Change Element to menu.

Outline paragraphs can be hidden by going to the View menu and choosing Hide Outline in Script.

It's also possible to create an outline without using the Beat Board and the Outline Editor by writing story beats on the script page as outline paragraphs. See [Outlining a Script on the Page](#).

1.19. Navigator

The Navigator is a set of configurable tables that display a script's scenes, ScriptNotes, characters and other information. Any number of tables can be created, customized and named for specific purposes.

- [Navigator > Scenes](#)
- [Navigator > ScriptNotes](#)
- [Navigator > Characters](#)
- [Navigator > Tags](#)

The Navigator will be open by default the first time Final Draft is launched. To remove it from the screen:

Choose Tools > Hide Navigator

- or -

click on the Close border icon of the Scene Navigator window.


To display it again, from the Home or Tools ribbon, choose Show Navigator or click its down-pointing arrow to select the desired Navigator panel.

1.19.1. Tabs and Columns

- [Managing Tabs](#)
- [Managing Columns](#)
- [Sorting Columns](#)
- [Exporting](#)
- [Script Navigator Tab Examples](#)


1.19.1.1. Managing Tabs

To add a new tab, click the plus (+) sign and choose the type of tab (Script, Characters or ScriptNote) to be added.



When a new tab is created, its title is highlighted and a new title can be typed in.


To delete a tab, hover the cursor over the tab to be deleted and click the X:



Deleting a tab is not undoable.


A tab can be dragged from one location to another.

Each tab type has a set of associated tasks, which are available in the icon set at the upper left:



1.19.1.2. Managing Columns

To add a column, click the Column picker icon at the upper right of the table:



A menu will be displayed with check boxes for the columns available to be added to the table.

To remove a column, click the menu item.

Moving a Column

Any column (except Order) can be moved by dragging it to a new location.

Resizing a Column

Any column can be widened or narrowed by clicking and holding either the left or right border and dragging left or right to expand or contract the column's width.

Viewing a Cell in a Narrow Column

If a column is too narrow to display all of its contents, click and hover over it and a popup will open that displays all of the text in the cell:

Order	Page	Script	Summary
1	1	ACT ONE	A young girl named Tangle longs to find a
2	1	Meet Tangle	Set up Gold Key. Tangle's desire to find the key.
3	1	Set up Gold Key	Tangle questions Uncle about a mysterious key.
4	1	INT. BOMB LIBRARY - DAY	Flashback: Tangle discovers the maids stacking
5	2	KITCHEN - NIGHT (FLASHBACK)	Tangle keeps quiet about the maids, but presses
6	2	Tangle's desire to find key	Tangle keeps quiet about the maids, but presses
7	2	BOMB LIBRARY - PRESENT TIME	Tangle keeps quiet about the maids, but presses
8	3	Uncle leaves	Tangle keeps quiet about the maids, but presses
9	3	Tangle sees Mossy/BOOM	Tangle keeps quiet about the maids, but presses
10	3	Uncle leaves	Tangle keeps quiet about the maids, but presses
11	3	POTER - ANOTHER DAY	Tangle keeps quiet about the maids, but presses
12	4	Tangle leaves everything	Tangle keeps quiet about the maids, but presses
13	4	POTER - 5 YEARS LATER	Tangle keeps quiet about the maids, but presses
14	5	T & M begin quest	Tangle keeps quiet about the maids, but presses
15	5	Mossy Memory	Tangle keeps quiet about the maids, but presses
16	6	EXT. FOREST - Dusk	Tangle keeps quiet about the maids, but presses


(The cursor in the graphic above is red for purposes of illustration.)

1.19.1.3. Sorting Columns

All Navigator columns can be sorted in ascending or descending order.


Sort the scenes by any column in either ascending or descending order. To sort by a column, click on the header of the column to be sorted.

In this first example, the Length column has been set to sort in ascending order:



Order	Page	Script	Length
17	13	EXT. TOP OF THE SLOPE - DAY/LATER (D4)	3/8
24	16	EXT. WOODS - NIGHT (R9)	3/8
30	24	EXT. CASALINDA - DAY/CONTINUOUS (D10)	3/8
1	1	INT. HOME LIBRARY, CASALINDA - DAY (D1)	4/8
10	8	VARIOUS WAXES - DAY (D1)	4/8
21	16	EXT. CASALINDA - DAWN (D4)	4/8
28	22	INT. CAVE - NIGHT/LATER (R9)	4/8
4	2	INT. FOYER, CASALINDA - ANOTHER DAY (D3)	5/8
16	12	EXT. BASE OF THE SLOPE - DAY/LATER (D4)	6/8
11	8	EXT. CLIFF OVERLOOKING A LAKE - ANOTHER DAY (D4)	6/8
33	24	INT. HOME LIBRARY, CASALINDA - DAY/MOMENTS LATER (D10)	6/8
13	10	EXT. GRAVEL ROAD - DAY/CONTINUOUS (D4)	7/8
16	11	EXT. BASE OF THE SLOPE - DAY/CONTINUOUS (D4)	7/8
3	1	INT. HOME LIBRARY, CASALINDA - DAY (PRESENT TIME) (D1)	1

To reverse this order, click the column header and the list will be reversed:




Order	Page	Script	Length
20	16	EXT. CLEARING - DAY/LATER (D7)	15/8
12	9	EXT. OFF THE ROAD - DAY/LATER (D4)	15/8
25	19	EXT. WOODS - ANOTHER NIGHT (R9)	15/8
34	25	INT. ENIGMINE WORKSHOP, CASALINDA - DAY/CONTINUOUS (D10)	13/8
19	14	EXT. CLEARING - DAWN (D7)	13/8
18	13	EXT. CLEARING - NIGHT/LATER (R9)	13/8
29	22	EXT. PRECIPICE - DAY/CONTINUOUS (D10)	12/8
5	3	INT. FOYER, CASALINDA - DAY (5 YEARS LATER) (D3)	12/8
27	21	INT. DESPER INTO THE LATE-EVENING CAVE - NIGHT/CONTINUOUS	11/8
7	7	EXT. GRAVEL ROAD - NIGHT (R9)	11/8
3	1	INT. HOME LIBRARY, CASALINDA - DAY (PRESENT TIME) (D1)	1
16	11	EXT. BASE OF THE SLOPE - DAY/CONTINUOUS (D4)	7/8
13	10	EXT. GRAVEL ROAD - DAY/CONTINUOUS (D4)	7/8
33	24	INT. HOME LIBRARY, CASALINDA - DAY/MOMENTS LATER (D10)	6/8

Note that the arrow in the column header indicates the sort order.

1.19.1.4. Exporting

The information in all Navigator tabs can be exported as a CSV (Comma Separated Values) file to a spreadsheet by clicking the export icon:





The export will contain all of the columns currently shown in the tab.



IMPORTANT When importing this CSV file into a spreadsheet program, the program's Open dialogue box may need to be set to look for All Files or CSV files if it defaults to only being able to recognize its own usual file format.

When opening the CSV, there may be a prompt to choose how to import it; choose Delimited Width with the Comma as the delimiter:




1.19.1.5. Script Navigator Tab Examples

Navigator tabs can be created and customized to display specific sets of information that can during the writing process help organize and track stories, characters, relationships and during the production process organize and track logistics, locations, resources and personnel.

Through the use of columns chosen and a filter applied, precise combinations of data can be shown.


This tab has been set to show only scenes with Tangle and Mossy. Only these characters' columns have been chosen to be shown:




This tab has been set to show only night scenes. Only the Time column has been chosen to be shown and the word "night" is the filter:




This tab has been set to show only scenes in a particular location (Casalinda). Only the Location column has been chosen to be shown and "casalinda" is the filter:



This tab has been set to show only exterior scenes with Tangle. The two columns chosen to be shown are Intro and Tangle and the filter is "ext."




This tab has been set to show only scenes with Tangle and the Gold Key. The only columns chosen to be shown are Characters > Tangle and Tags > Gold Key.



1.19.2. Navigator > Script

If the Navigator is not open, go to Tools > Show Navigator. The Navigator panel will be displayed, opened to a Script tab. The script used in the examples below is found in Final Draft under Help > Sample Scripts > Script.



Order	Page	Script	Color	Summary
1	1	ACT ONE		
2	1	Meet Tangle		A young girl named Tangle longs to find a
3	1	Set up Gold Key		Set up Gold Key. Tangle's desire to find the key, do
4	1	INT. HOME LIBRARY - DAY		Tangle questions Uncle about a mysterious key
5	2	Maiden threaten Tangle		Flashback: Tangle discovers the maiden stacking
6	2	EXT. HOME LIBRARY - FLASHBACK		Tangle keeps quiet about the maiden, but presses
7	2	Tangle's desire to find key		
8	2	HOME LIBRARY - PRESENT TIME		
9	3	Tangle sees MossyBOOM		Uncle leaves. 5 years later: a bomb takes out the
10	3	Uncle leaves		Tangle sees him off. Uncle warns her to be
11	3	FOYER - ANOTHER DAY		
12	4	Tangle loses everything		The bombs get closer, but the maiden ignores
13	4	FOYER - 5 YEARS LATER		
14	5	T & M begin quest		Reeling, Tangle finds the key. But meets Mossy,
15	5	Meets Mossy		Tangle finds the key in the woods, but Mossy, the
16	6	EXT. FOREST - DUSK		A strange young woman with green hair interupts
17	7	Grandmother appears		
18	7	DEEPER IN THE WOODS -		
19	9	ACT TWO		
20	9	T & M on the road		T & M's relationship evolves from rivals to lovers.
21	9	Rivals clashing		Heads, allies & enemies.
22	10	EXT. GRAVEL ROAD - NIGHT		Argue about who should hold the key.
23	11	Hints of attraction		Mossy's kinda cooler than Tangle thought.
24	11	VARIOUS SHOTS JUST OFF THE		
25	11	The lake		Mossy tries to get Tangle to refresh in the lake, but




NOTE

All Navigator tabs operate the same way, regardless of which tab is chosen. Most options, configuration and navigation to and from are identical.

This view contains a table of the scenes in the active script. Each row of the table corresponds to a scene in the script. The highlighted row in the Navigator corresponds to the currently-selected scene in the active script. If multiple scenes are selected in the active panel, the highlighted row corresponds to the last scene added to the selected scenes. If another script is made active, the Navigator displays the scenes in the new active script.

1.19.2.1. Navigating to a Scene

Double-clicking a scene row in the Script Navigator will display that scene in the active panel (see the Panels section). If the active panel shows script pages (Page/Normal View), the scene chosen in the Navigator will be displayed at the top of the screen and the blinking cursor will be placed at the beginning of that scene.



If the active panel is set to an Index Card view, the card of the scene chosen in the Navigator will be positioned at the top of the screen and highlighted.

Conversely, wherever the blinking cursor is placed in a script page or whichever card is clicked on in an Index Card panel, that scene will be highlighted in the Navigator.

Double-clicking a ScriptNote row in the ScriptNote Navigator will scroll the script to the text on the page connected to that ScriptNote. Note that the active panel must be set to Normal, Page or Speed view.



TIP

To scroll the script to the desired page using the Navigator, best practice is to double-click the Order or Page column in the row of the desired section of the script.

Double-clicking editable cells in a table row will enable editing of the text in that cell rather than scrolling the script.

1.19.2.2. The Columns

The Script section of the Navigator can display one, some or all of the columns below. To show or hide a column, click the Column chooser icon at the upper right:



Check a column's box to show it and uncheck it to hide it. Click away from the Column chooser to hide it. See [Column Management](#) for more information on configuring columns.



TIP *Create a separate tab for (for example) locations, a specific character or combination of characters, tagging or character arcs. See [Scene Navigator Tab Examples](#) for some ways the tabs may be customized.*

Order -- displays the numerical order each scene appears in the script, (e.g., the first scene in the script has a “1” in the Order column, the second scene in the script has a “2” in the Order column, etc.). Note that the Order is not the same thing as the scene number (See [Scene Numbers](#)). The Order column may not be hidden.

Color -- displays the scene color. A color may be assigned to each scene to make scenes easier to group and sort.

Assigning a color to a scene or group of scenes enables the user to organize scenes into groups or categories. They can then be sorted by color in the Navigator. The Scene View and Index Card panels also display each scene’s color.

To assign a color to a scene, select a scene row, click on the color dropdown menu and select the desired color. This color will be applied to the scene immediately.

Examples of how colors can be used to organize scenes are:

- All A-story scenes are red, B-story scenes are green and C-story scenes are purple;
- All park scenes are red, all restaurant scenes are green and all hotel scenes are purple;
- All Bob scenes are red, all Sue scenes are green and all Fred scenes are purple.

Intro -- displays the first part of the scene's Scene Heading, usually indicating either INT., EXT. or I/E. This value can be changed by clicking into the cell twice and choosing another Intro from the dropdown. Any changes made here will also be made on the script page.

Length -- displays the length, in pages, to the nearest 1/8th of a page, of each scene.

Location -- displays the second part of the scene's Scene Heading, which indicates where the scene is set. This value can be changed by clicking into the cell twice and choosing another location from the dropdown. Any changes made here will also be made on the script page.

Page -- displays the starting page number for each scene.

Scene # -- displays the scene number for each scene, if scene numbers have been generated. See [Scene Numbers](#) for information on how to generate scene numbers. This value can be changed by clicking into the cell twice and typing in a different scene number. Any changes made here will also be made on the script page.

Time -- displays the last part of the scene's Scene Heading, which indicates the time of day in which the scene takes place. This value can be changed by clicking into the cell twice and choosing another time from the dropdown. Any changes made here will also be made on the script page.

Title -- displays the title of each scene. The title is a short text label you can assign to a scene, in addition to the scene heading and summary, to make it easier to identify. Examples of scene titles are "The Necktie Scene," "The Bicycle Accident" or "Bob Meets Sue." A title can be changed by clicking into the cell twice and editing the existing text.

Script -- displays the scene's full Scene Heading -- Intro, Location and Time. A Scene Heading can be changed by clicking into the cell twice and editing the existing text. Any changes made here will also be made on the script page.

Summary -- displays a scene's summary, if one has been created. The user can, if desired, describe in greater detail what happens in a scene. This is particularly useful at the story construction stage of the writing. The scene summary will appear in the Index Card summary view. Click into the Summary field twice to enter or edit text and click anywhere outside the edit field to apply the change. The Summary can be changed by clicking into the cell and editing the existing text.

Tags -- displays all tags in the selected scene. See Tagging for more information.

Tag Categories -- displays all tag categories in the selected scene. See Tagging for more information.

Characters -- presents a list of the characters in the script, which, when one is selected, will be displayed as a column header. Scenes in which that character has dialogue will be denoted by a dialogue bubble icon; scenes in which that character appears but does not speak will be denoted by a dialogue bubble icon with a red X.

A column may be added for as many characters as are needed.

Character Arcs -- displays a list of the characters in the script, which, when one is chosen, will be displayed as a column in which the user may enter a note about that character in the selected scene. A character arc is an optional set of notes made by the user to indicate where a character is in his or her journey at this point in the script. Changes in a character's behavior, attitude or emotions may be noted here and the character's trajectory over the course of the story can be constructed using this feature.

For example, as Character A gradually moves from disdain for Character B to love for Character B, the many steps along the way can be noted as character arc beats.

A character arc may be changed by clicking into its cell and editing the existing text.

Tags -- displays, as a column, individual tags in the selected scene. To see and edit all tags and tag categories, click the Tags icon at the top of the Navigator to display the Tags panel.

Tag Categories -- displays, as a column, individual tag categories in the selected scene.

1.19.2.3. Reordering the Script


A scene row may be dragged from one place to another in the table and the scene will be moved accordingly in the script.

Order	Page	Script	Length
2	1	KITCHEN - NIGHT (FLASHBACK)	3/8
3	1	HOME LIBRARY - PRESENT TIME	1
4	2	POTER - ANOTHER DAY	5/8
5	3	POTER - 5 YEARS LATER	13/8
6	4	EXT. FOREST - DUSK	16/8
7	6	DEEPER IN THE WOODS - CONTINUOUS	16/8
8	8	EXT. GRAVEL ROAD - NIGHT	1
9	9	VARIOUS SHOTS JUST OFF THE ROAD - TIME-LAPSE (DAY TO NIGHT)	6/8
10	9	CLIFF OVERLOOKING A LAKE - ANOTHER DAY	5/8
11	10	OFF THE ROAD - LATER	14/8
12	12	GRAVEL ROAD - CONTINUOUS	6/8
13	12	DOWN THE SLOPE	1/8
14	12	BACK OF THE SCENE 11 10 OFF THE ROAD - LATER	
15	13	LATER	5/8
16	14	TOP OF THE SLOPE - LATER	3/8
17	14	CLEARING - NIGHT	12/8
18	15	DAWN	12/8
19	17	LATER	2
20	19	ON THE GRAVEL ROAD - DUSK	2/8
21	19	CAMPFIRE - DAWN	5/8

Note that there is no confirmation dialogue and this action cannot be undone.

Scenes cannot be multiple-selected, they must be moved one at a time. However, [Scene View](#) does allow the selection and relocation of multiple scenes.

1.19.2.4. Navigator Tasks



Tags -- adds to the table a new panel at the bottom which displays tagging functionality. See [Tagging](#) for more information.


Export -- creates a CSV file containing data from the currently-displayed columns. See [Exporting](#) for information on importing this file into a spreadsheet program.

Reports -- displays a list of available reports. See [Reports](#) for more information on creating reports.

Filter -- displays scenes based on search criteria entered. Type a search term such as “ext.” or “int.” (without quotes), a location, a time of day, a character name or a word in an action paragraph (the Filter field does not search for individual words in dialogue).

As more text is entered, scenes containing the search term will be displayed.

Example: Type the letters “ext” (without quotes) into the Filter field and only scenes that contain that letter combination in the scene heading or in the scene summary will be displayed:




As more letters are entered into the search box, the search becomes more specific.

To view all scenes again, delete the search term from the Filter field.

1.19.3. Navigator > ScriptNotes

This tab contains a table of all the ScriptNotes in the active script. If another script is made active, the Navigator displays the ScriptNotes in the new active script.



The screenshot shows the 'Navigator' window with the 'ScriptNotes' tab selected. The table lists 12 script notes with columns for Order, Page, Title, Note, Color, Type, and Writer. The notes are as follows:

Order	Page	Title	Note	Color	Type	Writer
1	1	Gold Key	I think we need to see the KEY here to establish	Blue	Producer	Joe
2	1	Re: Gold Key	If we show the key here, will the audience be	Orange	Writer	Mario
3	1	Re: Re: Gold Key	Let's try it. We can always cut in post.	Black	Producer	Joe
4	1	Verbiage	If we show the key above, we don't need the word	Blue	Writer	Mario
5	1		Agree.	Black	Producer	Joe
6	1	Remember POOKA	Punch up attitudes	Pink	On Character	Mario
7	1	If we cut this scene,	CUT! 201	Orange	All Scenes	Mario
8	3		Love this.	Blue	Producer	Joe
9	13		I like this - how character and relationship	Blue	Producer	Joe
10	23		OMG this is making me emotional. I love it.	Blue	Producer	Joe
11	26		Let's set this up right at the outset. Same dialog	Blue	Producer	Joe
12	33		This is great. I love it.	Blue	Producer	Joe

In this panel, a ScriptNote's properties can be edited.

A new Scriptnote can be created at the cursor location on the page by clicking the Insert ScriptNote button on the left. See Insert > [ScriptNote](#) for more information on creating a ScriptNote.

A ScriptNote can be deleted by clicking on its row and clicking the Delete ScriptNote button on the right or pressing Delete or Backspace on the keyboard. Note that there is no confirmation dialogue when deleting a ScriptNote.

1.19.3.1. Navigating to a ScriptNote

If the ScriptNotes Navigator is open, double-click the desired scene row and the scene containing that ScriptNote will be displayed in the active panel. If the active panel shows script pages (Page/Normal View), the scene containing the ScriptNote will be displayed at the top of the screen, the blinking cursor will be placed at the beginning of that scene and the range of text associated with the selected ScriptNote will be highlighted.



If the active panel is set to an Index Card view, the card of the scene containing the ScriptNote will be positioned at the top left of the screen and highlighted.

1.19.3.2. The Columns

The Script section of the Navigator can display one, some or all of the columns below. To show or hide a column, click the Column chooser icon at the upper right:



Order -- displays the numerical order of each ScriptNote as it appears in the script, (e.g., the first ScriptNote in the script has a "1" in the Order column, the second ScriptNote in the script has a "2" in the Order column, etc.). This column is not hideable or editable.

Color -- displays the ScriptNote's color. A color may be assigned to each ScriptNote type to make them easier to group and sort. Click twice into a cell to display a color picker, which can be used to assign or reassign a color to a ScriptNote.

Date Created -- indicates the date on which the ScriptNote was created.

Date Modified -- indicates the most recent date on which the ScriptNote was edited.

Note -- contains the contents of the ScriptNote. Click twice on the cell to edit its contents.

Page -- indicates on what script page number the ScriptNote has been inserted.


Scene # -- displays the number of the scene in which the ScriptNote has been inserted, if scene numbers have been generated.

Title -- displays the name of the ScriptNote (if the ScriptNote has been given a title). Click twice on the cell to edit its contents.

Type -- indicates what kind of ScriptNote it is (if the ScriptNote has been assigned a type). Click twice on the cell to display a menu of available ScriptNote types if the type needs to be changed.

Writer -- indicates who has authored or last edited this ScriptNote.

1.19.3.3. Navigator Tasks



Insert ScriptNote -- inserts a new ScriptNote at the cursor location on the page. See [Insert > ScriptNote](#) for more information on creating a ScriptNote.

Delete ScriptNote -- removes the currently-selected Scriptnote. A ScriptNote can also be deleted by pressing Delete or Backspace on the keyboard. Note that there is no confirmation dialogue when deleting a ScriptNote.

Export -- create a CSV file of the currently-displayed columns in the tab. See [Exporting](#) for information on importing this file into a spreadsheet program.

Reports -- creates a report with options to include some or all of the available ScriptNote properties (Color, Date Created, Writer, etc.). This report may be edited and exported as various file types, including FDX, RTF and PDF (File > Export > Document). See [Reports](#) for more information on creating a ScriptNote report.

Filter -- displays ScriptNotes based on search criteria entered into the Filter field (similar to filtering the Scene Navigator).

Type a search term such as a word written in a ScriptNote, a ScriptNote type, a ScriptNote name or a date on which one or more ScriptNotes was created or modified. As text is entered, ScriptNotes containing the search term will be displayed.

To view all ScriptNotes again, delete the search term from the Filter field.

1.19.4. Navigator > Characters

This tab contains a table of the characters in the script and can display or hide information about each character. To show or hide characters' information, use the Column picker at the upper right of the table.

Script

Characters

Scriptnotes

+

Highlight Color

Highlight Dialogues

Character

Voice

Role

Age

Gender

Occupation

GRANDMOTHER		Woman 2	Minor	30s	Female	Earth Mother
HEAD MAID		Old Woman	Minor	50s	Female	Maid
MOSSY		Man 1	Lead	19-40s	Male	Soldier
PASSING BATTALION						
SECOND MAID		Old Woman				
TANGLE		Woman 1	Lead	12-80s	Female	Treasure Seeker
TANGLE & MOSSY						
THE BOY		Old Man	Minor	5	Male	Earth Father
THE CREATURE						
THE MAIDS		Old Woman				
THIRD MAID						
UNCLE		Man 2	Minor	40s	Male	Merchant
VALETS		Woman 1	Minor	30s	Female	aka Grandmother
WOMAN		Minor	Lead	12	Female	aka Tangle
YOUNG GIRL		Girl 1				

As in the other sections of the Navigator, the columns containing these statistics can be sorted in ascending or descending order to determine which characters have the most presence in the story and which have the least.

1.19.4.1. The Columns

The Character section of the Navigator contains the following columns. All except Character may be shown or hidden. To show or hide a column, click the Column chooser icon at the upper right:



Character -- displays the name of the character. Click twice into this cell to rename the character throughout the script. A dialogue box will be displayed asking to confirm the name change.

Dialogues -- displays the number of dialogues this character has. The number of dialogues a character has is measured by the paragraph, not by the word. To see how many words a character speaks, run a [Character Report](#).

Highlight Color -- use the color picker to set the color assigned to a character for when Character Highlighting is used.

Highlight Dialogues -- toggles on or off the highlighting of the selected character's dialogues on the script page. See [Highlight Characters](#) for more information.

Non-Speaking Scenes -- displays the number of scenes in which the character appears but has no dialogue.

Scenes -- displays the number of scenes in which the character appears.

Speaking Scenes -- displays the number of scenes in which the character appears and has dialogue.

Voice -- assign to the selected character the "actor" to use for the [Text to Speech](#) feature.

Traits -- custom fields that are initially blank; click into a cell to enter values and click away to commit the edit. These values will be available for all characters in the table.

The default set of traits is

- Age
- Disability
- Ethnicity
- Gender
- Occupation
- Orientation
- Role

Use of these traits is optional and new traits may be created. Unwanted traits can be deleted.

To assign an existing trait to a character, click into the character's cell in the appropriate column and type the first few letters of the desired label or click the dropdown arrow to the right of the cell and choose the desired trait. When the desired trait is highlighted, press Enter on the keyboard to accept the choice.




TIP


A custom trait may be a specific descriptor, such as Color > Purple / Blue / Green, a general descriptor, such as Age > Teens / 20s / 30s, or an adjective, such as Honest > Yes / No.

- To display all traits, click the Select All icon;

- To hide all traits, click the UnSelect All icon;
- To add a trait, click the Add New icon;
- To remove a trait, click the Edit icon, click the Trash icon and then confirm deletion of the trait.



1.19.4.2. Navigator Tasks



Inclusivity Panel -- adds to the table a new panel at the bottom which displays a demographic breakdown of the characters in the script. See [Inclusivity Analysis](#) for more information.

Export -- creates a CSV file containing data from the currently-displayed columns. See [Exporting](#) for information on importing this file into a spreadsheet program.

Reports -- choose either a Cast or a Character report. See [Reports](#) for more information on these reports.

Filter -- displays scenes based on search criteria entered. Type the first few letters of a character name to narrow the number of characters displayed.


Example: Type the letters "ext (without quotes) into the Filter field and only scenes that contain that letter combination in the scene heading or in the scene summary will be displayed.

If more letters are entered into the search box, the search becomes more specific.

To view all characters again, delete the text from the Filter field.

1.19.4.3. Inclusivity Analysis

Click the Inclusivity Panel icon at the upper left of a Characters Navigator tab to display three charts that graphically illustrate the script's demographic (or other) statistics.




TIP

"Character types" can refer to anything -- typical delineations such as age, ethnicity, gender and orientation, among others, are default traits available for use -- but the user can create any other necessary traits, such as height, disposition, honesty, species, political affiliation or relationship to the main character.


- [Characters](#)
- [Dialogue](#)
- [Scenes](#)
- [Resizing the Charts](#)
- [Screenshot](#)

1.19.4.3.1. Characters

Choose a trait from the Trait 1 dropdown menu on the right to set a parameter in this chart. In the example below, with Age as Trait 1, the chart shows that 7% of the characters are in their 50s, 7% are in their 40s, 13% are in their 30s, etc. Forty-seven percent are undefined:



A second parameter may be added by choosing another trait from the Trait 2 dropdown menu. In the example below, the chart shows not only the age breakdown, but also the gender breakdown:




Thirty-four percent of the cast are female, 21% are male and 47% are undefined. Of the female characters, 30% are in their 30s and 7% are in their 50s and of the male characters, 7% are in their 40s.

To clear the second trait, choose the blank top row of the Trait 2 dropdown menu.


Trait 1 must have a value.

1.19.4.3.2. Dialogue

This chart shows the percentage of dialogue spoken by each group of characters. In the example below, with Age chosen as Trait 1, 35% of the dialogue is spoken by characters whose age is between 19 and 40, 6% by characters in their 30s, and 5% by characters in their 40s.




Adding a second trait (Gender) shows that males spoke 35% of the dialogue and females spoke 50%. Five percent of the dialogue was spoken by males in their 40s and 6% by females in their 30s.




1.19.4.3.3. Scenes


This chart shows the percentages of scenes in which certain groups of speaking and non-speaking characters appear. When Trait 1 is chosen (Ethnicity, in this example), and the Settings icon at the right is clicked, the Characters Who Are... dropdown is automatically populated with the values in that category (Ethnicity, in this example):



The resulting chart displays the percentage of scenes in which there is one or more characters who are Black:




In another example, the objective is to find the number of scenes with 2 or more Black females. The Scenes With... value is set to 2, Trait 1 is set to Gender = Female and Trait is set to Ethnicity = Black. The chart will display the percentage of scenes with 2 or more Black females. The resulting sunburst chart indicates that no scenes have two Black females:



In the Scenes with <number>... field, a digit must be entered to set the minimum number of characters in each scene who meet the Trait 1 criterion or both of the Traits 1 and 2 criteria. The number must be at least 1.


1.19.4.3.4. Resizing the Charts

A chart can be resized by dragging the section divider line right or left. Enlarging one chart will shrink the chart next to it:



1.19.4.3.5. Screenshot

A screenshot of the three charts can be taken by clicking the camera icon towards the top left of the chart panel (next to the “Inclusivity Analysis” title).



The screenshot will open in the operating system’s default graphics viewer (usually Preview), where it can be saved as a separate file and then inserted onto the script’s title page. See [Inserting an Image](#).

1.19.5. Navigator > Tags

See [Tagging](#).

1.20. Panels

The Panels section contains information about the various ways Final Draft can display a document.

Final Draft's Panel system displays the Script panel, Index Card panel and / or Scene View individually or any two of these at a time by splitting the screen vertically or horizontally.

This feature gives the user the flexibility to tailor the display to the way he or she wants it to work. Some examples:

- Use only the Summary Cards view to fill the screen with story beats or plot points, giving a high-altitude view of the project that can help structure the story;
- Split the screen and with Script > Page view in both panels, display Scene 1 and Scene 100 at the same time. This can assist in ensuring that (for example) an important conversation in Scene 1 is accurately recalled in Scene 100;
- Have Scene View in one panel and script pages in another to easily see what scenes precede and follow the scene that is currently being written.

There are many combinations of script pages, card views, scene views and horizontal or vertical splits.



TIP

Take time to experiment with the Panels system to see how it can best work for you.

1.20.1. Script Panel

The Script panel is the standard textual view of the script. The Script panel has three different display modes: Normal View, Page View and Speed View. The Normal and Page views are WYSIWYG (What You See Is What You Get) displays, meaning that the font, text layout and pagination are presented on the screen exactly as they will be printed. Speed View is WYSIWYG except for pagination.

Script - Normal View

Choose Normal View to display the text of the script with all active components: page breaks, page numbers, dialogue breaks, mores, continuations, headers and footers. See View > [Normal View](#) for more information.

Script - Page View

Choose Page View to display the text of the script on realistic-looking script pages, with all active components: page numbers, dialogue breaks, mores, continuations, headers and footers. See View > [Page View](#) for more information.

Script - Speed View

Choose Speed View to display the text of the script as if it were a single, continuous page, which means more of the text appears on screen. Speed View looks like Normal View but without any of the active components. See View > [Speed View](#) for more information.

1.20.2. Index Card Panel

The Index Card panel is designed to approximate a common way scripts are developed, structured and annotated. Each card represents one scene.

A scene is defined as extending from the first letter of a scene heading to the last possible punctuation mark or letter before the next general, scene heading or transition element.

Cards are ordered in a left-to-right, top-to-bottom fashion. This section describes functionality that is specific to the Index Card panel. For discussion of functionality common to both the Index Card panel and Scene View, see [Scene View and Index Card Panels](#).

The top line of each card contains the scene's scene heading, scene number (if any) and page number. Cards (scenes) may be added in both Index Cards views and the number of columns of cards viewed at any time may be changed. Index Cards may be viewed along with the Script (see following).




NOTE


Most functions and commands that are used to write or edit the script are not available in the Index Card panel. You must be in the Script panel to access them.

Index Card Panel Display Modes

The Index Card panel has two display modes, Summary and Script, which simulate the two sides of a physical index card. The Summary display is blank initially and available for the user to type in notes pertaining to the scene:



The Script side contains some of the script text from that scene:



To change the display mode of an Index Card panel, go to the View menu and choose Index Cards > Script or Index Cards > Summary

- or -

Control + click the mouse on any card and choose Script View or Summary View from the context menu.

Summary Cards

In addition to the scene heading, scene number and page number, the Summary cards contain any notes written that pertain to the scene.

Example: A useful Summary card might contain this text (without quotes): "Bob confronts Sue about the secret documents." This is a concise description of the story beat or plot point conveyed in this scene. Additional notes about what happens in the scene may also be added.



TIP

Creating a set of Summary cards with one story beat or plot point per card may be a good way to structure a script, before you go to pages. Arranging and rearranging the cards until your story is exactly where you want it can mean less rewriting time.


To add summary text to an Index Card

1. Click once in the summary area of an Index Card;

The cursor appears in the summary text area of the Index Card.

2. Type in any text;
3. Click anywhere else in the panel to apply the changes to the card.

Text added to a Summary card will be added to the script page at the beginning of the scene represented by its Summary card:



Script Cards

The Script cards display text from the scenes in the actual script -- as much of the beginning of the scene as the card can hold.

The amount of text the card can hold depends on the size of the card, which depends on the View > [Cards Across](#) setting. If more cards are displayed, the cards are smaller and less text is visible.

Text in Script cards cannot be edited but the scene heading may be edited.

Editing the Scene Heading

Edit the scene heading of a scene in either display mode of the Index Card panel.

To edit a scene heading in an Index Card:

1. Click the scene heading in an Index Card;

The cursor appears in the scene heading text area of the Index Card.

2. Edit the scene heading;
3. Click anywhere else in the panel to apply the changes to the card. Any changes made to the scene heading in an Index Card will be reflected in the actual script.

1.20.2.1. Changing Fonts and Font Size

Index Cards can use any font and font size available on your computer.



NOTE

The default font for the Index Card panel is Arial 12.



NOTE

Changing the font/font size of the Index Cards does not affect the font/font size of the script.



IMPORTANT

If you transfer your script to another computer, the font / font size might change due to unavailability of a particular font/font size on the second computer.

To change the font and font size of Index Cards, choose Format > Font and all font settings are available.

The Index Cards appear in the selected font and size. The font changes for all the text in all the Index Cards in the script. The font cannot be changed for individual index cards or ranges of text in the summary.

1.20.2.2. Printing Index Cards

The Index Card panel may be printed to actual index cards, regular paper or index card stock.

To print Index Cards:

1. Choose File > Print;
2. Set the options as desired;
3. Click OK.

The standard Print dialogue appears.

4. Choose the number of copies to print, page range, etc.;
5. Click OK.



NOTE

The current display mode of the Index Card panel (Summary or Script) prints.

Print Cards dialogue

The Print Cards dialogue allows the user to configure how the cards will print.

Layout:

☒ Index Cards 3x5

☐ Index Card Paper

☐ Custom Across: 3 Down: 5

Options:

☐ Selected cards only

☐ Frame cards

☐ Print gray background

Cancel OK

Layout

Index Cards

Prints to index cards. Choose to print on either 3x5 or 4x6 index cards.

Index Card Paper

Prints to pre-cut perforated index card stock.

Custom

Prints to custom-size paper. When this option is chosen, the Across and Down adjustment pop-up lists become available so the number of cards that will print on a page can be set. Since all printers are different, some experimenting and test prints may be necessary to get the desired results.

To change the number of cards that will print on a sheet, enter or select numbers in the Across and Down pop-up lists.

Options

Selected Cards Only

If this option is selected, only the selected cards in the panel print.

Frame Cards

If this option is selected, each card prints with a black border around it.

Print Gray Background

If this option is selected, a gray background prints behind the cards.

To print on index cards

1. Select the Index Card layout option;
2. Select "3x5" or "4x6" from the Card Size dropdown;
3. Click OK and the standard Print dialogue appears;

4. Make sure the index cards are placed in the manual feed tray of the printer. See the printer's documentation for instructions on using the manual feed tray to print small paper sizes;
1. Click OK/Print in the Print dialogue.



NOTE


Some printers are unable to print on paper as small as 3x5 (or even 4x6) index cards.

1.20.2.3. Index Card Context Menu

Right-click anywhere in the panel to access the Index Card panel context menu.

Summary View / Script View

Toggles between Summary View and Script View. The current card view will have a check-mark next to it:



Insert New Scene

Creates a new Index Card. See [Insert > New Scene](#).

Insert Non-Speaking Character


Inserts a non-speaking character into the scene represented by the currently-selected card. See [Insert > Non-Speaking Character](#).

Send to Script

Sends the Summary content in the card as an Action paragraph to the scene on the page. See [Send to Script](#).

Scene Colors

Assign or change the selected scene's color:



Choose Custom to display a standard Mac color picker, which can be used to create a custom color to assign to the selected scene.


1.20.3. Scene View

Switches the current panel to Scene View, which displays each scene in its own row.

Because the rows of Scene View are shorter than [Index Cards](#), more scenes are visible.

When View > Scene View is chosen for the first time, Scene View displays the scene heading, the scene title, the first line of scene summary and the first line of the scene's action.

A scene row may be dragged and dropped to another location within Scene View and the scene will be relocated in the script as well.



See [Show / Hide Action/Summary/Scene Title \(Scene View\)](#) for information on determining what is displayed in each scene row.

1.20.4. Scene View and Index Card Panels

The Index Card panel and Scene View share many functions that work the same way.

This section describes those functions for both types of panels.

Selecting Scenes

Select more than one scene using the mouse by holding down the Shift or Command keys when a scene is clicked on.

To select a range of scenes using the mouse

1. Click on a scene that will be either the start or the end of the range of scenes to be selected;
2. Hold down the Shift key and click the scene to be the other end of the range of scenes to be selected.

The range of scenes between and including the two scenes clicked on are selected.

To select individual scenes or add a scene to the set of selected scenes

Hold down the Command key and click an unselected scene. The scene clicked on is added to the set of selected scenes.

To remove a scene from the set of selected scenes

Hold down the Command key and click a selected scene. The scene clicked on is removed from the set of selected scenes.

To select all scenes

The Edit > Select All command selects all the scenes in the script. All scenes may be selected with the keyboard using Command + A.

Rearranging Scenes

Because many scenes are viewed at once, it's easy to rearrange them. Scenes can be repositioned by selecting a scene or scenes then dragging and dropping them to a new location.

Any changes made will be reflected in the arrangement of the script.

To reposition a scene or scenes:

1. Select the scene or scenes to be moved;
2. Hold down the mouse button and drag the selected scene(s);

An indicator appears showing where the new scenes will be dropped if the mouse button is released;

3. Release the mouse button.

The selection moves to the desired location. The other scenes shuffle to reflect the new order.

Scenes may also be rearranged scenes with the standard Cut, Copy, Delete and Paste commands available in the [Edit](#) menu. The Delete command removes all the selected scenes. The Cut command removes the selected scenes and puts them on the operating system's clipboard. The Copy command puts the selected scenes on the clipboard but does not remove them from the script. The Paste command inserts the scenes on the clipboard where the blinking cursor is positioned.

Keyboard Navigation

Use the keyboard to navigate among the scenes in Scene View or Index Card panel just as in the Script panel for words and characters.

If multiple scenes are selected, then the **current scene** is the last scene added to the selection, and the **anchor scene** is the first scene selected.



NOTE

*If the script is in **Scene View**, the following key combinations that refer to selections within rows will not apply.*

Arrow Keys

The Left Arrow key selects the previous scene and the Right Arrow key selects the next scene in the sequence.

The Up Arrow key selects the scene in the same column as the current scene in the previous row. The Down Arrow key selects the scene one row down.

The Shift + Right Arrow key combination selects the current scene and following scenes one at a time. The Shift + Left Arrow selects the current scene and previous scenes one by one.

The Command + Up Arrow key combination selects the first scene in the view and the Command + Down Arrow key combination selects the last scene.

If the *Scroll keys mimic MS Word* preference is checked (on)

The Command + Right Arrow key combination selects the last scene in the current row (the row that the current scene is in) and the Command + Left Arrow selects the first scene in the current row.

The Shift + Up Arrow key combination selects the scene up one row, and the Shift + Down arrow selects the scene down one row.

The Home key scrolls the panel to the start of the document and the End key scrolls the panel to the end of the document.

Home and End keys

The Command + Home or End key combination selects the first or last scene.

The Shift + Home or End key combinations selects the range of scenes from the current to the first or last scene.

If the *Scroll keys mimic MS Word* preference is checked (on)

The Home key selects the first scene on the current row, and the End key selects the last scene on the current row.

Page Up and Page Down Keys

With the *Scroll keys mimic MS Word* preference checked, the Page Up and Page Down keys scroll the active panel up or down one view without changing the selection.

The Shift + Page Up key combination scrolls the panel up one view, where a view is as much vertical space that is visible in the panel and extends the selection to the scene one view up from the current scene. The Shift + Page Down key combination scrolls the panel down one view and extends the selection to the scene one view down from the current scene.

If the *Scroll keys mimic MS Word* preference is checked (on)

The Page Up key scrolls the panel up one view and selects the scene one view up from the current scene. A view in this context is as much vertical space that is visible in the panel. The Page Down scrolls the panel down one view and selects the scene one view down from the current scene.

Insert New Scene

This command is only enabled when the active panel is an Index Card panel or Scene View.

To insert a new scene

Select Document > Insert New Scene from the main menu or right-click or Control + click on a Scene View row or Index card and from the context menu select Insert New Scene.

The new scene is inserted after the currently selected scene. If no scene is selected, the new scene is inserted at the end of the script.

Double-click to Go To Scene

Double-click on a scene in an Index Card panel or Scene View and the window is split, if the other panel displays a Page view, Scene view or an Index Card view, the panel scrolls to that scene and that panel becomes active.

- If the inactive panel is Script panel, the cursor goes to the beginning of the scene and the script panel scrolls to keep the cursor in view;
- If the inactive panel is Scene View or an Index Card panel, the scene corresponding to the one clicked on is selected and the panel scrolls to keep the selected scene in view.

Coloring Scenes

Assign any scene in a script a color, which makes the corresponding scene in Scene View or the Index Card panel appear in that color. By default, a new scene has no color.

To color a scene:

1. Click on the scene in Scene View or an Index Card panel you wish to color;
2. Select Tools > Navigator and choose the Scenes Navigator (if it not is already showing);
3. Select a color from the color chooser in the Scene Properties section;

- or -

3. Right-click or Control + click on the panel and select a color from the context menu;
4. The selected scene now displays in that color.

To change the color of multiple scenes at the same time:

1. Select more than one scene in the active Scene View or Index Card panel (see [Selecting Scenes](#), above);
2. Select Tools > Scenes Navigator (if it is not already showing);
3. Select a color from the color chooser in the Scene Properties section

- or -

3. Right-click or Control + click on the panel and select a color from the context menu.

1.20.5. Send to Script -- Summary Cards

Copies a scene's summary text into that scene in the script. The text becomes a new action paragraph at the end of the scene.

To copy a scene summary into the scene in the script

1. Select the scene from which the summary is to be copied. More than one scene may be copied;
2. Right-click or Control + click on one of the cards and from the context menu choose Document > Send to Script;
2. Go to Insert > Send to Script;
3. On the keyboard press Command + Shift + C.

The summary text for each selected scene becomes an action element after that scene's scene heading. If there is already content in the scene, the summary information will be added as an action element at the end of the scene.

1.20.6. Split (Horizontally/Vertically), Unsplit, Swap

These commands determine how different panels will be displayed and arranged. They are all parts of Final Draft's Panels System.

The contents of each panel are determined by the View menu commands - the three Script commands, the two Index Card commands and the Scene command (see [View Menu](#)).


- Any single panel or combination of two panels may be displayed at once;
- The exact size and position on-screen of the panels may be changed;
- When a script is saved, the current Panels configuration is saved as well;
- When two panels are visible and one of the panels is an Index Card panel or Scene View, navigate to a scene in the other panel by double-clicking on a scene in the Index Card panel or Scene View. In other words, when a scene is double-clicked, the panels are synched so that the same scene is in view in both panels.

Split (Horizontally / Vertically)

Divides the script into two panels.

To Split Panels:

1. Go to View > Split > Split Horizontally or Vertically or choose from the Split dropdown menu in the toolbar:



Whichever View is currently onscreen (Script, Index Cards or Scene View) will now appear in two panels. For example, if Script - Page View is onscreen, choosing View > Split > Split Vertically would result in both panels containing script pages.

2. Select one of the panels by clicking in it; a selection box appears around the active panel;
3. Go to the View menu and choose another view for the active panel (Script, Cards or Scene view), or click at the bottom-right of the screen to select another view (in this example, Index Cards > Summary):

The contents of the active panel will be changed to the chosen view.

Manually resize the panels by clicking and dragging the Splitter (usable when the cursor is hovered over the dividing line between the two panels and becomes the double arrow) and the Resize Box. Adjust the panels to suit the screen and panel configuration.



NOTE

When a script is saved, the current Panel configuration will be saved as well, whether it is a single panel or multiple panels.

Unsplit Panels

Hides one of the panels. This command is disabled if only one panel is displayed.

To hide a panel

1. Select the panel that will remain displayed;
2. Choose View > Split > Unsplit or select the Unsplit button in the toolbar.

The panel that is not selected will be hidden and the selected panel will resize to fill the screen.

Swap Panels

Reverses the position of the displayed panels. This command is disabled if only one panel is displayed.

To change the order of the panels, choose View > Split > Swap Panels and the panels will switch sides.

1.20.7. Additional Script View and Panels Notes

Script Views in Both Panels

Whichever Script view is in one panel (Normal, Page or Speed) will also be the view in the other panel. It is not possible to display, for example, Normal View in one panel and Page View in the other.

Script Views with Cards or Scene View

Change the Script View between Normal, Page and Speed without affecting the display of either of the Index Cards or Scene Views.

1.21. Tagging

Tagging for Production

To prepare a script for production, an Assistant Director, Line Producer, Unit Production Manager or other specialist goes through the document to identify and label ("tag") items that will be needed for shooting and post-production. This process is known as breaking down a script.

In the past, the person breaking down the script used colored pencils to underline items on the physical page – a specific color for (for example) props, another color for special equipment, another color for live special effects. The tagging function in Final Draft allows the user to do this work electronically and in the Final Draft script delivered by the writer(s) and approved by the appropriate personnel. There is no need for a separate program, a separate file or a hard copy of the script.

Tagging for Writers

Because the tagging function is completely customizable – meaning that the user can add and remove any categories he or she wishes and can tag anything in a script as anything – there are many uses for tagging beyond breaking down a script for production. Tagging scenes and characters in various ways may reveal patterns or rhythms in the story that the writer can continue or change.

Some examples:

- Tagging scenes by storyline: A-Story / B-Story / C-Story
- Tagging scenes by function: preparation / action / aftermath
- Tagging scenes by emotional value: sad / happy / confused
- Tagging characters by gender: male / female / pan

- Tagging characters by race: white / black / Asian
- Tagging characters by disposition: enemy / friend / neutral

Tagging can be useful for members of a production crew as well. The director of photography can associate a camera package or lighting design with particular scenes; the production designer can assign a certain look to a group of scenes and another look to another group of scenes; the location manager can indicate what equipment and resources must be available at which sites.


1.21.1. Tagging an Item

1. Go to Production > Tags mode;
2. Highlight the word, phrase or paragraph to be tagged;
3. The tagging window will be displayed;
4. Choose a category from the dropdown menu;
5. The highlighted text will by default be shown as the name of the tag;
 - a. To tag the item as it appears on the page, for this scene only, click Tag or press Shift + Return on the keyboard OR;
 - b. To change the name of the tag (for example from "The Porsche" to "Bob's Car,") enter a desired tag name in the Tag As field OR;
 - c. To use an existing tag, choose it from the upper-right panel;
6. Choose Tag All to tag all instances of this item in the script;
7. Click OK to dismiss the tagging confirmation window.

In this example, "gold key" will be tagged as a Prop in the sample script that comes with Final Draft 13, *Tangle & Moss*:

1. Go to Help > Sample Scripts and choose Script;
2. *Untitled Tangle & Moss - Script* will open;
3. Scroll to the beginning of the script;
4. Go to Production and choose Tags Mode;
5. At the top of the script highlight "GOLD KEY";
6. From the Category dropdown, double-click Props or click Props and then click Tag All. (Choose Tag All if "gold key" should be tagged as a prop in all scenes in


the script -- and in this example, it should.) Click Tag All and all instances of "gold key" will be tagged as a prop.



"GOLD KEY" is now tagged as a prop in this scene. Its tagged status and category is indicated by its brown text:

CLOSE ON: A **GOLD KEY**
Majestic, light glinting off it.

However, this prop is referred to in various places in the script as either "gold key" or "key." Tagging all instances of "gold key" will not identify or tag "key" as the same prop, so "key" must be tagged as "gold key" as well. To do so, find an instance of "key" in the script (p.9) and highlight it. The tagging window will be displayed and the default tag will be "key"; choose "GOLD KEY" from the Reuse an Existing Tag field to replace "key" with "GOLD KEY" and click Tag All:



Now all instances of "gold key" and "key" will be tagged as the same item.



NOTE

When Final Draft is not in Tags Mode, all tagged items will revert to the default script text color (most likely black in normal mode and white in Night or Midnight mode). When Final Draft is placed in Tags Mode again, all tagged items will again be displayed in their respective categories' assigned color.


1.21.2. Linking a Character with Tagged Items Throughout a Script

The tagging function also enables associations to be set up so that, for example, a prop or a piece of wardrobe that is always with or on a character will be tagged wherever that character appears.


As an example, in the sample script that ships with Final Draft, *Tangle and Moss*, whenever the character of Tangle is seen, she has the gold key with her; the member of the production team responsible for props wants this noted whenever Tangle is in a scene.

As Gold Key (and key) have been tagged as a prop, to associate this prop with Tangle in every scene:


1. If it is not already open, go to Tools > Show Navigator;
2. Use an existing Script tab or create a new Script tab by clicking the plus-sign icon (1, below) and choosing Script from the menu; optionally label it Tags:




3. At the upper left of the tag window, click the Tags icon (2, above);
4. The Tags panel will be displayed in the lower half of the table;
5. At the top of the bottom right panel, adjust the dropdown menu (if necessary)...



...to All Tags:




6. Double-click Tangle;
7. Click the plus icon at the bottom right of the window;
8. From the list, choose Gold Key and click OK:




9. Go to the Production menu and click Tag All Characters.

From this point on, wherever Tangle appears in the script, the Gold Key will be indicated in the Navigator and in reports as present in the scene as well. Note that in the All Tags window, a link icon appears next to Tangle to indicate that there are one or more items linked to her:




Click the Column picker at the upper right:



Check the boxes to display the tags the way you want. In this example...

- In the Characters section, Tangle has been selected;
- In the Tags section the Gold Key has been selected;
- In the Tags Categories section the Props box has been selected.

In the Tangle column, every scene in which Tangle is mentioned by name will have a Speaking or Non-Speaking dialogue balloon; in the Gold Key column, every scene in which the Gold Key appears will have a number indicating the number of times it is mentioned in that scene; in the Props column every scene in which the Gold Key is mentioned will be indicated (along with all other tagged props).



NOTE


The Tag All Characters command may be used repeatedly as additional script-wide tags are linked to a Cast Member or script-wide tags are linked to other Cast Members.

If there is a scene in which Tangle is not supposed to have the Gold Key, its tag can be removed from that scene.

1. In the Tags Navigator, click the scene to display the tags for that scene;
2. In the Categories panel, click All or Props;
3. In the Tags in Scene with Category window, click Gold Key and then the minus sign:




A prompt will appear asking whether to remove this tag from the entire script or this scene only:



1.21.3. The Tags Navigator

If the Navigator is not onscreen, go to Tools > Show Navigator.

Script tabs -- the default tab type in the Navigator -- have the Tags icon at the upper left corner:




Click this icon to display the Tags table in the lower part of the tab.

To enter Tags mode, click the Tags Mode button on the right side of the panel. To exit Tags mode, click the button again. This is the same as toggling Tags mode on and off under Production > Tags Mode.


- [The Scenes Table](#)
- [The Categories Window](#)
- [Importing Categories from Another Script](#)
- [The Tags in Scene with Category Window](#)
- [The All Tags / Tags in Scene / Tags with Category Window](#)
- [Tagging Character Attributes](#)

1.21.3.1. The Scenes Table


If a Script tab in the Navigator is displayed and the Tags icon...



...has been clicked, the lower part of the table shows the tagging panels:



When a scene row in the upper section of the table is selected, the Tags section will display the tags in that scene. The first section (the left-most section) shows the default list of tags, the middle section shows the tags in the selected scene by category, and the third section (the right-most section) shows all the tags in the script, all the tags in the selected scene, or all the tags in the category selected in the first section.



Each individual tag, category, list of tags and list of categories may be added to the table as a column by selecting it from the expandable sections in the column picker:




From the Tags list, the Gold Key tag column has been added to the table; the number of times it is mentioned in each scene is in this column (red);

From the Tags Categories list, the Props column has been added; "GOLD KEY" is indicated in the appropriate scenes (green).




1.21.3.2. The Categories Window

The first of the three windows in the lower section of the Navigator, this window displays the categories of tags available in this script. The standard production categories from a leading scheduling program are duplicated here.




Any category on the list may be removed except for All. To remove a category, select it and click the minus sign at the bottom left of the window. A confirmation window will be displayed that contains all of the tags that will be removed from the script if their parent category is deleted. Click Delete to confirm the deletion or Cancel to cancel this operation.

To edit a category, double-click it to display its properties window. Here the name may be edited and the text color, highlight and style may be changed:




To rearrange the list order, select a category and click the up- or down-pointing arrow at the lower right of the panel to reposition it:




The list can be customized by adding, removing and re-ordering categories.

To add a new category:


1. Click the plus sign at the bottom left of the window:



1. In the Category Name field enter the name (in this example, "Aerial Unit");
2. Optionally choose text color, text highlight and / or text styling (bold / italic / underline) (in this example, underlined text and cyan background);
3. Click Add.




The new category is visible at the bottom of the list.



1.21.3.3. Importing Categories from Another Script

If an already-tagged script (or template) contains a set of categories that the currently-open script should have as well, this set of categories may be imported in order to eliminate the need to re-create them.

1. Click the left-pointing arrow next to the Categories label;




2. Click OK to continue the import (or Cancel to return to the Tags Navigator);
3. A standard Mac Open dialogue opens;
4. Navigate to the script (or template) whose categories are to be imported and double-click it (or single-click it and click Import).

All categories from that script (or template) will overwrite **all** categories in the currently-open script. This cannot be undone.

1.21.3.4. The Tags in Scene with Category Window

This second window lists the tags present in the scene currently selected in the Tags Navigator table and in the category selected in the Categories window to the left. For example, if in the Categories window Props is the selected category, all props that have been tagged in the currently-selected scene will be listed in the Tags in Scene window. To display all tags assigned to the currently-selected scene, choose All.




For details on adding a new tag to a scene (the plus sign at the bottom left of this window), see [Tagging in the Navigator](#).

To remove a tag from a scene, select the tag and click the minus sign at the bottom left of the window. A confirmation window will be displayed that offers to delete the tag from the entire script or this scene only and the option to cancel this operation.

1.21.3.5. The All Tags / Tags in Scene / Tags with Category Window

This third window displays three lists, which are selected by clicking the dropdown arrow next to the box label:



All Tags contains all tags in use in the currently open script.

Tags in Scene contains all tags in the scene currently selected in the Tags Navigator table above. If Tags in Scene is selected and the Categories window is set to display All, the lists in the two windows are identical.

Tags with Category contains all tags in the category selected in the Category window.


To remove a tag from the script, select it and click the minus sign at the bottom left of the window. A confirmation window will be displayed that allows the user to confirm deletion of the tag from the script or to cancel the operation.

1.21.3.6. Tagging Character Attributes


Tagger can be used to display data in a graphical way. In this example, we will plot several characters' relationship to the main character.

We will tag characters in *Tangle and Moss* as Enemy, Friend and Neutral.


1. If it is not already open, go to Tools > Show Navigator;
2. Use an existing Script tab or create a new Script tab by clicking the plus-sign icon (1, below) and choosing Script from the menu; optionally label it Tags:



1. At the upper left of the tag window, click the Tags icon (2, above);
2. The Tags panel will be displayed in the lower half of the table;
3. Click the plus sign at the bottom left of the Categories window;
4. In the Category name field, type in "ENEMY" (without quotes):



1. Click Add;
2. Click the plus sign again and add a "FRIEND" category;
3. Click the plus sign again and add a "NEUTRAL" category;
4. In the script, go to Page 2 and tag all instances of HEAD MAID as ENEMY;




5. Tag all instances of UNCLE as NEUTRAL;
6. Tag all instances of MOSSY as FRIEND.

To view the characters in their scenes by disposition:

1. Open the Column picker at the upper right of the table;
2. Expand the Tag Categories section and select Enemy, Friend and Neutral:


The three columns will be displayed and indicate whether Tangle has an enemy, a friendly or a neutral relationship in that scene:




1.21.4. Tagging in the Navigator

Scenes can be tagged in the Tags Navigator. In this section, scenes will be tagged in the Navigator as A Story, B Story or C Story.


1. Go to Help > Sample Scripts > Script to open *Tangle and Mossy*;
2. If it is not already, open go to Tools > Navigator and choose Tags Navigator or from the toolbar icon, choose Tags Navigator;
3. Click the plus sign at the bottom left of the Tags in Scene with Category window;
4. In the Category Name field enter STORYLINE;



5. Optionally choose text color, text highlight and / or text styling (bold / italic / underline) (in this example, underlined text and cyan background);
6. Click Add; the STORYLINE category is now displayed on the list:




7. In the Navigator's scene table, double-click the scene to which the tag is to be added;
8. Click the plus sign at the bottom left of the Tags in Scene with Category window;
9. In the Tag As field, type in "A STORY" (without quotes):




10. Click Tag to tag this scene as being part of the A Story;
11. Double-click another scene row in the scene table;
12. Click the plus sign at the bottom left of the Scene Tags window;
13. In the Tag As field, type in "B STORY" (without quotes);
14. Click Add;
15. Click another scene row in the scene table;
16. Click the plus sign at the bottom left of the Scene Tags window;
17. In the Tag As field, type in "C STORY" (without quotes)
18. Click Add.

To view the scenes by their Storyline tags:

1. Click the Column editor icon or right-click the column header row;
2. Click Show Category:



1. From the dropdown, choose STORYLINE:



The Storyline column will be displayed and will indicate whether a scene is A Story, B Story or C Story.

Or...	Page	Intro	Location	Time	Cast Members	STORYLINE
1	1	INT	HOME LIBRARY	DAY	UNCLE	A STORY
2	1		KITCHEN	NIGHT (FLAS...	HEAD MAID	B STORY
3	1		HOME LIBRARY	PRESENT TIME	TANGLE • UNCLE	C STORY
4	2		FOYER	ANOTHER DAY	TANGLE • UNCLE	
5	3		FOYER	5 YEARS LATER	HEAD MAID • TANGLE	
6	4	EXT	FOREST	DUSK	GRANDMOTHER • MOSSY • ...	
7	8	EXT	GRAVEL ROAD	NIGHT	MOSSY • TANGLE	
8	9		VARIOUS SPOTS JUST...	TIME LAPSE (...)	MOSSY • TANGLE	
9	9		CLIFF OVERLOOKING A	ANOTHER DAY	MOSSY • TANGLE	

Heading: INT. HOME LIBRARY - DAY

Categories	Tags in Scene with Category	All Tags
All	A STORY	A STORY
Synopsis	UNCLE	B STORY
Cast Members		C STORY
STORYLINE		GRANDMOTHER

1.22. The Toolbar

The Toolbar section contains information on configuring the Toolbar, a display of icons used to issue frequently-used commands.

Hiding / Customizing the Toolbar

From the View menu, the Toolbar may be hidden and customized. These menu items are offered:

Hide / Show Toolbar

Displays or hides the toolbar in the application window.

Customize Toolbar

Changes which icons appear on the toolbar and the appearance of the toolbar.

To customize the set of commands that appear on the toolbar

1. Go to View > Customize Toolbar. The Customize Toolbar sheet appears;
2. Drag toolbar items one at a time to the toolbar, in any order desired, to add those commands to the toolbar:




3. To remove toolbar items, drag them from the toolbar back to the Customize Toolbar sheet;
4. Click Done to return to the script.

To restore the toolbar to its default set of items

1. Choose View > Customize Toolbar to display the Customize toolbar sheet;
2. Drag the default set from the bottom of this sheet up to the toolbar;
3. Click Done when finished.

To edit toolbar preferences

Select an item from the Show popup menu. If Icons and Text are selected, both the icon and the caption for each toolbar item displays on the toolbar. Icon Only and Text Only may also be selected:





NOTE

Any changes you make to a toolbar on one document window apply to all document windows of that type (Script or Text).



NOTE

The toolbar for Script documents and the toolbar for Text documents have different commands available

1.22.1. Toolbar Icons Not Found in Menus

Find Next



Finds the next occurrence of a searched-for word or phrase. The function is identical to the Next button in the Find dialogue window.

Revert Paragraph



Restores the default indents of a paragraph if they have been adjusted with the stops in the ruler.

Bookmark



The left-pointing arrow positions the cursor and displays the page on which the previous bookmark is located.

The center bookmark icon inserts a new bookmark at the current insertion point.

The right-pointing arrow positions the cursor and displays the page on which the next bookmark is located.

Previous / Next -- Mark / Clear Revision



The left-pointing arrow moves the cursor to the previous revised text; the asterisk with the minus sign clears selected text of its revised status; the asterisk with the plus

marks selected text as revised; the right-pointing arrow moves the cursor to the previous revised text.

Space



Inserts a hard space between toolbar icons.

Flexible Space




Inserts a space that is variable in size. As the amount of available space in the toolbar changes, the Flexible Space size changes but never becomes smaller than the standard Space item.

1.22.2. Status Bar

At the bottom left of each script window is a display of information about the script and the paragraph in which the cursor is currently positioned.


Page X of Y

Indicates the number of the displayed page and the total page count. When this cell is double-clicked, the [Go To](#) dialogue window is opened.



Scene number

Indicates the scene number of the paragraph in which the cursor is currently positioned. This information is not available when the script's scenes have not been numbered. When this cell is double-clicked, the [Go To](#) dialogue window is opened.



Tab and Enter

A display that indicates which new element will be inserted when the Tab or the Return key is pressed. Note that it says Enter but it refers to the Return key.



If the blinking cursor is not at the end of a paragraph waiting for a Return or Tab keystroke, the Status Bar will read "Ready."


Revision Mode

If the open script is placed into [Revision Mode](#), the currently active revision set label will replace the Tab / Enter / Control key information.

Macros

The macro name is the abbreviation displayed in the status bar at the bottom of the script window when either the Command + [number] or Option + [number] or Option + Shift + [number] keys are pressed.

Command



Option



Option + Shift



See the [Macros](#) section for more information.

Sprint Timer



Displays clocks for timing writing sessions. [Sprint Timer](#) for more information.


Dictation

Turns Dictation on and off. See [Dictation](#) for more information.



Focus Mode


Turns Focus mode on and off. See [Focus Mode](#) for more information.



Appearance


Switches between System Mode, Day Mode, Night Mode and Midnight Mode.

See [Appearance](#) for more information.




Zoom (scaling)

The Zoom slider allows the user to resize the page to any magnification chosen (expressed as a percentage). Click and hold the slider and move it left to reduce the page display, right to enlarge it



- or -

click the number on the right (expressed as a percentage) to display a menu of zoom sizes. Click the desired scaling and the page or the Beat Board will resize to that scaling.




This function is only available when the document is in a script page view (Normal, Page or Speed View). The slider will not resize a Card or Scene view.

See [Zoom](#) for more information.

Customizing the Status Bar

Right-click, Control + click or tap the Status bar with two fingers to display a menu of the available Status bar items. Check the items to be displayed and uncheck the items to be hidden:



1.23. Header and Footer

The Header and Footer section contains information on configuring what information the top (and sometimes the bottom) of script pages hold.

Every Final Draft document can contain a header which appears and is printed at the top of each page, and a footer that appears and is printed at the bottom of each page. The header and footer can contain custom text, the page number, the current date, scene number, special labels, the active revision or the name of the last revision on the page. The look of the header and footer may be customized to suit the needs of the script.




NOTE *Scripts usually do not have footers.*

In the following, the header is used as an example; every function is also available for the footer.

To view the Header and Footer dialogue, choose Document > Header and Footer.

The Header and Footer dialogue appears, with the Header tab active:



The header contains just the page number and the Collated Revisions field by default. If no revisions are made, the Collated Revisions field will not appear on the script pages.

On every page in the actual script, the page number field is replaced with the appropriate page number. The other fields, if inserted into the header, will also display page-specific information on each appropriate page in the script.

To view the footer, click the Footer tab.

The footer text area is visible and is empty by default.

Header and footer margins are set in the Margins tab of the [Page Layout](#) dialogue.

- [Header and Footer Content](#)
- [Placeholder Fields](#)
- [Page Numbers on the Title Page](#)

1.23.1. Header and Footer Content

- [Tab Stops](#)
- [Text in the Header and Footer](#)
- [Changing the Font / Size of the Header / Footer](#)

1.23.1.1. Tab Stops

Use tab stops to align text and placeholder fields in the header. Tab stops are the only way to reliably align text.




IMPORTANT *Place all necessary tab stops in the text area before inserting text or placeholder fields. Text or placeholder fields are anchored to the tab stops.*




IMPORTANT *Do not use the space bar to position text or placeholder fields. If it is done this way and text or placeholder fields are added to or removed from the Header, existing text and placeholder fields will be shifted away from their original positions.*

Click on the tab marker button at the left end of the Ruler bar to toggle through the different types of tab stops that can be set.





Left tab stop. Text and placeholder fields under this tab stop will be aligned left-justified.





Center tab stop. Text and placeholder fields will be centered under this tab stop.



Right tab stop. Text and placeholder fields under this tab stop will be aligned right-justified.



The fourth tab stop type is the Decimal tab stop for aligning a column of numbers on their decimal points.

To insert a Tab stop:

1. Choose the justification (left, center, right, decimal) from the tab marker button;
2. Click once into the Ruler bar to place the Tab stop at that exact position.

To remove an unwanted Tab stop, drag it off the ruler bar.

1.23.1.2. Text in the Header and Footer

Text can be entered directly into the header and footer text areas. Text can be placed anywhere in the window and before or after any of the special fields. To insert text, place the cursor in the editing window under the appropriate Tab stop and type.

Any font attributes (type, style, size, etc.) may be changed by selecting the desired text and going to Format > [Font](#). Changing font attributes in the header or footer does *not* affect the font used in the script.

Text typed into the Header or Footer will appear on every page of the script.

To remove unwanted Header text, select it and press Delete on the keyboard.

1.23.1.3. Changing the Font / Size of the Header / Footer

1. Click into the editing area below the ruler;
2. On the keyboard, press Command + A;
3. Go to Format > Font and select the desired font / size;
4. Click OK to return to the script.

1.23.2. Header and Footer Options

Show Header

The Show Header option determines whether the header is visible.

Header on First Page

The Header on First Page option indicates whether the header is visible on the first page.

Show Footer

The Show Footer option determines whether the footer is visible.

Footer on First Page

The Footer on First Page option indicates whether the footer is used on the first page.

Starting Page number

The Starting Page Number specifies the number for the first page of a document.

Example: A project is comprised of several scripts with sequential numbering; Script 1 has pages 1-20, Script 2 has pages 21-50 and Script 3 has pages 51-70. On Scripts 2 and 3, the starting page numbers (21 and 51) would be changed accordingly in the Header and Footer Options window.

When all changes to the Header and Footer options have been made, click OK.

1.23.3. Placeholder Fields

Placeholder fields for the header and footer include: Page, Date, Scene, Label, Active Revision and Collated Revisions.

Page

Displays the current page number.

Date

Displays today's date. The Date field will insert today's date dynamically; if the Date field is inserted on July 4, on that day the Header will show July 4. When the same script is opened on July 5, the Header will show July 5.

Scene

Displays the current scene number if the scenes have been numbered using the Production > [Scene Numbers](#) command. If the scenes have not been numbered, nothing will appear in this location in the Headers on each page.

Label

Contains custom text over a series of pages. Insert a Label placeholder field where appropriate in the Header. See Insert > [Label](#) for more information.

Active Revision

Contains the name of the active revision set.

Collated Revisions

Contains the name of the revision set active when changes were last made to this page.


Example: On Monday, the writing staff was on the Pink revision set and Page 10 was edited. "Pink Revised" will appear at the top of Page 10. On Tuesday the writing staff moved to the Yellow revision set and Page 10 was edited again. "Yellow Revised" will now appear at the top of Page 10.

File Name


Displays the name of the document.

To position a placeholder field in the header or footer text area, place the cursor in the editing window under the appropriate Tab stop and click the appropriate button.

The placeholder field appears at the cursor position. For example, this setup...



...produces this header on Page 2:



To remove an unwanted placeholder field, click on it once to select it and press Delete on the keyboard.



NOTE

All placeholder fields are available for both the header and footer.

1.23.4. Page Numbers on the Title Page

[Title pages](#) are a separate section of a script. They can include cast lists, character biographies, sets, locations, songs, or any other information. Title pages are numbered separately from the body of the script and use lower case Roman numerals; i.e., i, ii, iii, iv, etc.

1.24. Reformatting

The Reformatting section contains information on how to render script paragraph correctly, if they are not currently correct.

Most of the time there is no need to reformat text. As the user types, Final Draft formats and paginates text according to industry standards.

However, there may be times when, for example, dialogue is erroneously formatted as action and needs to be rendered as such. This can occur when a script written in another word processor is imported into Final Draft. Final Draft's built-in formatting logic should turn most, if not all, of the text into a correctly formatted script. However, the quality of the import depends on how and how well the script was formatted in the first program.

There are a number of ways text may be reformatted.

- [Reformatting a Single Paragraph](#)
- [Reformatting Many Paragraphs](#)

1.24.1. Reformatting a Single Paragraph


There are multiple ways to convert a paragraph from one type to another.

In the following example, UNCLE is supposed to be a Character paragraph but it is misformatted as an Action paragraph:




Place the cursor in the paragraph you want to reformat. There is no need to highlight the entire paragraph;

1. From the Elements dropdown menu in the toolbar at the top of the screen...



...choose the desired paragraph type (Character, in this example):




- or -

2. From the Format > Change Elements To [Submenu], choose Character

- or -


2. Right-click or Control + click and from the context menu, choose Change Element To and choose Character;



- or -


2. Press Command + Option + [#] to reformat the current paragraph. The "#" in this command is the element number and will be displayed at the bottom of the screen while the Command key is pressed. In this example, to render this paragraph as Action, press Command + Option + 3.

This Character paragraph will be correctly formatted:



1.24.2. Reformatting Many Paragraphs

1. Choose Tools > Reformat. The Reformat dialogue appears:



The paragraph containing the cursor is selected and its current paragraph type indicated.

2. Choose a new element for the paragraph

- OR -

2. Press the number key or Control + number key for the new element for the paragraph;

The paragraph is reformatted and the next paragraph in the script is automatically selected.

3. Continue reformatting each paragraph as needed;
 - Click the right-pointing arrow to skip a paragraph without any reformatting;
 - Click left-pointing arrow to select the previous paragraph;
 - Click Delete to delete the current paragraph;

There is no confirmation dialogue and the deletion cannot be undone.

4. When done, click Close or press the Escape key on the keyboard.



TIP

If a large block of text needs to be broken up as well as reformatted, break it into many paragraphs first by placing the cursor between what should be two separate sections and pressing the Return key on the keyboard. The Reformat tool cannot be used to break up a large block of text.

1.25. SmartType

The SmartType section contains information on configuring and using the SmartType feature, a set of macros and commands that eliminates repetitive typing.

To ease the frustration of having to type the same names and phrases over and over again, Final Draft provides an auto-complete function called **SmartType**. SmartType maintains lists of all the character names, character extensions, scene intros, locations, times and transitions in the script.

When the cursor is positioned on a character, scene heading or transitions paragraph, SmartType auto-completes the list, narrowing choices as text is entered. SmartType lists are included for these elements:

- Characters
- Character Extensions, such as voiceovers or subtitles
- Scene Intros, such as interior
- Locations
- Times
- Transitions

More information on SmartType features is here:

- [Entering SmartType Items in the Script](#)
- [New SmartType Entries](#)
- [Modify SmartType Entries](#)
- [Correcting and Deleting SmartType Entries](#)
- [Rebuild SmartType Lists](#)
- [Reorder SmartType Lists](#)


- [Managing SmartType Lists](#)
- [SmartType Options](#)
- [Scene Intros and Times Separators](#)

1.25.1. Entering SmartType Items in the Script

By default, all SmartType lists are initially active (see [SmartType Options](#) to learn how to disable SmartType lists).

The Character SmartType List from the sample script *Tangle & Moss - Script* is used as an example here. All the functions described are applicable to the Extensions, Locations, Times, and Transitions SmartType Lists.

The Character SmartType List for *Tangle & Moss - Script* initially consists of:




When a letter is typed into an empty character paragraph, if any items in the Character SmartType start with that letter, the SmartType window displays all the matching items in the list. The rest of the first matching item text appears in a light gray color after the cursor. For example, in the character paragraph below, suppose the letter “M” is typed in. At the moment there is only one character whose name begins with the letter M. This entry, MOSSY, will be displayed in the SmartType window:



The rest of the name appears in gray, allowing the user to either accept the SmartType choice with the Return key or continue typing to add a new character. New items are added to SmartType lists automatically when they are typed into the script. In *Tangle & Moss*, there are no items in the Character SmartType list that begin with the letter O. Consequently, if the letter “O” is typed into a character paragraph, the SmartType

window does not appear. If the rest of the name "OLD SOLDIER" is typed and the Return key is pressed to create a Dialogue paragraph, SmartType automatically adds OLD SOLDIER to the Character SmartType list.

If another character is added whose name begins with the letter T ("THE BOY"), it will be added to the SmartType list and both will be displayed in the SmartType window when the letter T is pressed:



As more letters are entered, SmartType narrows the items in the list to contain only those that match what has been typed.

To highlight and choose THE BOY for insertion on the page:

- Click that name with the mouse OR
- Tap the T key to cycle through the list OR
- Type the letter H to form "TH" (which removes TANGLE from the list of candidates) and select it OR
- Arrow down on the keyboard.

When the correct item has been highlighted, press Return or double-click it to insert the name and dismiss the SmartType window.


1.25.2. New SmartType Entries

Although new items are automatically entered into the appropriate list as the user types in the script, they can also be added manually in the SmartType dialogue.

To add a new item to a SmartType list:

1. Choose the list to which the new item is to be added by clicking the appropriate tab;
2. Click New;

A default name appears at the bottom of the list and in the text box:



3. Type the name of the new item;
4. Click OK to return to the script.

1.25.3. Modify SmartType Entries

To change an existing entry in the list

1. Choose the list in which the item is stored by selecting it from the dropdown menu;
2. Select the item to change;

The item's name appears in the text box above the list.

3. Click in the text box;
4. Edit the item;
3. Click OK to return to the script.




NOTE

Editing an item in a list does not change it in the script. To change an item in the script, use Edit > [Find](#) and replace the entries that you modified with the new text.

1.25.4. Correcting and Deleting Erroneous SmartType Entries

It is a good idea to manage SmartType lists by deleting erroneous or duplicate entries. In this example, the writer has accidentally misspelled the name "SECOND MAID" on the page and it has been added to the Character SmartType list:



Go to Document > SmartType and select the unwanted SmartType item (in this example, "SECODN MAID"). Either correct it in the field at the top of the window or click Delete to remove it from the SmartType list. Note that there is no confirmation dialogue.



NOTE

Deleting an item from a list does not remove it from the script. To delete an item from the script, use Edit > Find and then delete the text from the script.



TIP

Rebuilding the SmartType List may accomplish the list maintenance quickly but may remove SmartType items you want to keep for a particular reason.

1.25.5. Rebuilding SmartType Lists

As a script is written, new character names, locations, times of day and other pieces of text will be entered that Final Draft stores in the SmartType lists. If a character is entered on the page (and added to the SmartType list) but is later removed from the pages, that entry will remain on the SmartType list.

The remedy is to rebuild the SmartType list, which causes Final Draft to compare the contents of the SmartType list to what is actually in the script. If a word or term is on a SmartType list but is not found in the body of the script, it is removed from the SmartType list. Conversely, if a word or term is in the script but is not on a SmartType list, rebuilding the SmartType list will add that word or term to it.

Erroneous SmartType entries can be removed manually by opening that list, selecting the item and clicking Delete but using the Rebuild command is a quicker and more comprehensive way to ensure the accuracy of the SmartType lists.



TIP

Before creating any report from Tools > [Reports](#), best practice is to rebuild all SmartType lists. The reports are based on the SmartType lists and if the lists contain erroneous or unused information, it will appear in the reports as well.

1.25.6. Reorder SmartType Lists

By default, SmartType lists are listed in the order in which entries are made. The list may be reordered.

To view the list in alphabetical order


Click the Alphabetize button.



NOTE

The order of the items in the SmartType dialogue is the same as they appear in the SmartType window in the script.


To reposition an item within a SmartType list, drag and drop the item to a new position:



1.25.7. Managing SmartType Lists

View and modify all SmartType lists in the SmartType dialogue.


1. Choose Document > SmartType and the SmartType dialogue appears with the SmartType Character List displayed;
2. Choose a list to view or modify by selecting it from the dropdown menu:



All SmartType lists can be edited, rebuilt and rearranged.

1.25.8. SmartType Options

Click the Options tab in the SmartType dialogue to view SmartType options:



By default, matching for all of the SmartType Lists is enabled.

To disable Character, Scene Heading or Transition matching

Uncheck the option for the SmartType list to be disabled.

If matching for a SmartType list is disabled and a new paragraph of that type is created, the SmartType window does not appear. SmartType still automatically adds any new entries to the appropriate list, however.

Automatically Guess Next Character

Checking this option causes Final Draft to track the entry of character names and when it senses that two individuals are having a conversation, alternately offers their names when a new character element is created, which is useful when a scene contains multiple conversations between two individuals.

Tab Key Transitions to Character Extension

By default, pressing the tab key after entering a character automatically creates a parenthetical paragraph. Check this box so that pressing tab will create a character extension instead.

Window

Check this option if the SmartType window should appear when the user types.

List Order

Expand this dropdown menu for options for the order in which characters are presented in the SmartType window. Options are Alphabetical and Custom.

If Alphabetical is chosen, the list of characters is presented A-Z.

If Custom is chosen, SmartType items may be dragged in a desired order and will be presented in that order in the SmartType window.

This dropdown menu is disabled if the box to display the SmartType window is unchecked.

Auto-Position SmartType Window

Check this option to set the SmartType window to always display just above or beneath the insertion point (the blinking cursor) whenever it is invoked. Uncheck this box for the ability to drag the SmartType window to a desired location on the screen and have it displayed there whenever it is invoked.

Sort Characters by Number of Dialogues

Check this option to place characters with the most dialogue at the top of the SmartType window, regardless of the order in which they were entered into the script.

SmartType Color


Select the text color for SmartType matches. When the color swatch is clicked, a standard Mac color picker is displayed.

1.25.9. Scene Intros and Times Separators

Scene Intros and Times are special entries in their respective SmartType lists because they are sub-units of the Scene Heading element. The characters used to separate sections of the scene heading may be changed. In US film production (and in the default Screenplay template), the defaults are a period (.) separating scene intro and location and a dash (-) separating the location and the time.

To change the separator character

1. In the SmartType dialogue, select either the Scene Intros or Times SmartType list;
2. Type the new separator character in the Separator text box. If there should be spaces before and / or after the character, type those in as well;
3. Click OK.



1.26. Shortcuts & Menus

The Shortcuts & Menus section contains information about how to use Final Draft quickly and efficiently.

- [Adding Paragraph with the Return Key](#)
- [Adding Paragraphs with the Tab Key](#)
- [Element Shortcuts](#)
- [Keyboard Shortcuts](#)
- [INT./EXT. Creates Scene Headings](#)

1.26.1. Adding Paragraphs with the Return Key

When the insertion point is at the end of a paragraph, pressing the Return key inserts a new paragraph. The kind of paragraph created depends on the kind of paragraph it follows. The default transitions are:


- General to General
- Scene Heading to Action
- Action to Action
- Character to Dialogue
- Dialogue to Action
- Parenthetical to Dialogue
- Transition to Scene Heading
- Shot to Action
- Cast List to Action
- New Act to Scene Heading
- End of Act to New Act
- Summary to Summary

These transitions are based on the most logical flow for a writer, i.e. the most frequent element after a character name is dialogue.


To modify these transitions

Choose Format > [Elements](#) and the Elements dialogue is displayed. Select the desired element from the list on the left.

Set the shortcut via the Next Element (Enter/Return) dropdown menu:



In this example, the change is from the current setting of Dialogue-to-Action to Dialogue-to-Character, so that when the insertion point is at the end of a Dialogue paragraph, pressing the Return key inserts a new Character paragraph:



NOTE

The reason Return doesn't change elements after typing action is because you can follow action with either another action, a character, a transition or a scene heading. There is no "usual" element paragraph that follows action.



NOTE

Pressing Return in a blank paragraph will bring up the Element popup list. Choose the element desired with the mouse, the first letter of the element or the up/down arrow keys and press Return. A new paragraph of that type will be inserted.

1.26.2. Adding Paragraphs with the Tab Key

The Tab key supplements the functions of the Return key.

- Scene Heading to Action
- Action to Character
- Character to Transition (only when character is blank)
- Transition to Scene Heading
- Dialogue to Parenthetical
- Parenthetical to Dialogue
- Outline 1 to Outline 2
- Outline 2 to Outline 3
- Outline 3 to Note
- Note to Note

On the Beat Board:

- Beat title field to Beat body field
- Beat body field to Beat title field

Press Tab to accept the current selection from a [SmartType](#) list and move to the next logical element.

Within a Scene Heading, the Tab key has additional functions:

From a Scene Intro (INT, EXT), pressing Tab adds a period plus a space (.) and moves the insertion point to the Location section. Press Tab again to call up the Location SmartType list;

From a Location, pressing Tab adds a space-dash-space (-) and moves the insertion point to the time area. Press Tab again to call up the Time SmartType list (DAY, NIGHT, etc.).

In the [Index Cards > Summary](#) view, the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Summary field to the editable Scene Heading of the next scene card.

In the [Index Cards > Script](#) view, the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Heading of the next scene card.

In the [Scene View](#), the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Title field to the editable Scene Heading of the next scene row.

1.26.3. Element Shortcuts

An alternative method of adding new paragraphs is using the COMMAND key combinations. The defaults are:

GENERAL	COMMAND + 0
SCENE HEADING	COMMAND + 1
ACTION	COMMAND + 2
CHARACTER	COMMAND + 3
PARENTHETICAL	COMMAND + 4
DIALOGUE	COMMAND + 5
TRANSITION	COMMAND + 6
SHOT	COMMAND + 7
CAST LIST	COMMAND + 8
NEW ACT	COMMAND + 9
SEQUENCE	COMMAND + CONTROL + 8
END OF ACT	COMMAND + CONTROL + 9
SUMMARY	COMMAND + CONTROL + 0
OUTLINE 1	COMMAND + CONTROL + 1
OUTLINE 2	COMMAND + CONTROL + 2
OUTLINE 3	COMMAND + CONTROL + 3
NOTE	COMMAND + CONTROL + 4

Similar to changing Return key shortcuts, the Command key combination may be changed in the [Elements Menu](#) via the Shortcut key text area.

1.26.4. Keyboard Shortcuts

FINAL DRAFT 13

HIDE FINAL DRAFT 13	COMMAND + H
HIDE OTHERS	COMMAND + OPTION + H
QUIT FINAL DRAFT 13	COMMAND + Q

FILE

NEW DOCUMENT	COMMAND + N
NEW FROM TEMPLATE	COMMAND + SHIFT + N
OPEN	COMMAND + O
CLOSE	COMMAND + W
SAVE	COMMAND + S
SAVE AS	COMMAND + SHIFT + S
SAVE AS PDF	COMMAND + SHIFT + P
PRINT	COMMAND + P

EDIT

UNDO	COMMAND + Z
REDO	COMMAND + SHIFT + Z
CUT	COMMAND + X
COPY	COMMAND + C
PASTE	COMMAND + V
SELECT ALL	COMMAND + A
SELECT CURRENT SCENE	COMMAND + SHIFT + A

NEXT CHANGE	COMMAND + OPTION + K
PREVIOUS CHANGE	COMMAND + OPTION + SHIFT + K
ACCEPT CHANGE	COMMAND + OPTION + A
REJECT CHANGE	COMMAND + OPTION + R
ACCEPT ALL CHANGES	COMMAND + OPTION + SHIFT + A
REJECT ALL CHANGES	COMMAND + OPTION + SHIFT + R
FIND	COMMAND + F
GO TO	COMMAND + G
FIND SELECTION	COMMAND + SHIFT + F
START DICTATION	FN + D
EMOJI AND SYMBOLS	FN + E

VIEW

HIDE / SHOW OUTLINE EDITOR	COMMAND + SHIFT + M
HIDE / SHOW OUTLINE IN SCRIPT	COMMAND + SHIFT + O
SHOW INVISIBLES	COMMAND + J
ZOOM IN	COMMAND + + (<i>PLUS SIGN</i>)
ZOOM OUT	COMMAND + - (<i>MINUS SIGN</i>)
SHOW ALL TABS	COMMAND + SHIFT + \
ENTER FULL SCREEN	COMMAND + OPTION + F

FORMAT

OPEN ELEMENTS SETTINGS WINDOW	COMMAND + E
REMOVE STYLE FROM SELECTED TEXT	COMMAND + T

BOLD SELECTED TEXT	COMMAND + B
<i>ITALICIZE</i> SELECTED TEXT	COMMAND + I
<u>UNDERSCORE</u> SELECTED TEXT	COMMAND + U
STRIKE THROUGH SELECTED TEXT	COMMAND + SHIFT + X
ALL CAPS	COMMAND + K
DUAL DIALOGUE	COMMAND + D
EDIT DUAL DIALOGUE	COMMAND + SHIFT + D

INSERT

ADD ALT DIALOGUE	COMMAND + SHIFT + . (<i>PERIOD</i>)
REMOVE ALT DIALOGUE	COMMAND + SHIFT + , (<i>COMMA</i>)
NEW BEAT (BEAT BOARD ONLY)	COMMAND + RETURN
NEW SCENE (INDEX CARDS / SCENE VIEW ONLY)	COMMAND + SHIFT + I (<i>AS IN INDIA</i>)
INSERT BOOKMARK	COMMAND + \
INSERT SCRIPTNOTE	COMMAND + SHIFT + K
INSERT LABEL	COMMAND + SHIFT + L
SEND TO SCRIPT (INDEX CARDS ONLY)	COMMAND + SHIFT + C

DOCUMENT

OPEN SMARTTYPE WINDOW	COMMAND + L
-----------------------	-------------

TOOLS

SPELLING	COMMAND + , (<i>COMMA</i>)
----------	------------------------------

THESAURUS	COMMAND + : (<i>SEMI-COLON</i>)
OPEN REFORMAT TOOL	COMMAND + R

PRODUCTION

EDIT SCENE NUMBER	COMMAND + SHIFT + J
MARK SELECTED TEXT REVISED	COMMAND +]
MARK SELECTED TEXT UNREVISED	COMMAND + [
TAGS MODE ON / OFF	COMMAND + SHIFT + T

WINDOW

MINIMIZE	COMMAND + M
SHOW PREVIOUS TAB	CONTROL + SHIFT + TAB
SHOW NEXT TAB	CONTROL + TAB

ELEMENT TAB / RETURN KEY SHORTCUTS

TO GO FROM	TO	PRESS
Scene Heading Part 1	Scene Heading Part 2	TAB
Scene Heading Part 2	Scene Heading Part 3	TAB
Scene Heading Part 3	Action	RETURN
Scene Heading Part 2	Action	RETURN
Action	Action	RETURN
Action	Character	RETURN + TAB
Action	Shot	CONTROL + 7
Action	Transition	CONTROL + 6
Action	Scene Heading	Type int. or ext.
Character	Dialogue	RETURN

Character	Parenthetical	TAB
Parenthetical	Dialogue	RETURN
Dialogue	Action	RETURN
Dialogue	Character	RETURN + TAB
Dialogue	Scene Heading	COMMAND + 1
Dialogue	Transition	COMMAND + 6
Dialogue	Shot	COMMAND + 7

SPECIAL KEYS

PAGE UP / DOWN	Pages up or down one screen-full of text
HOME	Moves cursor to beginning of the line
END	Moves cursor to end of the line
COMMAND + HOME	Moves cursor to beginning of the document
COMMAND + END	Moves cursor to end of the document
COMMAND + RIGHT ARROW	Moves cursor to beginning of next word
COMMAND + LEFT ARROW	Moves cursor to beginning of previous word
UP ARROW	Moves cursor up a line
DOWN ARROW	Moves cursor down a line
OPTION + UP ARROW	Moves cursor up a paragraph
OPTION + DOWN ARROW	Moves cursor down a paragraph
SHIFT + RIGHT OR LEFT ARROW	Extends highlighted selection letter at a time
COMMAND + SHIFT + RIGHT ARROW	Extends highlighted selection a word at a time
COMMAND + SHIFT + LEFT ARROW	Extends highlighted selection a word at a time

1.26.5. INT. / EXT. Creates Scene Headings

If **int.** or **ext.** is typed at the beginning of an action paragraph, it will automatically become a scene heading starting with INT. or EXT., respectively.

1.27. Language

The Language section contains information about using the Mac operating system's spell-check, thesaurus and user dictionary to identify misspelled words, provide alternatives and keep track of words the user has instructed the computer to learn.

Words added to the user's User Dictionary in other applications will not be flagged as misspelled in Final Draft and words added to the user's User Dictionary in Final Draft will not be flagged as misspelled in other applications.

- [Spell-Check](#)
- [Spelling Options](#)
- [Thesaurus](#)
- [Foreign Language Spell-Checkers and Thesauri](#)
- [Grammarly](#)



NOTE

Final Draft's ability to support languages other than English is limited to spell-checkers for languages using Western (Latin)-based characters.

If you paste a foreign-language character into Final Draft or switch to a foreign-language font set, Final Draft may not be able to display it properly.

1.27.1. Spell-Checking


To Begin Spell-Checking

Choose Tools > Spelling. The Spelling dialogue appears and checking begins with the first misspelled word highlighted and a list of suggestions to correct the error.

When the spell-checker encounters a misspelled or unknown word, that word is highlighted in the script and the word appears in the Misspelled Word area in the Spelling dialogue, along with a list of possible alternatives. The first item in the Suggestions list appears in the Change To text field. In this example, the spell-checker has found “Majetic” as a misspelled word:

```
CLOSE ON: A GOLD KEY  
Majetic, light glinting off it.  
YOUNG GIRL, (PRE-LAP)  
And what is the key for? What door  
will it open?
```

To accept the suggestion "Majestic" and continue spell-checking, confirm that “Majestic” is in the Change To field (if not, choose it from the Suggestions field) and then click Replace (or choose another option):



To substitute an alternate word:

1. Select a word from the Suggestions list or type another word in the Change to box. It appears in the Change To text field;
2. Click Replace. If there may be more than one instance of the misspelled word in the script, click Replace All.

Alternately:

Double-click a suggested word. The new word replaces the misspelled word in the script and spell-checking continues.

To instruct the spell-checker to learn a word, click Learn. The word in the Misspelled Word area is added to the computer's user dictionary and spell-checking resumes.

To disregard the word considered misspelled and continue, click Ignore.

To disregard all instances of that word in the document, click Ignore All.

When the spell-checker reaches the end of the script, it asks if the search should continue from the beginning of the script. If the spell-checking was started in the middle of the script, when the spell-check reaches the end of the script it may be continued from the top of the script. Click Yes to continue.

When the entire script has been checked, a message indicates that the whole script has been checked. Click OK to close the Spelling dialogue.




NOTE

You can halt spell-checking at any time and close the Spelling dialogue by clicking the Close button.

Spell-checking with the Contextual Menu

Access spell-checker functionality from a context menu.

1. Right-click or Control + click on a misspelled word and the context menu appears:



2. Select the correct word

- or -

3. Select any of the alternative words

- or -

3. Choose to have the spell-checker ignore or learn the word

- or -

3. Make the correction manually by typing directly into the script.




NOTE

Final Draft 13 supports Grammarly. See [this topic](#) for more information.

1.27.2. Spelling Options

Go to Tools > Spelling and click the Options tab to view spelling options:



Language popup menu


Choose a different foreign-language spell-check.

Check Capitalization

When this option is checked, the spell-checker checks for correct capitalization of words. In this example, the spell-checker flags the word “she” as incorrectly not capitalized.

INT. HOME LIBRARY - DAY
Meet TANGLE, 12, precocious eyes, unruly hair. she gazes out
a window of a house on a hill surrounded by evergreens.

Right-click or Control + click on the word to display the context menu, which has a command to capitalize this word:



Check Repeated Words

If this option is checked, the spell-checker looks for duplicate occurrences of words and flags them as repeated. In this example, the second and erroneous "out" is flagged.

INT. HOME LIBRARY - DAY
Meet TANGLE, 12, precocious eyes, unruly hair. she gazes out
out a window of a house on a hill surrounded by evergreens.

Right-click or Control + click on the word to display the context menu, which has a command to delete the second instance of this word:



Automatic Spell-Checking


If this option is checked, the spell-checker automatically scans the script and underlines in red any misspelled words.

1.27.3. Thesaurus


Find alternate word choices while writing.

To find words in the thesaurus

1. Right-click or Control + click on the word to be replaced;
2. Choose Synonyms and a list of alternate word choices will be displayed;
3. Choose the desired word and it will replace the word on the page.




Another way to call a list of synonyms is to right-click or Control + click on a word and from the context menu, choose Thesaurus. A standard Mac word lookup (curated by Apple) is displayed:



1. Pick a replacement word;
2. Close the window;
3. Highlight the word to be replaced;
4. Type the new word in.

1.27.4. Grammarly

Final Draft 13 supports the desktop [Grammarly©](#) client. If you have the free or premium version of Grammarly installed and running on your computer and you open FD13, you'll see the Grammarly widget on your screen. Use Grammarly in Final Draft the same way you would in any other program.



1.27.5. Foreign Language Spell-Checkers and Thesauri

Final Draft uses the foreign-language spell-checkers and thesauri that are built in to the Mac operating system.

The following languages are available:

Danish	Dutch	English	French
German	Italian	Norwegian Bokmål	Polish
Portuguese	Spanish	Swedish	Turkish

1. Close Final Draft and install the desired language(s) per [Apple](#) instructions.
2. Restart your computer.
3. Open Final Draft, go to Tools > Spelling > Options and choose the language for the spell-check.



NOTE

Final Draft's ability to support languages other than English is limited to spell-checkers for the above languages using Western (Latin)-based characters.

If a foreign-language character is pasted into Final Draft or a foreign-language font set is used, Final Draft may or may not be able to display it properly.

1.28. Glossary of Screenwriting and Final Draft Terminology

Some glossary entries are followed by "[FD]." This indicates what the word or phrase means in Final Draft, although other programs may also use it.

Entries in ALL CAPS are words or phrases written into a script by the writer.

A B C D E F I J K L M N O P R S T V W X Z

A

A and B Pages / Scenes

Refers to any additional pages added to a [production script](#). Once a script becomes a production script, page and scene numbering cannot change. To keep them consecutive and so that they will fit with older versions of the production script, the letters "A," "B," "C" (and so on) are added to page and scene numbers in order to keep the pages in order. For example, if two pages are added between pages 78 and 79, they are numbered 78A and 78B. For information on A & B pages see [Page Locking](#). For information on A & B pages, see [Scene Numbers](#).

Action

A sequence of events in a script, visuals that have their purpose in plot development, which may include physical and psychological action; the movement of the subject within the camera field of view; an element in Final Draft.

ANGLE ON

Used to emphasize a specific object in a shot to indicate that a different camera angle is to be made of a previous shot.

B

BACK TO / BACK TO SCENE

The camera reverts to its original shot position from another.

BACKGROUND (b.g.)

Any action or object(s) which is secondary to the main action and which appears far away to the main action, and which serves as a backdrop for that action. Usually abbreviated in lowercase letters with periods after each letter.

Backup Copy

To guard against total loss of important information, a duplicate copy of a computer file, usually saved in a separate location, and placed in a safe, separate place. Making two backup copies of important data should be a regular part of any computer use. For information on backing up a file, see File > [Backup](#).

BEAT

In a screenplay, this term is used to indicate a pause in a character's speech or action. Also refers to actions or incidents within scenes.

Beat Board

A field in which cards representing story point and plot milestones can be arranged in a free-form fashion. See [Beat Board](#).

Bookmarks [FD]

Placeholders within a Final Draft script whose placement is determined by the user. See Insert > [Bookmark](#).

Breakdown (Breakdown Script)

Detailed analysis of a screenplay which is used to create the Shooting Schedule.

Organizes the script into related scenes, locations, sets, characters and props. Also used for determining all the expenses for a film's budget.

C

Character

The various real or fictitious individuals who take part in a screenplay; an element in Final Draft. The very first time a character is introduced into the screenplay, the name is capitalized. Always capitalized before dialogue. In Final Draft, it refers to the paragraph that contains a character name.

Character Extension [FD]

Enclosed in parentheses next to the character name, it describes where the speech is coming from -- off screen, voice over, etc. See [Typing a Sample Script](#) for more information on using character extensions.

CLOSE SHOT

Camera shot that generally includes only the head and shoulders of a character. Always typed in capital letters.

CLOSEUP (C.U.)

Camera shot that closely emphasizes (isolates) a detail in a person, animal or object. Always typed in capital letters and is usually abbreviated.

Color Picker

A mechanism that allows a color to be chosen, usually from a color wheel.

Continued(s)

At a Scene Break, used to indicate a scene has not been completed at the end of a page (at the page break) and the beginning of the next page. At a dialogue break, used to indicate a character's speech has not been completed at the end of a page and that the speech is a continuation of one from the previous page. See [Mores and Continueds](#).

Courier Final Draft

The default font in Final Draft. It was designed to paginate consistently from computer to computer and between Mac and Windows. Using another font, even a Courier font, is not advised.

Cursor

An on-screen pointer that follows the movements of the computer's mouse.

CUT / CUT TO

Instantaneous transition (change) from a scene (or a shot, or another person) to another. Always typed in capital letters.

D

Dialogue Breaks

When dialogue "spills" over one page onto the next because of its length and has to be split into sections. The phrase (MORE) indicates there is additional dialogue to follow on the next page, and the phrase (CONT'D) appears at the top of the page, indicating the dialogue is continuing from the preceding page. See [Mores and Continueds](#).

DISSOLVE / DISSOLVE TO

A transition from one scene, which fades out, as another simultaneously fades in. Dissolves are also used to indicate a lapse of time and/or of place.

DOLLY IN / DOLLY OUT

Camera movement toward or away from a subject, involving physical movement of the camera. Always typed in capital letters.

Drag-and-Drop

Computer process of using a mouse to select and move text (a single word or entire pages) from one location to another without having to use the commands Cut and Paste. See [Using Smart Drag-and-Drop](#).

E

Elements [FD]

The types of paragraphs (styles) used in a screenplay: scene heading, action, character, character, dialogue, transition and shot. See [Elements](#).

Exporting

The process of converting (translating) a Final Draft document so the information in it may be used in other computer programs. See [Export](#).

EXT.

Denotes a shot taken outdoors. Part of a [scene heading](#).

Exterior (EXT.)

A scene intro which indicates that a scene takes place, or is supposed to take place, outside. Always abbreviated in all capital letters. Part of a [scene heading](#).

EXTREME CLOSEUP (E.C.U.)

Camera shot that is extremely close to a subject, used to emphasize some particular detail. Usually typed out in full in capital letters.

EXTREME LONG SHOT

Camera shot usually taken from a long distance away from the subject. Always typed out in full in capital letters.

F

FADE IN / FADE OUT

Smooth, gradual transition from complete blackness to a scene (fade in); gradual transition from a scene to complete blackness (fade out). Always typed out in full in capital letters.

FDX

The default XML-based file format written by Final Draft. FDX is the file extension appended to the file name when it is saved by the Final Draft program. Can also refer to a Final Draft file.

FLOW LINE

A connector line between two or more Beats on the Beat Board. Flow Lines may have no arrows or single or double arrows and can be colored.

FOREGROUND (f.g.)

The area of the scene (objects or action) which is closest to the camera. Usually abbreviated in lowercase letters with periods after each letter.

FREEZE FRAME

Camera direction (which is really an optical printing, or other, effect) where a single frame is repeated over time to give the illusion that all action has stopped.

Function Key

Special keys on a computer keyboard (labeled F1 through F12) that may have special commands assigned to them. In Final Draft, Function Keys have built-in functions, but the user can assign different commands to some of them, if desired.

H

Header [FD]

Text that appears at the top of a page, such as page numbers. See [Header](#).

I

I/E (INT./EXT.)

Refers to shots taken in both an interior and an exterior location. For example, a police chase where we start inside a car and the camera moves outside the window when the character leans out to fire a gun. Part of a [scene heading](#).

Importing [FD]

The process of converting (translating) information (data) from other computer programs so it can be used as part of a Final Draft document. See [Open](#).

Index Cards Views

These views mimic the traditional way that scripts have been developed, fleshed-out and annotated. Each card contains one scene. Cards are ordered in a left-to-right, top-

to-bottom, fashion. There are two “sides” to every card. The Summary side initially is blank and is available for text to be entered - for development ideas, notes, sequence or act markers, comments, locations, blocking... anything you feel is applicable. The Script side contains the actual text of a particular scene. See [Index Card Panel](#).

INSERT

A shot within a scene which calls attention to a specific piece of information, usually an inanimate object.

Installation [FD]

The process of loading the Final Draft program and all associated files onto a computer so that they may be used. Different from Activation. See [Installation](#).

INT. (Interior)

A scene intro which indicates that a scene takes place, or is supposed to take place, indoors; a set representing an indoor scene. Always abbreviated in all capital letters. Part of a [scene heading](#).

ISOLATE

A camera shot with tight framing on an object or person.

J

JUMP CUT

An exaggerated acceleration of natural action achieved by removing from a scene footage that provides continuity of action, camera position or time. For example, a shot of man starting frame left and walking right who, in the blink of an eye, is next

seen almost at frame right would be a jump cut. He appears to have "jumped" to the right edge.

K

Keystroke Shortcut

A keystroke, or combination of keys, that initiates a command or other function.

L

LIGHTS UP

Transition used in Stageplay format, denoting the beginning and discovery of a scene by the illumination of lights onto a particular area of the stage.

Location

The actual (physical) setting for a production; a part of a [scene heading](#) which describes where the scene takes place.

LONG SHOT

Camera shot that is taken at a considerable distance from the subject, usually containing a large number of background objects. Always spelled out in capital letters.

M

Macro [FD]

Text which can be entered with a single keystroke or combination of keys, usually containing words or phrases that are frequently repeated. See [Macros](#).

MAGIC

Shorthand for "Magic Hour," the short period of time around sunset.

Margin

The amount of space left unused at the top and bottom, and right and left, of a printed page. See [Margins](#).

MATCH CUT

An edit in which physical elements or actions in the first shot greatly resemble actions or physical elements in the next shot. One classic example of this is from Hitchcock's "North by Northwest" in which a shot of Cary Grant pulling Eva Marie Saint up off Mount Rushmore turns into a matching shot in which he pulls her up into a bunk bed. Another is the match cut from the shower drain to Janet Leigh's eye in "Psycho."

MEDIUM SHOT (MED. SHOT)

Camera shot often used to describe a shot of character approximately from the waist up.

MONTAGE

Scene heading which indicates a rapid succession of shots.

More(s)

Used to indicate that a character's speech has not been completed at the end of a page and that the speech is a continuation of one from the previous page. See [Mores and Continueds](#).

MOVING / MOVING SHOT

Camera shot which follows whatever is being filmed.

N

Narration

Off-screen commentary, which is heard over the action. Also referred to as a voice-over. Not the same as a character offscreen (O.S.), which usually means the character is in the scene but not on camera when speaking.

O

OFFSCREEN (O.S.)

Indicates that the character speaking is not visible in the frame. Always abbreviated in all capital letters and enclosed in parentheses. Not the same as V.O. or NARRATION.

Outline

A complete story broken down into its component beats, scenes, sequences and acts before dialogue is written. See [Outline Editor](#).

Outline Editor [FD]

A tool that allows the user to lay out scenes, story milestones and story beats in a linear fashion. See [Outline Editor](#).

P

Page Break

Where one page ends and another begins. Final Draft simulates this break in [Normal View](#) with a line.

PAN

Camera shot (from the word panorama) where the camera moves gradually from right to left or left to right, without stopping; to slowly move to another subject or setting without cutting the action.

Parenthetical

Indicates dialogue should be delivered in a certain way or a specific action taken; an element in Final Draft. Should be no more than a few words. See [Typing a Sample Script](#).

POINT OF VIEW (P.O.V.)

Camera position that views a scene from the viewpoint of a particular character. Always abbreviated in capital letters with periods after each letter.

Production Script

A script that includes scene numbers, camera angles, inserts and direction notes. All page numbers and scene numbers remain unchanged, no matter if text is added to or deleted from the script. See [Lock Pages](#), [Scene Numbers](#), [Revision Mode](#).

R

Reformatting [FD]

The process of changing element paragraphs from one to another. See [Reformat](#).

Revised Pages

When a production script is being edited, changes are distributed to the actors and crew on “change pages,” which are generally a different color from the original pages of the script and follow a set hierarchy of color pertaining to the revision number. See [Revision Mode](#).

Revision(s)

In Production Scripts, any modified or new text (revised text) needs to be designated as such via marks in the margins (like asterisks). See [Revision Mode](#).

S

Scene

A single cohesive unit of narrative, usually confined to one location at one particular time. See [Select Scene](#).

Scene Breaks

When a scene “spills” over one page to another because of its length and has to be split into sections. The phrase (CONTINUED) indicates there is more to the scene to follow on the next page, and the phrase CONTINUED: appears at the top of the page, indicating the scene began on the preceding page(s). See [Mores and Continueds](#).

Scene Continued(s)

See Scene Breaks, above.

Scene Heading

Used at the beginning of all scenes, a short description which indicates where and when the scene takes place. Always typed in capital letters. Sometimes called a Slug Line.

Scene Intro [FD]

The part of a scene heading whether a scene takes place indoors or outdoors. Scene Intros are INT., EXT., or INT./EXT.

Scene Number

Indicates the sequence number of a particular scene. Scene numbers are used only in Production Scripts. See [Scene Numbers](#).

Scene View

A view in which each row contains one scene. See [Scene View](#).

Screenplay

A script for a feature film, that is (or could be, and hopefully will be) made into a motion picture. Generally 90 to 120 pages in length.

Script

Text of a screenplay, teleplay or stage play, including dialogue and action. In a shooting script, scene numbers and sometimes camera shots and moves are added.

ScriptNote [FD]

Text fields that contain your ideas, notes or messages about a particular paragraph in the script. These notes can be placed anywhere. See [ScriptNote](#).

Sequence

A group of connected scenes that moves a story forward. A feature script usually has between 7 and 10 sequences.

Shooting Schedule

A production schedule for shooting a film with the scenes from a script grouped together and ordered with production considerations in mind.

Shooting Script

See [Production Script](#).

Shot

The basic unit of a motion picture. A moving image of objects, persons, buildings and/or landscapes. Also a type of Final Draft element, used as a camera instruction to indicate a closeup, wide shot, dolly-in, etc.

Sitcom (Situation Comedy)

Usually refers to a television comedy in which the humor is derived from situations or predicaments of the characters, rather than on incidents or gags. Also known as a "half-hour," a reference to the length of each episode.

Slugline [FD]

See [Scene Heading](#).

SmartType [FD]

Provides an automatic type-ahead facility for entering a character name, location, extension, time and transition in the script; used to avoid repetitive typing.

See [SmartType](#).

Spec Script

A "spec" or speculative screenplay is an uncommissioned (unpaid) project written for the open market. The writer hopes it will be bought and produced or will serve as a calling card to get paid writing jobs.

SUPER (SUPERIMPOSE)

The effect of showing one image over another. Always typed in capital letters.

T

Text Document [FD]

This mode eliminates all screenwriting-related options and functions, so that Final Draft may be used as a “normal” word processor. See [Text Documents](#).

Time

The part of a scene heading which indicates the time of day. Part of a [scene heading](#).

Title Page

Includes the title, centered in the upper third of the page, the writer’s name, contact information (address, phone), copyright and registration number (optional). See [Title Page](#).

Transition

Indicates how one scene ends and the next one begins; an element in Final Draft. Always typed in capital letters. Examples are CUT TO, DISSOLVE TO, SMASH CUT.

Treatment

Summary of a story, integrating all its elements, detailing the plot, and providing a sense of who the characters are, including their motivations. See [Text Documents](#).

TWO-SHOT

Camera shot of two people, usually from the waist up.

V

VOICE OVER (V.O.)

A Character Extension in which a character's voice is heard over a scene, as in narration, a tape-recorded voice, or a voice heard over the phone. Always abbreviated in capital letters with periods after each letter and enclosed in parentheses next to the Character Name, capitalized and spelled out in the script. See [Typing a Sample Script](#).

W

WIDE SHOT

See [Long Shot](#).

WIPE

A wide variety of patterned transitions in which images seem to move (or push) other images off the screen.

WRYLY (WRYLIES)

Popular nickname for a parenthetical paragraph in which the actor is directed to deliver a line in a certain way.

X

XML (Extensible Markup Language)

The Extensible Markup Language is a general-purpose markup language that allows its users to define their own elements. Its primary purpose is to facilitate the sharing of structured data across different information systems, particularly via the Internet.

Final Draft files -- FDX files -- are XML files.

Z

ZOOM IN / ZOOM OUT

A quick transition from a long shot to a close shot or the reverse, usually achieved by manipulating the camera's lens.