

Table of Contents

1. Final Draft 12 User Guide.....	6
1.1. Welcome to Final Draft!.....	7
1.2. Installation.....	8
1.2.1. Launching / Activating / Registering Final Draft / First Run.....	9
1.2.2. Deactivating.....	11
1.2.3. Frequently-Asked Questions.....	12
1.3. Get Technical Support.....	14
1.4. Tutorial Videos.....	16
1.5. Home Ribbon.....	18
1.5.1. Proofing.....	19
1.5.2. Clipboard.....	25
1.5.3. Font.....	30
1.5.4. Insert.....	31
1.5.5. Script Elements.....	32
1.5.6. Title Page.....	39
1.5.7. Views.....	41
1.5.8. Split.....	42
1.6. File Ribbon.....	43
1.6.1. File.....	44
1.6.2. Saving.....	53
1.6.3. Printing.....	63
1.6.4. WGA.....	70
1.7. Edit Ribbon.....	71
1.7.1. Editing.....	72
1.7.2. Clipboard.....	76
1.7.3. Undo / Redo.....	81
1.7.4. Find.....	82
1.7.5. Tracking.....	91
1.7.6. Using Smart Drag-and-Drop.....	93
1.8. View Ribbon.....	95
1.8.1. Views.....	96
1.8.2. Split.....	109
1.8.3. Show / Hide.....	114
1.8.4. Zoom Outline Editor.....	123
1.8.5. Arrange Open Documents.....	124


1.8.6. Classic View.....	125
1.8.7. Night Mode.....	126
1.9. Format Ribbon.....	128
1.9.1. Elements.....	129
1.9.2. Text.....	137
1.9.3. Paragraph.....	146
1.9.4. Beat Board.....	153
1.10. Insert Ribbon.....	159
1.10.1. Insert.....	160
1.10.2. Scenes.....	175
1.11. Document Ribbon.....	178
1.11.1. Page Setup.....	179
1.11.2. Extras.....	195
1.11.3. Length - Target Script Length.....	206
1.12. Tools Ribbon.....	207
1.12.1. Proofing.....	208
1.12.2. Speech Control.....	214
1.12.3. Tools.....	217
1.13. Production Ribbon.....	244
1.13.1. Scene Numbers.....	245
1.13.2. Edit Scene Number.....	251
1.13.3. Omit Scene.....	252
1.13.4. Revisions Setup.....	255
1.13.5. Revision Mode.....	264
1.13.6. Mark Revised.....	265
1.13.7. Clear Revised.....	266
1.13.8. Next / Previous Revision.....	267
1.13.9. Lock Pages.....	268
1.13.10. Lock A Pages.....	270
1.13.11. Unlock A Pages.....	271
1.13.12. Unlock All Pages.....	272
1.13.13. Locking Tools submenu.....	273
1.13.14. Tags Mode.....	278
1.13.15. Tag All Characters.....	279
1.14. Window (Classic View only).....	280
1.15. Help Ribbon.....	281
1.15.1. Final Draft User Guide.....	282

1.15.2. Welcome to Final Draft.....	283
1.15.3. What's New.....	284
1.15.4. Sample Scripts.....	285
1.15.5. finaldraft.com.....	286
1.15.6. Check for Updates.....	287
1.15.7. Submit Feedback.....	288
1.15.8. Register Online.....	289
1.15.9. Activate / Deactivate.....	290
1.15.10. Get Help.....	291
1.15.11. About Final Draft.....	292
1.16. Tutorials.....	293
1.16.1. Typing a Sample Script.....	294
1.16.2. Importing Content from Other Sources.....	300
1.16.3. Make Writing Dialogue Easier.....	302
1.16.4. Manipulating the Page Count.....	304
1.16.5. Inserting Symbols and Foreign Characters.....	307
1.16.6. Revisions.....	309
1.16.7. File Management.....	313
1.16.8. Outlining a Script on the Page.....	316
1.16.9. Configuring the Workspace (video only).....	319
1.17. Elements.....	320
1.17.1. Elements in a Script.....	321
1.17.2. Adding Paragraphs.....	325
1.17.3. Modifying Elements and Creating New Custom Elements.....	326
1.18. Beat Board and Outline Editor.....	334
1.18.1. The Beat Board.....	335
1.18.2. Outline Editor.....	359
1.18.3. Idea to Rough Draft (The 1-2-3 Workflow).....	366
1.19. Navigator.....	369
1.19.1. Navigator > Scenes.....	370
1.19.2. Navigator > Characters.....	389
1.19.3. Managing Columns.....	400
1.20. Panels.....	402
1.20.1. Script Panel.....	403
1.20.2. Index Card Panel.....	404
1.20.3. Scene View.....	413
1.20.4. Scene View and Index Card Panels.....	417

1.20.5. Send to Script -- Summary Cards.....	422
1.20.6. Split (Horizontally/Vertically), Unsplit, Swap.....	423
1.20.7. Additional Script Views and Panels Notes.....	426
1.21. Tagging.....	427
1.21.1. Tagging an Item.....	429
1.21.2. Linking a Character with Tagged Items Throughout a Script.....	431
1.21.3. The Tags Navigator.....	434
1.21.4. Tagging in the Navigator.....	445
1.22. Toolbars.....	448
1.22.1. The Ribbon Menus.....	449
1.22.2. Recent Documents / Exit.....	450
1.22.3. The Quick Access Toolbar.....	451
1.22.4. The Element Dropdown Menu.....	453
1.22.5. Status Bar.....	454
1.22.6. The View Mini-bar.....	462
1.23. Classic View.....	470
1.23.1. Classic Menus.....	471
1.23.2. Repositioning and Resizing Toolbars.....	484
1.24. Header and Footer.....	485
1.24.1. Header and Footer Content.....	487
1.24.2. Header and Footer Options.....	492
1.24.3. Placeholder Fields.....	493
1.24.4. Page Numbers on the Title Page.....	495
1.25. Reformatting.....	496
1.25.1. Reformatting a Single Paragraph.....	497
1.25.2. Reformatting Many Paragraphs.....	499
1.26. SmartType.....	501
1.26.1. Entering SmartType Items in the Script.....	503
1.26.2. New SmartType Entries.....	506
1.26.3. Modify SmartType Entries.....	507
1.26.4. Correcting and Deleting Erroneous SmartType Entries.....	508
1.26.5. Rebuilding SmartType Lists.....	509
1.26.6. Reorder SmartType Lists.....	510
1.26.7. Managing SmartType Lists.....	511
1.26.8. SmartType Options.....	512
1.26.9. Scene Intros and Times Separators.....	514
1.27. Shortcuts & Menus.....	515

1.27.1. Adding Paragraphs with the Enter Key.....	516
1.27.2. Element Shortcuts.....	518
1.27.3. Keyboard Shortcuts.....	519
1.27.4. INT./EXT. Creates Scene Headings.....	524
1.27.5. Tab Key.....	525
1.28. Language.....	527
1.28.1. Spell-Checking.....	528
1.28.2. Spelling Options.....	531
1.28.3. Thesaurus.....	533
1.28.4. Grammarly.....	535
1.28.5. Foreign Language Spell-Checkers and Thesauri.....	536
1.29. Glossary of Screenwriting and Final Draft Terminology.....	537

1. Final Draft 12 User Guide



1.1. Welcome to Final Draft!

Welcome to Final Draft 12! Final Draft is the industry-standard screenwriting software that will be with you every step of the way on your screenwriting journey. Final Draft automatically formats and paginates your screenplay so you can focus on what you do best -- writing.

That's not all. Final Draft also provides educational resources, industry news and interviews, and all the tips and tricks you need to take your writing skills to the next level. Visit www.finaldraft.com/learn to explore our free resources, and if you ever need help, our team is standing by at finaldraft.com/contact to assist you.

If you have a previous version of Final Draft, this video will show you what's new in 12:

If you're new to Final Draft, watch this video to see how easy it is to use:

1.2. Installation

If you need help installing Final Draft, please watch this video!

For the most recent installer file and installation instructions, log on to

[Install Final Draft 12 | Windows | Final Draft®](#)

System Requirements

- Microsoft® Windows 10 (Intel or AMD processor)
- Minimum 512 MB of RAM
- 160 MB available hard drive space
- Internet connection required during installation

1.2.1. Launching / Activating / Registering Final Draft / First Run

Opening and Activating Final Draft

Activation and registration are two separate and distinct processes. Product activation is a mandatory, anonymous process that verifies your product Customer Number and license. Product registration is a one-time-only process that links you in our system to your copy of Final Draft so that you can receive customer support, product updates and special offers from Final Draft, A Cast & Crew Company.



IMPORTANT *Make sure your computer is connected to the Internet.*

1. Once the installation is complete, click Finish and if the box is checked to open Final Draft, it will open.
2. The Activation screen appears. Enter the Customer Number (found in the purchase email). The number may be copied and pasted in but do not include any spaces before or after the Customer Number. If you type it in, be sure to enter it exactly as it appears in the email;
3. Click Activate. A confirmation window appears after the program is activated.

Final Draft, A Cast & Crew Company, offers free 24/7 phone service for assistance with software activation and deactivation: **818-789-6281**. More information on our sales and support services is [HERE](#).

Registering Final Draft

Once Final Draft has been activated, the Register / Register Later prompt will be displayed. If you purchased Final Draft directly from finaldraft.com you are automatically registered. Click Register Later and this screen will not come up again.

If you purchased Final Draft from an authorized reseller and you have not yet registered, click Register. Your computer's default web browser will open to the [registration form](#) on our website, into which you will be asked to enter your name, your Customer Number, your email address, and a few other optional pieces of contact information. No personal information is requested.



IMPORTANT *Only registered Final Draft customers are entitled to the many services we provide, including access to customer support, upgrades to new versions of Final Draft, free program updates, and discounts on other Final Draft products and services.*

First Run

After the Register / Register Later screen has been cleared, the Welcome screen appears. Click Learn More to be taken to the Final Draft YouTube channel or Continue to move to the [Welcome to Final Draft](#) screen. From this screen, click Choose Template to select the type of document to open; the default is the standard Screenplay template. If there are already Final Draft scripts saved on the computer, click Browse to open a standard Windows Open dialogue box through which a Final Draft script can be opened.

1.2.2. Deactivating

Deactivation

After Final Draft is activated on a computer, there may be a need to remove the activation. For example, if a computer with an activated copy of Final Draft is to be replaced, it should be deactivated before it is discarded.

To deactivate Final Draft:

1. Make sure the computer is connected to the Internet;
2. Launch Final Draft and choose Help > Deactivate.

TIP: Before you deactivate, go to Help > About Final Draft and write down your KFDx Customer Number.

The computer will be deactivated and the user's account will be credited so he or she can activate Final Draft on another computer at any time, if desired.



NOTE

*Deactivating does **not** remove or uninstall Final Draft. The installation is left intact and Final Draft may be reactivated later. Once deactivated, Final Draft will run in Reader mode and can open and view (but not edit or save) Final Draft files.*



NOTE

*Deactivating does **not** delete Final Draft script files.*

1.2.3. Frequently-Asked Questions

What is product activation?

Product activation is an anonymous and hassle-free process that authenticates licensed Final Draft customers. The process verifies that the Customer Number is legitimate and has not been activated on more computers than are allowed by the Final Draft End User License Agreement.

How do I move my activation to another computer?

To move an activation to another computer, Final Draft must first be deactivated on the machine that will no longer be used. See [Deactivating](#) for more instructions on deactivating Final Draft. Once completed, Final Draft may be activated on the other computer.

Is product activation the same as product registration?

No. They are two separate procedures. Product activation is a mandatory, anonymous process that verifies the product license. In contrast, product registration is a process that links a user's copy of Final Draft to that person and that person alone, and also entitles that person to customer support, product updates, and special offers from Final Draft.

Do I have to register my copy of Final Draft? What are the benefits of registering?

Registration is not mandatory but until a user is registered, he or she will not be eligible for customer support, program updates, script templates, and discounts on other Final Draft products and services. Registration is strongly recommended.

What is deactivation and when should I do it?

Deactivation disables Final Draft software on a particular computer and turns it into a reader that can open Final Draft files for viewing but cannot edit or save them. Final Draft should be deactivated if it is activated on a computer that will no longer be used, temporarily or permanently. Note that deactivating leaves the full Final Draft installation on the computer, but it will run only in Reader mode until it is activated again.

On how many computers can I run Final Draft?

You can install Final Draft on as many computers as you want. Two of these can be activated at a given time. You can activate two Macs, two PCs or one of each -- it doesn't matter.

If you have more than two computers on which you'd like to run Final Draft, you can deactivate one computer and move the activation to another (See [Deactivating](#) for more information).



IMPORTANT *Your copy of Final Draft can only be activated on computers that you, the registered owner of the license, own and operate.*

1.3. Get Technical Support



IMPORTANT *You must first register in order to receive customer support from a Final Draft technician. The online registration form is [HERE](#). If you purchased Final Draft 13 from the Final Draft web store or are already registered, there is no need to register again.*

Self-Service Technical Support Options

Support Bot

At the lower right corner of [Contact Technical Support | Final Draft®](#) is an interactive question-and-answer tool that, once you have entered your question, will search our knowledge base for relevant articles.

Knowledge base

[The Final Draft Knowledge Base](#) is an online resource that contains hundreds of plain-English articles dealing with technical issues, how-to's, troubleshooting, tricks, and tips.

Videos

[The Final Draft® Learn page](#) has many helpful tutorial videos.

Assisted Technical Support Options

Email

Log on to [Email Support | Final Draft®](#) and email us with your issue. You should receive a reply no later than the end of the next business day, although it's usually faster.

Live Chat

Log on to [Final Draft Support](#) Monday - Friday between 8:30am and 5:30pm PT (data fees may apply). The service begins with our intelligent Support Bot but if it doesn't provide you with the information you need, you can choose to chat with a Final Draft technician.

1.4. Tutorial Videos

Click a link to watch a tutorial video:

- [What's New in Final Draft 12](#)
- [Installing](#)
- [Getting Started with Final Draft 12](#)
- [Alternative \(Alt\) Dialogue](#)
- [Autosave and Backup](#)
- [Basic Reports](#)
- [Boneyard in the Beat Board](#)
- [Character Navigator](#)
- [Collaboration](#)
- [Comic Book Adaptation](#)
- [Configuring the Workspace](#)
- [Creating Custom Elements](#)
- [Creating a Title Page](#)
- [Customizing the Quick Access Toolbar](#)
- [Dual Dialogue](#)
- [Flow Lines on the Beat Board](#)
- [Focus Mode](#)
- [Highlighting Characters](#)
- [Idea to Rough Draft](#)
- [Importing a PDF](#)
- [Introducing New Templates](#)
- [Locked Pages and Page Numbering](#)

- [Night Mode](#)
- [Outline Editor](#)
- [Outline Elements](#)
- [Reformat Tool / Format Assistant](#)
- [Revisions](#)
- [Scene Navigator](#)
- [ScriptNotes](#)
- [Tagging for Production](#)
- [Tagging for Writers](#)
- [Track Changes](#)
- [Using the Beat Board](#)
- [Watermarks](#)

1.5. Home Ribbon

The Home ribbon contains icons for the most commonly-used commands.

- [Proofing](#)
- [Clipboard](#)
- [Font](#)
- [Insert](#)
- [Script Elements](#)
- [Title Page](#)
- [Views](#)
- [Split](#)

1.5.1. Proofing


- [Spelling](#)
- [Thesaurus](#)

1.5.1.1. Spelling


To Begin Spell-Checking

Choose Home > Spelling or Tools > Spelling. The Spelling dialogue appears and checking begins with the first misspelled word highlighted and a list of suggestions to correct the error.

When the spell-checker encounters a misspelled or unknown word, that word is highlighted in the script and the word appears in the Misspelled Word area in the Spelling dialogue, along with a list of possible alternatives. The first item in the Suggestions list appears in the Change To text field. In this example, the spell-checker has found "Majetsic" as a misspelled word:



To accept the suggestion "Majestic" and continue spell-checking, click Replace:



To substitute an alternate word:

1. Select a word from the Suggestions list or type another word in the Change to box. It appears in the Change To text field;
2. Click Replace. If there may be more than one instance of the misspelled word in the script, click Replace All.

Alternately:

Double-click a suggested word. The new word replaces the misspelled word in the script and spell-checking continues.

To instruct the spell-checker to learn a word, click Learn. The word in the Misspelled Word area is added to the computer's user dictionary and spell-checking resumes.

To disregard the word considered misspelled and continue, click Ignore.

To disregard all instances of that word in the document. click Ignore All.

When the spell-checker reaches the end of the script, it asks if the search should continue from the beginning of the script. If the spell-checking was started in the middle of the script, when the spell-check reaches the end of the script it may be continued from the top of the script. Click Yes to continue.

When the entire script has been checked, a message indicates that the whole script has been checked. Click OK to close the Spelling dialogue.




TIP

You can halt spell-checking at any time and close the Spelling dialogue by clicking the Close button.

Spell-checking with the Contextual Menu

Access spell-checker functionality from a context menu. In the sample text below, the word “Majestic” is misspelled as “Majetsic.” Right-click on the misspelled word and the context menu appears:



Select the correct word;

- or -

select any of the alternative words;

- or -

choose to have the spell-checker ignore or learn the word;

- or -


make the correction manually by typing directly into the script.

1.5.1.2. Thesaurus

Find alternate word choices while writing.

To find words in the thesaurus:

1. Right-click a word for which synonyms are desired. In the example below, the word is “precocious.”
2. Choose Home > Thesaurus or Tools > Thesaurus. The Thesaurus dialogue appears:



1. Definitions of words are sorted alphabetically by part of speech, and a list of synonyms, antonyms, and related words is shown below each definition;
2. Select a replacement word. It appears in the text field above the definitions;
3. Click Replace.

The Thesaurus dialogue closes and the selected word replaces the selected word in the script.

If no alternate is acceptable, click Close.

To manually enter a word to find alternatives:


1. Position the cursor where the word is to be inserted;
2. Choose Tools > Thesaurus. The Thesaurus dialogue appears;
3. Type the word to be looked up in the text field above the alternatives;

4. Press the Enter key;
5. Definition(s), synonyms, alternatives, etc. are presented;
6. Select an alternative;
7. Click Replace.

The Thesaurus dialogue closes and the alternate replaces the selected word in the script. If no alternate is acceptable, click Close.

Thesaurus Context Menu

Another way to call a list of synonyms is to right-click on a word and from the Synonyms section of the context menu, choose a word from the list to replace the selection:



To dismiss these context menus without choosing an alternative word, press the Escape key until they disappear.

1.5.2. Clipboard

- Paste
- Cut
- Copy

1.5.2.1. Paste

Copies text from the Clipboard into the script. It performs the same function as Control + V on the keyboard.

The text is placed wherever the cursor is located. If a range of text is selected, the pasted text replaces the selection. Pasted text will assume formatting according to the following rules:

- If the text was copied or cut from a Final Draft document, it will retain its formatting characteristics of element type, margins, font styles, etc.;
- Text that is copied or cut from another program will assume the formatting characteristics of the document into which it is being pasted.;
- If one paragraph or less is pasted, the text will take on the formatting characteristics of the paragraph into which it is pasted. Once the text has been pasted, it may then be [reformatted](#);
- If the paragraph from which the text was copied is an action or dialogue and an entire sentence or more is copied, it will retain its formatting when pasted into an element of a different type;
- If more than one paragraph is pasted, the Paste command attempts to format the text according to its position. Once the text has been pasted, it may be necessary to reformat it using the Reformat command.



TIP

The best way to bring content in from other programs or web pages is to save the file as a plain-text TXT file or RTF (rich text format) file. See [Importing Content from Other Sources](#) for more information.

*To apply a different format to this script, see [Applying a Template](#). If the script needs reformatting, see [Reformat](#).

The Paste command places an index card (or cards) or a scene (or scenes) in [Scene View](#) at the insertion point.

When a Beat (or Beats) on the [Beat Board](#) are cut or copied and then pasted onto the Beat Board, the paste will be in the center of the Beat Board.

When a Beat (or Beats) on the Beat Board are cut or copied and then pasted onto a script page, the title of the Beat will be pasted in at the insertion point as a scene heading and the body of the Beat will be pasted in as action. If multiple Beats are copied or cut and pasted onto a script page, the paste order on the page will correspond to the order in which they were selected on the Beat Board.

1.5.2.2. Cut

Deletes selected text, index card(s), scene(s) or Beat(s) from the script and moves it / them to the Clipboard. It performs the same function as Control + X on the keyboard.

Cut can be undone. It is active when a range of text is selected. If no text is selected, the Cut command is disabled.

1.5.2.3. Copy

Copies selected text, index card(s), scene(s) or Beat(s) or Structure Points(s) to the Clipboard. Unlike the Cut command, The Copy command does not delete text from the current location. It performs the same function as Control + C on the keyboard.

Copy can be [undone](#). It is active when a range of text is selected. If nothing is selected, the Copy command is disabled.

1.5.3. Font

Renders selected text in the desired style:

- **Bold**
- ~~Strikeout~~
- *Italic*
- All Caps (switches lowercase letters to uppercase in a text selection and vice versa)
- Underscore
- Highlighter
- Text Color

1.5.4. Insert

See Insert > [Image](#).

See Insert > [ScriptNote](#).

1.5.5. Script Elements


- [Elements Settings](#)
- [Elements Dropdown Menu](#)
- [Dual Dialogue](#)

1.5.5.1. Elements Settings

Shows the Elements dialogue, which contains controls and options for defining script elements.

Elements are what many word-processing programs call "styles." They specify the font, font size, style, indents and other formatting characteristics for the types of paragraphs specific to a screenplay template (i.e., scene headings, action, dialogue, etc.).

Choose Format > Elements and the Elements dialogue appears, open to the Basic tab:




When a new paragraph is added to the script, that paragraph will be formatted according to the specifications in the Elements dialogue. If changes are made to the characteristics of one or more elements, *all paragraphs of that type* will be updated to reflect the new settings.

See [Elements in a Script](#) for a description of the Elements dialogue and a complete explanation of how elements are used to make up a script.


1.5.5.2. Elements Dropdown menu

The Element dropdown menu serves two functions. The first indicates the element type of the paragraph in which the cursor is currently positioned. In this example, the cursor is in the paragraph that starts with "CLOSE ON:". This paragraph is listed as a Shot paragraph.




The second function is to change the element type of the paragraph in which the cursor is currently positioned, if necessary. In this example, "CLOSE ON: A GOLD KEY" is rendered as a Shot. The person breaking down this script for production may decide that it should be a Scene Heading, because as a Scene Heading it will be assigned a scene number when the script's scenes are [numbered](#).

With the cursor anywhere in this paragraph, click the down-pointing arrow next to the Element dropdown menu and choose Scene Heading:




This title is now listed as a Scene Heading and will get a scene number when the scenes are numbered.



1.5.5.3. Dual Dialogue


Positions two consecutive dialogue paragraphs side by side.

1. Type in both speeches (including the character names), one after the other. For example:



2. Place the cursor anywhere in the first character name;
3. Go to Format > Dual Dialogue or press Control + Alt + D on the keyboard.

The speeches are now next to each other:




To edit dual dialogue text

Click anywhere in the dual dialogue paragraph and the Character Name / Dialogue Character Name / Dialogue paragraph sets will shift from the side-by-side format to the single-column format; edit the desired text and click elsewhere on the page. The paragraphs will automatically return to the side-by-side format.

To revert dual dialogue to the normal single-column format

Click anywhere in the dual dialogue paragraph and click the un-dual icon on the left:



The speeches revert to the original stacked format.

1.5.6. Title Page

Opens the script's title page in a separate document window.

Type the script's title, the writer's contact information and any other pertinent information over the sample text and delete any unneeded sample text. When the title page has been edited, close the title page editing window with the smaller red X at the upper right. This will return the user to the script. When the script is saved, the updated title page will be saved as well.

Images may be placed onto the title page(s) via the methods described in the [Image](#) section.

To create multiple title pages

Position the blinking cursor at the end of the page and go to Insert > Page Break. As many additional title pages for cast lists, location lists, introductions, etc. that are needed may be created.

Title pages are numbered with Roman numerals (*i, iv, ix*) so they will be visually distinct from the script pages' numbering. Title page numbers may be removed by going to Document > [Header and Footer](#) and removing the Page field.

Including or excluding the Title Page in the output

When a script is to be printed (File > [Print](#)) to paper or PDF, a check box allows the user to include or exclude the title page from the print job:

Print Script

✕

Printer

Name: 10.20.96.129

Properties

Status: Ready

Type: HP Color LaserJet 2820 AiO PS Class Driver

Where: USB001

Comment:

Print range

☒ All

☐ Page: (e.g. 1, 3, 5-12)

☐ Scene: (e.g. 1, 3, 5-12)

Print: All pages in range

Copies

Number of copies: 1

1 2 3

1 2 3

☐ Print backwards

Character Sides

Character Name:

☐ Print character name on page

Script options

☒ Entire script

☐ Revision Blue Rev. (mm/dd/yy)

☐ All revised pages

☐ Unrevised pages

☐ Print revisions in color

☐ Print text in color

☒ Scan for script formatting errors

☒ Include title page

Print to PDF...

OK

Cancel

1.5.7. Views

Script

- [Normal](#)
- [Page](#)
- [Speed](#)

Scene View

- [Show Action / Show Scene Title / Show Summary](#)

Index Cards

- [Script](#)
- [Summary](#)
- [Cards Across](#)

Beat Board and Outline Editor

[Show / Hide Outline Editor](#)

- Click the down-pointing arrow at the bottom of this icon to display a menu of zoom size. See [Zoom Outline Editor](#) for more information.

[Show / Hide Navigator](#)

- [Scenes](#)
- [ScriptNotes](#)
- [Characters](#)
- [Tags](#)

1.5.8. Split

- Unsplit
- Vertically
- Horizontally
- Swap

1.6. File Ribbon

The File ribbon contains commands for opening, saving and printing scripts and file management.

- [File](#)
- [Saving](#)
- [Printing](#)
- [WGA](#)

1.6.1. File

- [New](#)
- [New from Template](#)
- [Text Documents](#)
- [Open](#)
- [Close](#)

1.6.1.1. New


Creates a new document using the last template chosen. The default template is Screenplay. This command can also be issued by pressing Control + N on the keyboard.

1.6.1.2. New from Template

Creates a new document from a template.

To create a new document from a template:

1. Choose File > New from Template and the New Document dialogue appears:



Select the desired document type from the list of template categories.

- **My Templates** are templates customized and saved by the user under File Save As Template > My Templates;

- **Structure** presents templates that demonstrate writing methods and story structures taught by important screenwriters and screenwriting teachers;
- **Scripts** are formatted for screenplays, television dramas, sitcoms and stageplays;
- **TV** templates are formatted for one-hour and half-hour scripted television shows;
- **Graphic Novels** are documents that describe the complete characteristics of each panel in a graphic novel or comic book;
- **Text** documents are generic text documents such as treatments, letters or resumes. See [Text Documents](#) for more information.

2. Select the template from the list of templates in the selected category;

3. Click New.

A new window named “Untitled [name of template]” appears.

Example: If the Broadway Musical template was chosen, the window will be named “Untitled Broadway Musical.”



IMPORTANT *When you go to File > New from Template, Final Draft will use this template as the new default document when the program is opened next time. To change this, go to File > New from Template, choose the new default template and exit Final Draft. The next time Final Draft is opened, a new copy of the template you chose will be displayed.*

1.6.1.3. Text Documents

Though primarily designed for writing screenplays, Final Draft can be also used for writing regular word-processed documents — treatments, letters, resumés, etc.

To create a text document

1. Choose File > New from Template and the New Document dialogue appears;
2. Click the Text Documents icon to display the list of available text documents;
3. They are:
 - a. Manuscript
 - b. Novel
 - c. Query Letter
 - d. Text Document — blank
 - e. Text Outline
 - f. Treatment
4. Select a text document to use as a template;
5. Click OK.

The **Manuscript**, **Novel** and **Treatment** templates have sample content and are actually script documents that use screenplay macros and commands. The Toolbar is the same as for when a script is open and the Tab and Enter keys operate as they do when a script is being written. It is safe to delete the sample content before writing begins.

The **Query Letter** and **Text Outline** templates have sample content and are text documents. The Tab and Enter keys operate as they do in a regular word processor,

and most scriptwriting-specific functions are disabled. It is safe to delete the sample content before writing begins.

The Text Document does not have sample content; it opens blank. The Tab and Enter keys operate as they do in a regular word processor, and most scriptwriting-specific functions are disabled.

When a text document is the active document, many commands in the menus are disabled. These functions are screenwriting-specific and are not needed for general word processing.

Any text document may also be saved as a Template (see File > [Save as Template](#)).

All [Reports](#) are text documents, which can be edited and saved as stand-alone documents.

1.6.1.4. Open

Opens an existing Final Draft file or other types of files. This command can also be issued by pressing Control + O (as in Oscar, not zero) on the keyboard.

To open an existing file

1. Choose File > Open and the Open dialogue appears;
2. Navigate to the location of the file to be opened;
3. Click the file to be opened;
4. Click Open.

If a Final Draft file is selected, a window containing the document opens, ready for editing or printing.

Final Draft can open the following file types:

Final Draft Documents include scripts and text documents (.fdx extension), as well as templates (.fdxt extension). Although a Final Draft template can be opened using the File > Open command, a new document will be created as though a template has been selected using the File > New from Template command. If a template has been edited, choose File > Export > Document and save it as the same name as the original template.

Final Draft 5-7 Documents are documents created in earlier versions of Final Draft (.fdr and .fdt extensions).

Plain Text Documents are standard text files (.txt) with no formatting.

Rich Text Documents are rich text files (.rtf) created by other word-processing programs with formatting retained.

File Converter Files are in an intermediate format (.fcf) used to pass files between very old versions of Final Draft (FD4 and older) or Final Draft AV and more recent versions of Final Draft.

PDF Documents are Portable Document Format files, a widely-used file type. The PDF must be text-based, not image-based.

If the selected file is a plain text, rich text or .fcf file, a dialogue appears asking whether the file is to be converted to a script or text document. If the selected file is to be imported as a script, choose Script and the text will be brought in and formatted in the default screenplay template.

The document appears in a new window.



NOTE

Even with Final Draft's built-in formatting intelligence, some files may require additional reformatting after conversion. See [Reformatting](#) for more information.



NOTE

Network Note: *When a file is opened over a network, the first user who opens a file will be the only user who will be able to edit and save changes to the original. Other users will be able to open the file at the same time but will have to save changes using a different name using File > Save As.*

1.6.1.5. Close

Closes the front-most window.

To close the file currently being worked on:

1. Choose File > Close. If the file has been changed since it was opened, the Save Changes dialogue appears;
2. Click Save to save all changes before closing the script;

- or -

2. Click Don't Save to close the script without saving it.

- or -

2. Click Cancel to return to the script.

1.6.2. Saving

- [Save](#)
- [Save As](#)
- [Save as PDF](#)
- [Save as Template](#)
- [Export](#)
- [Revert](#)
- [Backup](#)

1.6.2.1. Save

Saves changes made to the document since the last time it was saved. This command is available only after a change has been made to the script or if the script is an unmodified template.

When saving a script for the first time:

1. Choose File > Save and the standard Save As dialogue appears;
2. Navigate to the location where the file is to be saved;
3. Type in the name of the script in the File Name field;
4. Click Save.

To save changes while working in a script, choose File > Save (or Control + S on the keyboard), and Final Draft saves the file.



TIP

Although Final Draft has an auto-save function that is on by default, it is still good practice to save your work manually before you take any kind of break from your writing or at some regular interval, such as when you start a new page. Control + S is a quick and easy way to save your file and prevent data loss.



IMPORTANT

Make sure to back up your work to a storage resource outside of your computer — cloud storage, external drive, USB stick, even email. If your computer becomes inoperable or is lost or stolen, you will need the ability to recover your data.

1.6.2.2. Save As

Allows a copy of the current script to be saved under a different name or to a different location.

This command is also used to assign a name to a new script that was created with File > New, or when a non-Final Draft file is imported (which creates an unnamed script).

1. Choose File > Save As and the standard Save dialogue appears;
2. Navigate to the folder where the file is to be saved;
3. Type in the name of the script in the File name field;
4. Click Save.



NOTE


Do not use the Save As command repeatedly when you intend to merely save recent changes to a script. Use the Save command instead. Overuse of the Save As command may lead to the operating system changing the file to Read-Only.

1.6.2.3. Save as PDF

PDF (Portable Document Format) is a widely used format recognized by Adobe Reader and PDF viewing programs. Saving a script or document in this format makes it available to anyone who does not have a copy of Final Draft or the Final Draft Trial.

To save a document as a PDF file:

1. Choose File > Save as PDF or press Control + Shift + P on the keyboard;
2. The Save As dialogue opens:




3. Navigate to the location where the PDF document is to be saved and enter a file name;
4. Check or uncheck the box to include or exclude the title page;
5. Click OK.

A PDF file of the document is created. The PDF export may take a minute or two. Do not try to edit the document, close the program or open the PDF until you once again see the blinking cursor on a script page.

1.6.2.4. Save as Template


Saves the active document as a reusable template. Choose Add to My Templates to save to the My Templates folder, where the file will be available under File > New from Template > My Templates, or choose Save... to choose a location on the computer or other storage device.



Click Cancel to return to the script.

To remove a template from the My Templates list

1. Go to File > New from Template;
2. From the template categories, choose My Templates;
3. Your customized template(s) will be listed; click the X on the right side of the row;



4. Confirm that you want to delete this template.

1.6.2.5. Export

Export > Document

Saves a script in formats usable by Final Draft and other programs.

1. **Final Draft Template (.fdxt)** saves the document as a Final Draft 12 template (.fdxt extension). A template is a document that can be reused and saved under another name without overwriting the original. If a script has been customized to certain specifications and the intention is to format other scripts in this way, save it as a template.
2. **Rich Text Format (.rtf)** saves the document as a formatted text file, including all paragraph indents and element styles. A script exported from Final Draft as RTF and opened in most word processors will retain many element styles (such as scene headings in all uppercase and character names uppercase and indented toward the middle of the line).
3. **Plain Text (.txt)** saves the document to a standard text file with no formatting. A script exported from Final Draft as TXT and opened in most word processors will not retain any element styles.
4. **Text with Layout (.txt)** saves the document as a plain text file that uses white space to simulate formatting for indents and line spacing.
5. **HTML Document (.html)** saves the document as a web document readable by web browsers. (NOTE that saving in this format does not publish the file to the internet.)
6. **Scheduling Export (.sex)** saves the document in a format that is importable by EP Scheduling.
7. **File Converter Format (.fcf)** saves the document in the File Converter format, readable by Final Draft 7 and earlier.

8. **Avid Script-Based Editing** exports a script to a format readable by Avid's professional editing systems (.txt extension).
9. **PDF (.pdf)** creates a PDF copy of the script, readable by any PDF viewer.
10. **Tab-Delimited Dialogue (.txt)** exports all dialogue in the script along with filename, date, character name, dialogue number and scene numbers in a tab-delimited text file for spreadsheet or database import.



NOTE

Movie Magic Scheduling 5 and later are able to import Final Draft files directly; there is no need to export Final Draft scripts out of the .FDX format to get them into this scheduling program.

Export > Beat Board

Saves the [Beat Board](#) as a PDF file, readable by any PDF viewer. If you are printing a large Beat Board PDF to paper, you may want to set the print job to print on multiple (tiled) pages. Check your PDF application's documentation for instructions.

1.6.2.6. Revert

Rolls a script back to its last saved state.

1. Choose File > Revert;
2. A confirmation dialogue appears;
3. Click Revert to undo all changes made since the last save or click Cancel to return to the script.



IMPORTANT The *Undo* command will not undo the Revert command.

1.6.2.7. Backup

Creates a backup copy of a document.

To back up a document

1. Choose File > Backup. The standard Save dialogue appears with the file's name and today's date added;
2. Navigate to the folder where the backup will be kept;
3. Click Save.

The script will be saved and the month, day and year will be appended to the end of the file name.



TIP

If possible, back up your scripts to an external storage device.

1.6.3. Printing


- [Print Preview](#)
- [Print](#)

1.6.3.1. Print Preview

Displays a document exactly as it will appear in print.

To preview the script, choose File > Print Preview.


The currently displayed page will be in the Preview window:



To print the script, click Print.

To move from page to page, click Next Page or Previous Page. The vertical scroll bar on the right side of the Preview window may also be used.

To display two pages side by side, click the Two Pages button:



When Print Preview is set to display two pages, this button changes to One Page. Click it to return to the single-page view.

To enlarge the page, click Zoom in; to reduce the page, click Zoom Out.

To return to the script editing window, click Close.




NOTE

You cannot edit or change the script while in File > Print Preview.

1.6.3.2. Print

Prints part, or all, of a document, according to the current Page Setup. Many Final Draft-specific options are offered. The Print menu can also be opened by pressing Control + P on the keyboard:



The **Print Script** dialog box is used to configure printing options. It includes sections for selecting a printer, defining the print range, setting the number of copies, and choosing script options like revision sets and format errors. At the bottom, there are checkboxes for additional options like 'Scan for format errors' and 'Include title page', along with a 'Character Sides' section for printing character names.

Print Script [X]

Printer

Name:

Status: Ready

Type: Brother MFC-J690D/W Printer

Where: http://[fe80::dea2:66ff:fe49:ecba%11]:80/WebServices/Device

Comment:

Print range

☒ All

☐ Page:

☐ Scene:

Print:

Copies

Number of copies:

Script options

☒ Entire range ☐ Revision set

☐ Revised pages only ☐ Unrevised pages only

☒ Scan for format errors ☐ Include title page ☐ Text in color

☐ Revisions in color ☐ Back to front

Character Sides

Character Name:

☐ Print character name on page

Printer

Final Draft will print to the computer's default printer. A different printer may be chosen from the dropdown menu. If necessary, click Properties to adjust the printer's settings.

Print Range

1. Enter the number of copies to be printed. Type in the desired number or click the up-pointing arrow to set the number of copies to be printed. Default is one copy;
2. Enter a page range or a scene range in the appropriate fields;
 - To print a range of pages or scenes, click the Page or Scene radio button and enter the first page or scene number followed by a dash followed by the last page or scene number (e.g. 1-6);
 - To print individual pages or scenes, enter the numbers separated by commas (e.g. 2,7,9);
 - To print a range and individual pages or scenes in the same print job, combine the entries (e.g. 1-6, 8,11,12);
3. To print both odd and even pages, leave the default setting (All Pages in Range) as the selection in the Print dropdown menu;
4. To print only odd pages (1,3,5, etc.) choose this from the Print dropdown menu;
5. To print only even pages (2,4,6, etc.) choose this from the Print dropdown menu;
6. To print in reverse order, check the Print Backwards box.



IMPORTANT *If your printer is already set to print in reverse order, setting Final Draft to print backwards as well will likely result in your printed script starting with the last page first.*

Before you check the Print Backwards box here, ascertain how your printer is set up. The command to print backwards should be given to either Final Draft OR the printer, not both.

Character Sides

If a character is chosen from the Name dropdown menu, only pages that contain that character's dialogue will be printed.

Click the Print Character Name on Page box to have that name printed at the top of each page.

Script Options

Entire Script

Click this radio button to print all pages (default).

All Revised Pages

Click this radio button to print only pages with revised text.

Revision

Click this radio button and choose a revision set from the dropdown menu to print only pages that are part of the chosen revision set.

Unrevised Pages

Click this radio button to print only pages that do not have revised text.

Print Revisions in Color

Check this box to print revised text in its assigned color (requires a color printer).

Print Text in Color

Check this box to print text that has been assigned a different color or any highlighting that has been applied to any text (requires a color printer).

Scan for Script Formatting Errors

Check this box to bring up the Format Assistant before pages are printed. The Format Assistant will ask if the script is to be examined for common formatting errors and fix them if desired, or bypass the error(s) and print the script as is. If any errors are found, they may be corrected before printing or the script can be printed without the errors corrected. See [Format Assistant](#) for more information.

Include Title Page

Check this box to print the title page along with the print job.

Print to PDF

"Prints" the full script to an electronic PDF file. This process does not involve a physical printer. The Print to PDF section in the Print dialogue is used to create a PDF of either the full script or only certain pages, scenes, character sides, revised pages or revision sets.

1.6.4. WGA

Opens the computer's default web browser on a page on the Final Draft website. This page contains information on registering scripts via email with the Writers Guild of America's registry service.



NOTE

*You **do not** need to be a member of the WGA to use this service.*



IMPORTANT

*Using the File > WGA command does **not** register a script.*

No script registry information is retained by Final Draft, A Cast & Crew Company.

1.7. Edit Ribbon

The Edit ribbon contains commands for using the computer's clipboard, finding and replacing text, and tracking different authors' changes.

- [Editing](#)
- [Clipboard](#)
- [Undo / Redo](#)
- [Find](#)
- [Tracking](#)
- [Using Smart Drag-and-Drop](#)

1.7.1. Editing

- [Delete](#)
- [Select All](#)
- [Select Scene](#)

1.7.1.1. Delete

Removes the currently selected text. The Delete command is only active when text, an index card, a scene in Scene View or a Beat on the Beat Board is selected. It performs the same operation as pressing the Delete key when something is selected.

1.7.1.2. Select All

Highlights all text, index cards, scenes in Scene View or Beats on the Beat Board. It performs the same function as Control + A on the keyboard.

Use this command to take some action on the entire script, such as copying the entire script into the Clipboard or modifying text attributes.




TIP

If you need to strike a new copy of the file, do not select all text in a script, copy it and paste it into a new blank document. If a file is duplicated this way, [SmartType](#) lists will not be populated with the script's content. Instead, go to File > [Save As](#) and rename the file. This will give you a complete copy of the script with all of its metadata intact.

1.7.1.3. Select Scene

Selects the entire scene in which the cursor is located.

A scene in Final Draft is defined as a Scene Heading followed by other elements such as Action, Character, or Dialogue paragraphs until the next Scene Heading begins. That is, Scene Headings delineate the boundaries between scenes.



Use Edit > Select Scene to take some action on an entire scene, such as changing the font or moving it to another location.

1.7.2. Clipboard

- Paste
- Copy
- Cut

1.7.2.1. Paste

Copies text from the Clipboard into the script. It performs the same function as Control + V on the keyboard.

The text is placed wherever the cursor is located. If a range of text is selected, the pasted text replaces the selection. Pasted text will assume formatting according to the following rules:

- If the text was copied or cut from a Final Draft document, it will retain its formatting characteristics of element type, margins, font styles, etc.;
- Text that is copied or cut from another program will assume the formatting characteristics of the document into which it is being pasted.;
- If one paragraph or less is pasted, the text will take on the formatting characteristics of the paragraph into which it is pasted. Once the text has been pasted, it may then be [reformatted](#);
- If the paragraph from which the text was copied is an action or dialogue and an entire sentence or more is copied, it will retain its formatting when pasted into an element of a different type;
- If more than one paragraph is pasted, the Paste command attempts to format the text according to its position. Once the text has been pasted, it may be necessary to reformat it using the Reformat command.



TIP

The best way to bring content in from other programs or web pages is to save the file as a plain-text TXT file or RTF (rich text format) file. See [Importing Content from Other Sources](#) for more information.

*To apply a different format to this script, see [Applying a Template](#). If the script needs reformatting, see [Reformat](#).

The Paste command places an index card (or cards) or a scene (or scenes) in [Scene View](#) at the insertion point.

When a Beat (or Beats) on the [Beat Board](#) are cut or copied and then pasted onto the Beat Board, the paste will be in the center of the Beat Board.

When a Beat (or Beats) on the Beat Board are cut or copied and then pasted onto a script page, the title of the Beat will be pasted in at the insertion point as a scene heading and the body of the Beat will be pasted in as action. If multiple Beats are copied or cut and pasted onto a script page, the paste order on the page will correspond to the order in which they were selected on the Beat Board.

1.7.2.2. Copy

Copies selected text, index card(s), scene(s) or Beat(s) or Structure Points(s) to the Clipboard. Unlike the Cut command, The Copy command does not delete text from the current location. It performs the same function as Control + C on the keyboard.

Copy can be [undone](#). It is active when a range of text is selected. If nothing is selected, the Copy command is disabled.

1.7.2.3. Cut

Deletes selected text, index card(s), scene(s) or Beat(s) from the script and moves it / them to the Clipboard. It performs the same function as Control + X on the keyboard.

Cut can be undone. It is active when a range of text is selected. If no text is selected, the Cut command is disabled.

1.7.3. Undo / Redo

Undo

Reverses the last editing action made to a script. It performs the same function as Control+ Z on the keyboard.

Most editing actions can be undone. Depending on the last action, the text of the Undo command contains the type of action to be undone, such as "Undo Typing" or "Undo Cut." If there is no reversible action, the label will say "Can't Undo" and the command is disabled.

Redo

Reverses the previous Undo command. It performs the same function as Control + Shift + Z on the keyboard.

If Undo was used to reverse an action, Redo will re-perform the action that was undone. Depending on the last action, the text of the Redo menu command contains the type of action to be undone, such as "Redo Typing" or "Redo Cut."

Redo is useful for correcting an unintentional Undo. For example, if a format change is made, such as changing the font or the style of an element, and the Undo command is used, the script will revert to its previous state by selecting Edit > Redo. If there are no commands that can be re-performed, the label will read "Can't Redo" and the command will be disabled.

1.7.4. Find

- [Find / Go To](#)
- [Go To](#)
- [Find Selection](#)
- [Replace Character](#)

1.7.4.1. Find / Go To

Searches for text in a document.



NOTE

Find begins its search from the cursor position in the document, not the top of the script.


To search from the top of the script, first:

Scroll to the top of the script and click the mouse at the beginning of the text

- or -

press Control + Home.

Choose Edit > Find (or Control + F), and the Find/Go to dialogue appears, open to the Find / Replace tab:



To find text in the script

1. Enter the text to search for in the Find What text field;
2. Click Find Next;

3. If the searched text is found, searching stops and the found text is selected;
4. If the text is not found, a message appears to indicate that;
5. If Final Draft reaches the end of the script without finding the text, it asks if the search should continue from the beginning;
6. To find the next occurrence of the same text, click Find Next again.

Click the down arrow next to the Find box to view a list of the last 10 words or phrases that were searched for since the current session of Final Draft was initiated. Select a word in the list to search for it again.

Choose the direction to scan by clicking the Up or Down radio button. Up will search from the cursor to the beginning of the document; Down will search from the cursor to the end of the document.



To replace found text

1. In the Replace field, enter the text to be used as a replacement for found text;
2. Click Replace to replace a single instance of found text, or Replace All to replace all instances of found text.



IMPORTANT *Be careful when using Replace All — you cannot use the [Undo](#) command to reverse it.*

To choose the elements to be included in the search, click More; to hide this list, click Less:



Match whole word only

The search will check for complete matches only.

Match Case

The search will match upper- and lower-case type exactly.

Search in

To search through all paragraph types, click Include All; to conduct a limited search through selected paragraph types, click Exclude All. This will deselect all paragraph types. Once these check boxes are cleared, check the desired paragraph types and click Find Next, Replace or Replace All.

To hide the additional options, click Less. The Find / Go To window returns to its original smaller size.

To dismiss the Find window, press Escape on the keyboard or click the X in the upper right corner.



TIP


To replace a character name throughout a script, use Edit > [Replace Character](#).

1.7.4.2. Go To

Scrolls the script to another location, per the user's instruction.

To access the Go To options

1. Choose Edit > Go To (or press Control + G):



2. Choose which item to go to from the Go To What list;
3. From the dropdown menu in the middle of this window, search for various items in the script. More specific options are displayed when certain items are chosen;
4. Click the direction to move in (Next/Previous).

If you know the number of the element, such as a page number:

1. Type the number in the text field. The Go button becomes enabled;
2. Click Go.

If the location or element is found, the cursor jumps to it and text at that location is highlighted.

To dismiss the Go To window, press Escape on the keyboard, click the X in the upper right corner or click Close.


1.7.4.3. Find Selection

Searches for the next instance of highlighted text without having to use the Find/Replace dialogue.


To use this command, highlight a word or phrase on a script page and click Find Selection. The script will scroll to the next occurrence of the word or phrase. Click Find Selection again to scroll to the next occurrence.

1.7.4.4. Replace Character

To change a character's name throughout the script, choose it from the Character to Replace dropdown menu...



...and type the new name into the Replace With field:



Click OK.

The program will scan the entire document and change every instance of that name. Note that the character name will be replaced in all elements (i.e. Action, Parentheticals, Alt Dialogues, etc.). The name will also be changed in all tools (i.e. [SmartType](#), the [Characters](#) section of the Navigator, [Reports](#), etc.).



IMPORTANT *This action cannot be [undone](#). If you need to revert to the previous character name, choose the unwanted new name from the dropdown menu, type in the original name and press OK.*


1.7.5. Tracking

Similar to other word processors' Track Changes feature, this function displays changes (edits) made by various writers in their unique color. The writer's name and color are set under Tools > Options > General.

New text added by a writer will be in that writer's color and text deleted by a writer will be in his or her color and struck through.

Changes made by other writers may be accepted or rejected. Accepting a change will remove the writer's color from the text and turn it black; rejecting a change will return the paragraph to its prior state.

When the mouse is hovered over an edit, this popup appears:



It displays the writer's name, when the edit was made, and what text was added to or removed from the page. The option to accept or reject the change is presented.

Clicking on the left-pointing arrow will move to the previous change; clicking on the right-pointing arrow will move to the next change.

The popup can be dismissed by moving the cursor away from it or pressing the Escape key on the keyboard.

Tracking Menu

Turn on Tracking -- puts Final Draft into Track Changes mode. When Track Changes is enabled, this menu item reads Turn Off Tracking.

Accept Change -- removes color from added text or removes deleted (struck-through) text; applies only to the edited text in which the cursor is currently located (keyboard shortcut is Control + Alt + A).

Reject Change -- removes added text or the strike-through from text that a writer meant to delete; applies only to the edited text in which the cursor is currently located (keyboard shortcut is Control + Alt + R).

Accept All Changes -- accepts every edit in the script.

Reject All Changes -- rejects every edit in the script.

Accept / Reject Change / All Changes can be undone with Control + Z or redone with Shift + Control + Z.

Previous Change -- scrolls the script up to the previous edit (keyboard shortcut is Control + Shift + Alt + K).

Next Change -- scrolls the script down to the next edit (keyboard shortcut is Control + Alt + K).

1.7.6. Using Smart Drag-and-Drop

When a block of dialogue is dragged from one place to another, the correct character element is created automatically when the dialogue is dropped. Smart Drag-and-Drop also recognizes other script elements and behaves correctly and predictably when text is dragged-and-dropped anywhere in a script. The same also holds true for Edit > Cut / Copy and Paste.

The drag-and-drop feature simplifies the relocation of text without having to use the Cut and Paste commands. Text may be selected, dragged with the mouse, and dropped or placed:

- within a Final Draft script
- between Final Draft scripts

To move text without drag-and-drop

1. Select the text to be moved;
2. Choose Edit > Cut (Control + X) or Edit > Copy (Control + C);

The text is placed in the Clipboard (a temporary holding area).


3. Click or highlight a range of text where the text is to be placed;
4. Choose Edit > Paste (Control + V).

The copied text is inserted where the mouse was clicked or will overwrite the selected text.

Drag-and-drop simplifies this task.

To move text using drag-and-drop

1. Select the text to be moved;
2. Click and hold the left mouse button and drag the text to the new location;
1. A cursor appears to indicate where the text will go. As long as the mouse button is held down, the cursor will move to follow the mouse, similar to:

She meets eyes with a DOUGHBOY in a PASSING BATTALION.
He's not much older than her.
Both look scared.
But he smiles. So she smiles.
So she smiles. 
And the soldiers march on -- the doughboy going with one last
glance back to her window.

2. Release the mouse button when the cursor is where the block of text is to be moved. The text is moved to the new location.



NOTE

Edit > Undo is available to reverse undesired drag-and-drop actions. You may also use Control + Z.

1.8. View Ribbon

The View ribbon contains commands for changing how a document is displayed.


- [Views](#)
- [Split](#)
- [Show / Hide](#)
- [Zoom Outline Editor](#)
- [Arrange Open Documents](#)
- [Classic View](#)
- [Night Mode](#)

1.8.1. Views

- [Normal](#)
- [Page](#)
- [Speed](#)
- [Beat Board](#)
- [Index Cards](#)
- [Scene View](#)


1.8.1.1. Normal

Displays the text of the script with all active components: page breaks (as a line), page numbers, dialogue breaks, mores, continueds, headers and footers.




1.8.1.2. Page

Displays the script on more realistic-looking "pages" as it will look when printed, with all active components: page numbers, dialogue breaks, mores, continueds, headers and footers. Page breaks are displayed in the dark areas between pages. Script - Page View is the default view for new scripts and text documents.



1.8.1.3. Speed

Displays only the text of the script, as if it were a single, continuous page. With Speed View enabled, more of the text appears onscreen. It resembles Normal View but without any of the active components, such as page numbers and mores and continuations that occur for page breaks.



NOTE

Whichever Script View (Normal, Page or Speed) is active when a script is saved will be the view in which it appears when it is reopened.

1.8.1.4. Beat Board

Displays the [Beat Board](#).

1.8.1.5. Index Cards

- [Script](#)
- [Summary](#)
- [Cards Across](#)

More information about Index Cards is [HERE](#).

1.8.1.5.1. Index Cards -- Script

Switches the current panel to Index Cards with some of the script text of its particular scene. The amount of text displayed is determined by the number of cards across. The more cards across, the smaller the cards and the less scene text they hold.

INT. HOME - DAY

p.1

Meet TANGLE, 12, precocious eyes, unruly hair. She gazes out a window of a house on a hill surrounded by evergreens.

Her merchant UNCLE, 40s, curved mustache perfectly groomed, looks over various maps spread across a large table.


UNCLE

Only the Blacksmith who forged the gold key knows what door it opens, and he's long since passed. But they say, on the other side of the door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

UNCLE

How does your hair get so tangled? Every time I return to port, I find you in some grand state of disrepair. Should I ask the maids to better help




The text in these cards cannot be edited here; it must be edited in one of the [Script views](#). However, the Scene Heading may be edited by clicking once in that field and adding and deleting text as necessary.

1.8.1.5.2. Index Cards -- Summary


Switches the current panel to Index Cards with the scene summary field displayed. The cards are initially blank so that text can be entered on them for development ideas, notes, sequence or act markers, comments, locations, blocking, or anything else that might be applicable.

Text entered into the Scene Heading field will automatically be copied to the script page at the location of the scene when the mouse is clicked away from that field.



INT. HOME - DAY p.1

Set up Gold Key. Tangle's desire to find the key, door, and treasure.




To add summary text to a scene, click once in the box containing the greyed-out *Add Scene Summary*.

To edit existing summary text, click once in the box containing that text and add and delete text as necessary.

See [Send to Script](#) for more information on moving Summary content to the script page.

1.8.1.5.3. Cards Across

The Cards Across command is only enabled when either of the Index Cards views is chosen. It determines the number of columns of cards to be displayed. The maximum is nine cards.



NOTE

The more cards that are displayed, the smaller the cards become. The smaller the card, the less text is shown.


1.8.1.6. Scene View

Switches the current panel to Scene View, which displays each scene in its own row.

Because the rows of Scene View are shorter than [Index Cards](#), more scenes are visible.

When View > Scene View is chosen for the first time, Scene View displays the scene heading, the scene title, the first line of scene summary and the first line of the scene's action.

A scene row may be dragged and dropped to another location within Scene View and the scene will be relocated in the script as well.




See [Show / Hide Action/Summary/Scene Title \(Scene View\)](#) for information on determining what is displayed in each scene row.


1.8.1.6.1. Show / Hide Action/Summary/Scene Title (Scene View)

These commands are available when a script is in [Scene View](#).

Right-click into a Scene View row to display this context menu:



A Scene View scene with all components visible:



Show / Hide Action

Hides or shows the first line of action in Scene View.

Show / Hide Scene Title

Hides or shows the scene title in Scene View, if scene titles have been written.

Show / Hide Summary

Hides or shows the first line of the summary in Scene View, if scene summaries have been written.

The Scene Heading cannot be hidden.

1.8.2. Split

- [Unsplit](#)
- [Vertically](#)
- [Horizontally](#)
- [Swap Panels](#)

1.8.2.1. Unsplit

The Unsplit Panels command hides one of the panels. This command is disabled if only one panel is displayed.

To hide a panel

1. Select the panel that will remain displayed;
2. Choose View > Unsplit Panels

- or -

2. Click the Split icon in the Toolbar and choose Unsplit Panels.

The panel that is not selected is hidden and the remaining panel expands to fill the document window.

1.8.2.2. Vertically

Divides the script into two side-by-side, upright panels.

1.8.2.3. Horizontally

Divides the script into two panels, one on top of the other.

1.8.2.4. Swap Panels

Replaces the view of one panel with the other. For example, if a script is split vertically into two panels with the panel on the left set to Script View and the panel on the right set to Scene View, the Swap Panels command will place the left-hand panel into Scene View and the right-hand panel into Script View.

1.8.3. Show / Hide

- [Show / Hide Navigator](#)
- [Show / Hide Outline Editor](#)
- [Show / Hide Alts](#)
- [Show / Hide ScriptNotes](#)
- [Show / Hide Ruler](#)
- [Show / Hide Invisibles](#)

1.8.3.1. Show / Hide Navigator

Toggles the onscreen display of the most recently-used section of the Navigator (Scenes, ScriptNotes, Character or Tags).

1.8.3.2. Show / Hide Outline Editor


Toggles the onscreen display of the [Outline Editor](#).

1.8.3.3. Show / Hide Alts

Toggles the onscreen display of Alternate Dialogue commands and contents. Hiding Alts does not remove them from the script. See [Alternate Dialogue](#) for more information.

1.8.3.4. Show / Hide ScriptNotes

The ScriptNotes command hides or shows [ScriptNote](#) markers. Markers indicate the paragraph to which a ScriptNote is attached.



A check mark next to the ScriptNotes menu item indicates that ScriptNote markers are visible.



NOTE

If you print the script while the ScriptNote markers are visible, the markers will not be printed and so do not affect the script length or pagination.

More information on ScriptNotes is [HERE](#).


1.8.3.5. Show / Hide Ruler

Toggles the onscreen display of the Ruler.

The ruler shows the width of the page in inches.

Use the ruler to adjust indents (margins) for a particular paragraph. The indent markers represent the left and right indents of the paragraph containing the cursor or the first paragraph of a selection.


Click and drag the square indent marker on the left or the triangle indent marker on the right to a new position, which changes the margins for the current paragraph (the paragraph in which the blinking cursor resides) or all paragraphs in a selection.



Use the indent markers in the ruler to change the indents for a paragraph. This will override the element's defaults.


Indent Markers

There are three different indent markers available in the Ruler bar on the left:




Indent

The top line indent marker, when moved to the right, will force the top line of a paragraph to indent:




Outdent

The lower lines outdent marker will indent the second through the last line in a paragraph:



All

The paragraph indent marker will indent the entire a paragraph:



On the right there is only the lower lines indent marker and moving this will move the right indent for all lines in the paragraph.



IMPORTANT *It is not recommended to change the indents of an entire script using the indent markers in the Ruler. See [Modifying Elements](#) for information on adjusting element indents globally.*

1.8.3.6. Show / Hide Invisibles

Toggles the onscreen display of non-printing formatting codes such as carriage returns, spaces and tabs.

To show invisible characters

Choose View > Invisibles. A check mark on the menu indicates that invisible characters are shown.

Here is how text looks with invisible characters shown:

INT. HOME. -. DAY¶

Meet. TANGLE,. 12,. precocious. eyes,. unruly. hair.. She. gazes. out.
a. window. of. a. house. on. a. hill. surrounded. by. evergreens.¶

The small dots indicate hard spaces between words (inserted by the user) and the

paragraph marks ¶ indicate hard carriage returns (inserted by the user).



NOTE

If you print your document while the invisible characters are visible, they are not printed and do not affect the script length.

To hide the invisible characters

Choose View > Invisibles again.



TIP


Show invisibles when there appears to be erroneous white space on a page (extra blank lines or extra blank spaces). The invisibles will indicate where carriage returns, spaces

or tabs have been manually inserted; once they have been revealed by the invisibles, they can be deleted if necessary.


1.8.4. Zoom Outline Editor

The Zoom Outline Editor menu enlarges or reduces the size of the [Outline Editor](#). Each tick between the numbers represents an eighth of a page.

 The Outline Editor may also be scaled with the zoom slider on the left:



The Outline Editor may be resized vertically by dragging its border up or down:



1.8.5. Arrange Open Documents

Contains commands to resize and arrange documents, if more than one is open.

Tile

The Tile command displays all the currently open documents overlapping one another. Similar to Cascade, it makes it easy to cut and paste text between different documents.

Cascade

The Cascade command displays all the currently open documents stacked upon one another. This makes it easy to cut and paste text between different documents.

To maximize one of the documents while it's tiled or cascaded, double-click the document's title bar or click the maximize icon at the upper right.

1.8.6. Classic View

Switches the program to [Classic View](#).


This command hides the default Ribbon view and displays the Toolbar view. Some tool icons available in Classic view are not available in the Ribbon.

Switch to Ribbon View (Classic View only)


This command hides the Classic toolbar view and returns to the default Ribbon view. Some tool icons available in Classic view are not available in the Ribbon.

1.8.7. Night Mode

Select normal mode for black text and markings on a white background:




Select Night Mode for white text and markings on a dark grey background:



Night Mode is available for all script page views, the [SmartType](#) window, the Navigator, the ruler, the Beat Board and the Story Map.

Normal Mode / Night Mode may also be selected with the icon in the [View mini-bar](#) at the bottom of the application window:



1.9. Format Ribbon

The Format ribbon contains commands for how text is configured.


- [Elements](#)
- [Text](#)
- [Paragraph](#)
- [Beat Board](#)

1.9.1. Elements

- [Elements Dropdown Menu](#)
- [Dual Dialogue](#)
- [Elements Settings](#)
- [Cast List Element Options](#)


1.9.1.1. Elements Dropdown Menu

The Element dropdown menu serves two functions. The first indicates the element type of the paragraph in which the cursor is currently positioned. In this example, the cursor is in the paragraph that starts with "CLOSE ON:". This paragraph is listed as a Shot paragraph.




The second function is to change the element type of the paragraph in which the cursor is currently positioned, if necessary. In this example, "CLOSE ON: A GOLD KEY" is rendered as a Shot. The person breaking down this script for production may decide that it should be a Scene Heading, because as a Scene Heading it will be assigned a scene number when the script's scenes are [numbered](#).

With the cursor anywhere in this paragraph, click the down-pointing arrow next to the Element dropdown menu and choose Scene Heading:




This title is now listed as a Scene Heading and will get a scene number when the scenes are numbered.



1.9.1.2. Dual Dialogue


Positions two consecutive dialogue paragraphs side by side.

1. Type in both speeches (including the character names), one after the other. For example:



2. Place the cursor anywhere in the first character name;
3. Go to Format > Dual Dialogue or press Control + Alt + D on the keyboard.

The speeches are now next to each other:




To edit dual dialogue text

Click anywhere in the dual dialogue paragraph and the Character Name / Dialogue Character Name / Dialogue paragraph sets will shift from the side-by-side format to the single-column format; edit the desired text and click elsewhere on the page. The paragraphs will automatically return to the side-by-side format.

To revert dual dialogue to the normal single-column format

Click anywhere in the dual dialogue paragraph and click the un-dual icon on the left:




The speeches revert to the original stacked format.

1.9.1.3. Elements Settings

Shows the Elements dialogue, which contains controls and options for defining script elements.

Elements are what many word-processing programs call "styles." They specify the font, font size, style, indents and other formatting characteristics for the types of paragraphs specific to a screenplay template (i.e., scene headings, action, dialogue, etc.).

Choose Format > Elements and the Elements dialogue appears, open to the Basic tab:




When a new paragraph is added to the script, that paragraph will be formatted according to the specifications in the Elements dialogue. If changes are made to the characteristics of one or more elements, *all paragraphs of that type* will be updated to reflect the new settings.

See [Elements in a Script](#) for a description of the Elements dialogue and a complete explanation of how elements are used to make up a script.

1.9.1.4. Cast List Element Options

Final Draft automatically keeps track of the speaking characters in each scene. These characters are displayed in the [Characters](#) section of the Navigator. To change the order in which they are displayed in the Navigator, choose the appropriate radio button (Alphabetical or Order of Appearance in Each Scene):



If Custom Order is selected, a character name may be dragged to the desired position on the list.

The dialogue balloon icon on the right of this list indicates that the character speaks in this scene. If a non-speaking character has been inserted into this scene (see [Insert > Non-Speaking Character](#)), that character's dialogue balloon icon has a red X to indicate that this character.

If the Cast List element is used in the script, changing the order in the Cast List Element Option window will also change the order of the characters in this element.

1.9.2. Text

- [Highlight Characters](#)
- [Font](#)
- [Text Color](#)
- [Toggle Case](#)
- [Highlighter](#)

1.9.2.1. Highlight Characters


Highlight characters to place emphasis on individual characters and his / her dialogue.

Highlight individual characters to easily find where that character appears in the script.

Highlighting multiple characters can aid the planning and scheduling of a performance.

This feature may be used for table reads and distribute a copy of the script to each cast member with his / her own lines highlighted.

If a character or characters are highlighted, the colors will be displayed when a PDF of the script is created. If a color printer is being used and Print Text in Color is selected in the [Print](#) window, the character highlighting will be printed exactly as it is onscreen.



1. Choose a character to highlight;

2. Choose Format > Highlight Characters and the Highlight Characters dialogue appears;
3. Click the down-pointing arrow to select a color from the list (in this example, TANGLE will be highlighted in purple);
4. Click OK to apply the highlighting and return to the script.

If a color not on the list is needed, choose Custom to display a standard Windows color picker.

Click the check box next to a character's color picker to highlight that character in the script. Check the Display All check box to highlight all the characters. Uncheck the Display All check box to turn off character highlighting for all characters.

This is how a highlighted character appears in the script:

```

                TANGLE
I suppose, should I find the
treasure, I'd be rich.

                UNCLE
Then better not to find it.

He regards a large pulldown map covering an entire wall.


                UNCLE (CONT'D)
Any journey taken solely to reach a
destination misses its point.

                TANGLE
But if I found it, you wouldn't
need to go to sea for so long.
```

One, some or all characters may be highlighted at any time.

1.9.2.2. Font

Changes the appearance of the font. Go to Format > Font to change the font, style, point size, color, highlighting and effects of selected text.



Font

Choose a font by scrolling to it from the list and clicking it

- or -

type the first few letters of the desired font's name in the top section of the font box to move the list to it. Click the font and it will be selected.

Font Style

Choose a style by scrolling to it from the list and clicking it.

Font Size

Change the point size of selected text by scrolling to it from the list and clicking it.

Color dropdown menu

Change the color of selected text by clicking the down-pointing arrow to display the color picker. Click on the desired color

- or -

click Other to display the Windows color editor. Move the crosshairs to the desired color and move the slider on the right to darken or lighten that color. Click Add to Custom Colors, click that color swatch and click OK.

Effects

Check boxes as appropriate to strike through, underline and / or render all selected text in capital letters.

As the attributes of selected text are changed, these changes will be applied to the sample text in the Preview window at the bottom of this window. If the changes made to selected text are approved, click OK to return to the script.



NOTE

Not all fonts installed in the operating system are supported by Final Draft.

1.9.2.3. Text Color

Change the color of selected text by clicking the down-pointing arrow to display the color picker. Click on the desired color

- or -

click Custom to display a standard Windows color picker.

1.9.2.4. Toggle Case


Changes the casing of selected text from uppercase to lowercase and lowercase to uppercase.

Example: To change the word "enters" from lower case to uppercase, highlight it and go to Format > Toggle Case. The word is now "ENTERS."


1.9.2.5. Highlighter

To highlight a block of text with a color


Select the text and click the Highlighter down-pointing arrow.



Choose a color and the selected text will be highlighted with that color.



Once a color is chosen it will be displayed on the Ribbon button and selected text can be highlighted by clicking on this button:



To remove highlighting from selected text, click the Highlighter down-pointing arrow and choose None.

1.9.3. Paragraph

- [Alignment](#)
- [Spacing](#)
- [Space Before](#)
- [Leading](#)
- [Revert Paragraph](#)

1.9.3.1. Alignment

Determines how text is aligned: left, centered, right, or right- and left-justified.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the formatting change will affect all of them.

1.9.3.2. Spacing

Determines the spacing between lines in a paragraph to either 1, 1.5 or 2 lines.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the spacing change will affect all of them.

1.9.3.3. Space Before

Allows the user to change the number of blank lines preceding a paragraph to 0, 1, 2 or 3 lines. For more than 3 blank lines, click Other, enter the desired number of line spaces and click OK.

This command applies to the entire paragraph in which the cursor resides. If more than one paragraph is selected, the formatting change will affect all of them.



IMPORTANT *If possible, do not insert blank lines above paragraphs by using the Enter key. Use the Space Before command instead in order to avoid spacing or page-breaking errors if content is added or removed.*

1.9.3.4. Leading

Pronounced "ledging." Determines the vertical distance between the lines of a paragraph. A paragraph's leading style can be Loose, Normal, Tight or Very Tight. The tighter the leading, the less space a paragraph will take up on a page.

For example, Very Tight or Tight leading can be used if a paragraph is at the top of a page and there is a reason to move it to the top of the previous page. Select some quantity of text on the previous page and adjust its leading in order to reduce it enough to be moved to the previous page.

Select one or more paragraphs on the previous page and set its leading to Tight. It may take a few attempts to determine the amount of text that needs to be selected and tightened for the paragraph at the top of the next to move to the bottom of this one.

Loose Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Regular Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Tight Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

Very Tight Leading

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the Blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. He
tells me, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

The Leading command is meant to be used to adjust selected text. To change the spacing between line throughout a script, see [Line Spacing](#).

1.9.3.5. Revert Paragraph

Restores the default indents of a paragraph if they have been adjusted with the stops in the [Ruler](#).

1.9.4. Beat Board

These commands are available when the Beat Board is the current active panel.

- [Align Selected](#)
- [Connect](#)
- Grid Snapping
- Connection Color
- [Disconnect](#)


1.9.4.1. Align Selected

These commands are available when the Beat Board is the current active panel.

Align Selected > To Grid

If Grid Snapping is off and this command will snap selected Beats to the nearest grid line or grid half-line.

Align Selected > To Grid > Make Column



Align Selected > To Grid > Make Row



Align Selected > To Grid > Cascade



Note that after Beats are cascaded, they are not still selected. They must be selected again to perform some batch function on them (i.e. color, move, delete, etc.)

1.9.4.2. Connect

- Connect -- when two Beats are selected and this command is issued, a Flow Line will be drawn between the two Beats.
- Connect with Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the second Beat selected will be drawn;
- Connect with Reverse Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the first Beat selected will be drawn;
- Connect with Double Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards both Beats will be drawn.

A Flow Line type may also be changed at any time by right-clicking on it and choosing another type from the context menu.

Beats can be connected by dragging one on top of the other. The dragged Beat will return to its original location and there will a Flow Line (with no arrows) between the two. Beats can be disconnected the same way.

Flow Lines stay attached to Beats even when they are moved.

1.9.4.3. Grid Snapping

When Grid Snapping is enabled, Beats will, when created or moved on the Beat Board, automatically be positioned along the nearest horizontal or vertical grid line or along the midpoint between horizontal or vertical grid lines.

Enabling Grid Snapping will not snap existing Beats to the grid; Beats are only aligned along a grid line at the end of a move.

1.9.4.4. Connection Color

Displays a color picker to change the color of a Flow Line. Click on a Beat at either end of the Flow Line to select it.

A Flow Line color may also be changed at any time by right-clicking on it and choosing another color from the context menu.

1.9.4.5. Disconnect

When a Beat with one Flow Line is selected and this command is issued, the Flow Line between it and the other Beat to which it is connected will be removed.

When a Beat multiple Flow Lines selected and this command is issued, the Flow Line between it and the first Beat to which it was connected will be removed.

A Flow Line may also be removed at any time by right-clicking on it and choosing Disconnect from the context menu.

1.10. Insert Ribbon

The Insert ribbon contains commands for adding certain kinds of content to a document.

- [Insert](#)
- [Scenes](#)

1.10.1. Insert

- [ScriptNote](#)
- [Bookmark](#)
- [Label](#)
- [Image](#)
- [Page Break](#)
- [Non-Speaking Character](#)
- [Add / Remove Alt](#)
- [New Beat](#)

1.10.1.1. ScriptNote

Creates a ScriptNote. A ScriptNote is a field containing information entered by the user that pertains to a particular paragraph.



TIP


A web address entered into a ScriptNote will, when clicked, open the computer's default web browser to that web page.

To insert a new ScriptNote

1. Click the paragraph with which the ScriptNote is to be associated;
2. Choose Insert > ScriptNote or on the keyboard press Control + J;

A clickable ScriptNote marker will appear on the right side of the page adjacent to that paragraph, ready for text to be entered.

3. Enter text in the ScriptNote window -- Title and / or Body. If desired, choose a color and / or a ScriptNote category.



Showing / Hiding a ScriptNote


To display the contents of a ScriptNote, click on the marker on the right of the script page.

To dismiss a ScriptNote, press the Escape key on the keyboard or click onto the script page.

Previous / Next ScriptNote


Click the left- or right-pointing arrow to move to the previous or next ScriptNote. The previous or next ScriptNote may be attached to this paragraph or a different paragraph.

If multiple ScriptNotes are attached to a paragraph, their number will be indicated in the marker:



ScriptNote Range

A block of text may be associated with a ScriptNote by selecting that text and then inserting a ScriptNote. When the ScriptNote is opened, the text that was selected at the time the ScriptNote was created will again be highlighted. In this example, "CLOSE ON: A GOLD KEY" was selected when this ScriptNote was made and is now associated with this ScriptNote.



Deleting a ScriptNote

Click the trashcan icon at the upper right of the ScriptNote.

See [ScriptNotes Navigator](#) for more information.


1.10.1.2. Bookmark

Places a new bookmark at the location of the cursor.

To insert a bookmark

1. Click the paragraph (or select a word or a block of text) where the bookmark is to be placed;
2. Choose Insert > Bookmark or press Control + M and the Insert Bookmark dialogue appears. The first 32 characters of the paragraph or the selected text form the default name of the bookmark:
3. Click OK to create the bookmark.

Pre-populated text may be replaced with a manually-entered name for the Bookmark:



See [Bookmarks](#) for additional information on using and managing Bookmarks.



TIP

Bookmark all Act and Scene breaks for quick navigation around a television or play script.

1.10.1.3. Label

Inserts new header text onto a page. This label text will be displayed at the top of each subsequent page until a new label is inserted.

Many television scripts and stage plays require the act and/or scene number/letter appear in the header at the top of each page. If, for example, "Act 1 Scene A" needs to appear on Pages 1-8, Act I Scene B" needs to appear on Pages 9-16 and "Act 2 Scene A" on Pages 17-24, the Label system enables the user to apply these labels easily.



TIP Before inserting labels into a script, the Label placeholder field must be added to the Header. See the [Header and Footer](#) section for detailed information.

To insert a Label

1. Position the cursor at the top of the page on which the script label text should begin;
2. Choose Insert > Label;
3. The Insert Label dialogue appears:

4. Type the Label name;
5. Click OK.

The label text will appear in the header or footer.



NOTE

If the cursor is not at the top of the page, the label will be placed on the following page.

To stop a Label run

Insert a new Label and in the Label Name box, tap the space bar once. The new label will consist of a blank space and will therefore be invisible.

To navigate to a labeled page quickly

1. Choose Edit > [Go to](#);
2. Select Header Label from the Go to dropdown menu;
3. Click Go to;

The script scrolls to the Label's location;

4. Click Close.

To change the Label text

1. Use Edit > Go to to find the label text desired;

- or -

1. Position the cursor where the label text was placed;
4. Choose Insert > Label;
5. The Label dialogue appears.
6. Edit the text;
7. Click OK to apply the changes.

1.10.1.4. Image


Opens a standard Windows dialogue box that allows the user to navigate to and select a .GIF, .JPG, .JPEG or .PNG image file to place at the insertion point on a script or title page. The image, when inserted, will be resized to fit on the page.

An image's horizontal location on the page will be determined by the paragraph type in which the blinking cursor resides when the image is inserted – that is, if the blinking cursor is in (for example) a blank Character paragraph, the image will be placed close to the middle of the line because the Character element is close to the middle of the line; if the blinking cursor is in a Transition paragraph when an image is inserted, the image will be located towards the right side of the line because Transitions are located towards the right side of the line.

To change the alignment of an image, place the blinking cursor on the same line as the image and go to Format > [Alignment](#).

To change the number of blank lines above an image, place the blinking cursor on the same line as the image and go to Format > [Space Before](#).

An image can be resized by dragging the resize handle at the bottom right corner. To reduce the size of the image, drag the resize handle up and to the left; to enlarge it, drag the resize handle down and to the right.



Once inserted, an image may be repositioned in the same way as a text selection via drag-and-drop or with the Cut / Copy / Paste commands.

To delete an image, place the blinking cursor on the same line as the image and if the cursor is to the left of the image, on the keyboard press the Delete key. If the cursor is to the right of the image, on the keyboard press the Backspace key.

The Insert Image command is only available for page views – Normal, Page and Speed. Images are not supported in Scene View or Index Card views.

Alternate Methods of Inserting an Image

Right-click on a script or title page to open a standard Windows dialogue box that allows the user to navigate to and select an image

- or -

drag an image file icon from any folder (including the Desktop) directly onto the script or title page

- or -

drag an image from the Beat Board onto a script page.



IMPORTANT *Images larger than 1mb in size are not recommended. If a script file contains many large image files, program performance may be affected.*

1.10.1.5. Page Break

Inserts a page break at the current cursor position, which moves the paragraph containing the cursor, or the beginning of the selection range, to the top of the next page.

To remove a forced page break

1. Position the cursor just after the page break to be removed;
2. Choose Insert > Page Break to remove the check mark.



IMPORTANT *Do not break pages by adding blank lines to the end of a page. This can cause gaps to appear in your script if enough text is added or removed elsewhere and the "page break" is forced up or down.*

1.10.1.6. Non-Speaking Character

Adds a character with no dialogue to the cast list of the scene containing the cursor.

Final Draft automatically tracks and displays all speaking characters in a scene and with this command, the program can also account for non-speaking characters, extras or background cast.


The order in which the inserted non-speaking character appears in the Characters section of the Navigator and the Cast List element in the script is managed under Format > [Cast List Element Options](#).

1.10.1.7. Add / Remove Alt

Allows the user to write and store multiple speeches spoken by a character in a particular place in the script. Each of these speeches can later be retrieved and displayed on the script page so the user can decide which one to use. Unused speeches may be kept or deleted.


To create an alternate dialogue ("alt"):

1. Type a character's speech (a dialogue paragraph);
2. Click the plus sign to the right of the text or on the keyboard press Control + Alt + L:



CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
YOUNG GIRL (PRE-LAP)
And what *is* the key for? What door
will it open? ⊕

3. The dialogue paragraph will be cleared;
4. Type a new speech:



CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
YOUNG GIRL (PRE-LAP)
◀ 2/2 ▶ It was the key to something unimaginable. ⊕ ⊖

Both speeches are retained and can be displayed under the character name, one at a time, for review.


Alt Dialogue Controls

At the left of the dialogue paragraph are Previous / Next arrows and an x of y indicator.

Click the left-pointing arrow to display the previous alt; click the right-pointing arrow to display the next alt.

The x of y indicator between the arrows displays the ordinal number of the currently-displayed alt and the total number of alts stored for this character in this location on the page.

When the x of y indicator is clicked ("2/2", in this example) , a menu of all alts by this character in this location on the page is displayed. Click the desired alt to display it under the character name:



At the right of the dialogue paragraph is plus sign icon and a minus sign icon.

Click the plus sign icon to add a new alt. There is no limit to the number of alt dialogues that can be added.

Click the minus sign icon to delete the currently-displayed alt.

Note that there is no confirmation of the deletion and no ability to undo this command.

When the script is printed or saved as a PDF, only the currently-displayed alts will be in the script.

1.10.1.8. New Beat

Inserts a new, blank Beat onto [The Beat Board](#).

1.10.2. Scenes

- [New Scene](#)
- [Send to Script](#)

1.10.2.1. New Scene

This command is only enabled when the active panel is an [Index Card Panel](#) or [Scene View](#).

To insert a new scene

Select Insert > New Scene from the main menu or select Insert New Scene from the Scene View context menu.

The new scene is inserted after the currently selected scene. If no scene is selected, the new scene is inserted at the end of the script.

1.10.2.2. Send to Script

When a Summary index card is selected or a range of cards is selected, this command copies the summary text into the body of the script as Action at the location of the scene on the page. Note that text entered into the Scene Heading field of a Summary card is automatically placed on the script page as a Scene Heading when the mouse is clicked outside of the card's Scene Heading field.

When a Beat is selected, this command copies the Beat Title onto the script page as Outline 1 and the Beat body as Outline Body. If more than one Beat is selected, the paste onto the script page will be in the order in which the the Beats were selected.

1.11. Document Ribbon

The Document ribbon contains commands for how a document is configured.

- [Page Setup](#)
- [Extras](#)
- [Length - Target Script Length](#)

1.11.1. Page Setup

- [Title Page](#)
- [Header and Footer](#)
- [Page Layout](#)
- [Mores and Continueds](#)
- [Watermark](#)

1.11.1.1. Title Page

Opens the script's title page in a separate document window.

Type the script's title, the writer's contact information and any other pertinent information over the sample text and delete any unneeded sample text. When the title page has been edited, close the title page editing window with the smaller red X at the upper right. This will return the user to the script. When the script is saved, the updated title page will be saved as well.

Images may be placed onto the title page(s) via the methods described in the [Image](#) section.

To create multiple title pages

Position the blinking cursor at the end of the page and go to Insert > Page Break. As many additional title pages for cast lists, location lists, introductions, etc. that are needed may be created.

Title pages are numbered with Roman numerals (*i, iv, ix*) so they will be visually distinct from the script pages' numbering. Title page numbers may be removed by going to Document > [Header and Footer](#) and removing the Page field.

Including or excluding the Title Page in the output

When a script is to be printed (File > [Print](#)) to paper or PDF, a check box allows the user to include or exclude the title page from the print job:

Print Script

✕

Printer

Name: 10.20.96.129

Properties

Status: Ready

Type: HP Color LaserJet 2820 AiO PS Class Driver

Where: USB001

Comment:

Print range

☒ All

☐ Page: (e.g. 1, 3, 5-12)

☐ Scene: (e.g. 1, 3, 5-12)

Print: All pages in range

Copies

Number of copies: 1

1 2 3

1 2 3

☐ Print backwards

Character Sides

Character Name:

☐ Print character name on page

Script options

☒ Entire script

☐ Revision Blue Rev. (mm/dd/yy)

☐ All revised pages

☐ Unrevised pages

☐ Print revisions in color

☐ Print text in color

☒ Scan for script formatting errors

☒ Include title page


Print to PDF...

OK

Cancel

1.11.1.2. Header and Footer

Shows the Header and Footer dialogue:



A document's header and footer contain text that will appear at the top and bottom (respectively) of every page of the document. When a new script is created, the default header contains a page number on the right side.

The page number label is represented by a small rounded rectangle containing "Page #." When displayed or printed, the "Page #" symbol is replaced by the actual page number for each page.

The header appears at the top of every page except the first page. The header can be made visible on the first page if necessary. See [Header and Footer Options](#) for instructions.

See [Header and Footer](#) for more information.

Footers are rarely if ever used in a script.


1.11.1.3. Page Layout

- [Margins](#)
- [Colors](#)
- [Options](#)

1.11.1.3.1. Margins

Set margins to determine the amount of white space between text and the top and bottom edges of the page and between body text and text in the header or footer.

To change the page margins of a document, click the Margins tab if it is not already selected.



Text Margins: Top and Bottom

Measured in inches from the top and bottom of the page, these settings control the amount of space at the top and bottom of each page to allow for the header and footer. Varying these settings can change the page count of a script. The defaults for the US Screenplay template are one inch at both the top and bottom.

If the text margin is set so that it overlaps the header or footer, Final Draft automatically adjusts the text margin so that the text fits in between the header and footer without any overlap.

Header/Footer Margins

Measured in inches from the top and bottom of the page, these settings control the amount of white space above the header and below the footer. The default for the US Screenplay template is 0.50 for both.

To change any Margin settings:

1. Click the up or down arrows next to the setting;
2. Click OK to apply the new settings to the script.

If the header or footer margin is set to a value that is less than the header or footer margin of the printer, the text in the header or footer may get clipped. Final Draft will display a warning, giving the user the chance to adjust the margins to match the printer's settings.



TIP *Write down the current settings before adjusting them so that if you need to revert your margins you will have the right numbers.*

Paper Type

Sets the paper type to either US Letter or A4. The paper type is an attribute of the script file and will open to the chosen page size on any computer on which it's opened.


1.11.1.3.2. Colors

In the Colors tab of the Page Layout dialogue, the background (page) color, the text color, and the color of the invisible characters may be changed. Changing these settings applies only to the currently active script.

Colors changed here affect only the onscreen appearance of a script. When a script is printed or saved as PDF, the pages will still be white and the text will still be black (unless text has been manually colored and the option to print in color is chosen and / or the script is set to output colored revised pages and the option to print revisions in color is chosen).

To change the background or text colors

Click the Colors tab if it is not already selected:



The default colors are white for background, black for text and gray for invisibles. Checking the Use System Colors box resets the colors to default.

To change any of the color options

1. Click a color swatch;

2. The standard Color Picker appears. Choose a color, or click Other and the advanced Color Picker appears;
3. Create or choose a color, click Add to Custom Colors and click OK;
4. The new color will be displayed in the color swatch;
5. Click OK and the color change will be applied to the script.



NOTE

On some computers, choosing a dark background may make the blinking cursor difficult to see.




TIP

To quickly change the page color to dark gray and the text to white, use [Night Mode](#).

1.11.1.3.3. Options

To change the optional settings of a document, click the Options tab if it is not already selected:



Line Spacing dropdown menu

The options are Very Tight, Tight, Normal, and Loose. The default setting is Normal.

The Line Spacing setting controls how closely the lines of text are spaced vertically; it applies to the entire document.

A script that is exactly 100 pages in the default Final Draft screenplay template will come in at 90 pages in Very Tight, 95 pages in Tight and 107 pages in Loose.



NOTE

We strongly recommend using Normal because it comes closest to the (roughly) 1-minute-per-page rule relied upon by readers, development people and (in particular) production staff.

For more information on adjusting the quantity of text on a page, see [Manipulating the Page Count](#).

Enable Smart Quotes

Check this option to use angled left and right quote marks in the script.

Break Dialogue and Action at Sentences

Check this box to prevent Final Draft from breaking a sentence at the bottom of a page and continuing it at the top of the next page; it will force the new sentence to start at the top of the next page. Uncheck this box to allow the sentence at the bottom of a page to run to the end of the line and continue at the top of the next page.

1.11.1.4. Mores and Continueds

Set the text and options for dialogue and scenes that span across page breaks.

Mores and Continueds [X]

Dialogue breaks

☒ Bottom of page: (MORE)

☒ Top of next page: (CONT'D)

☒ Automatic Character Continueds

Scene breaks

☐ Bottom of page: (CONTINUED)

☐ Top of next page: CONTINUED:

☐ CONTINUED (#)

Font

Courier Final Draft 12

[Set Font...]

[OK] [Cancel]

Dialogue Breaks

Final Draft will attempt to keep a character's dialogue on the same page; however, lengthy speeches may exceed a single page. When that occurs, the Bottom of Page text (MORE) is placed just beneath the dialogue at the bottom of the first page. At the top of the next page, the name of the character is repeated along with the Top of Next Page text (CONT'D).

Bottom of page

Check this box and the text in this box will appear at the bottom of the page when there is a break in dialogue. This text may be edited but (MORE) is standard.

Top of next page

Check this box and the text in this box will appear at the top of the next page when there is a break in dialogue. This text may be edited but (CONT'D) is standard.



NOTE

In addition to entering the text, the check boxes for these options must also be checked or the text will not be displayed or printed.

Automatic Character Continueds

If this option is checked, the Top of Next Page text will be placed after the character's name when the character's dialogue within a scene is interrupted by an element that is not another character's dialogue (i.e., an Action or General element). The character continued text is not inserted if a character's speech is continued from one scene to the next.

Scene Breaks

The Scene Breaks Mores and Continued should be enabled for production scripts. When a scene is continued from one page to the next, the Bottom of Page text (CONTINUED) is placed at the bottom of the first page, and the Top of Next Page text (CONTINUED:) appears at the top of the next page along with the scene number that is being continued.

Bottom of page

Check this box and the text in this box will appear at the bottom of the page when there is a break in dialogue. This text may be edited but (CONTINUED) is standard.

Top of next page

Check this box and the text in this box will appear at the top of the next page when there is a break in dialogue. This text may be edited but (CONTINUED:) is standard.



NOTE

In addition to entering the text, the check boxes for these options must also be checked or the text will not be displayed or printed.

CONTINUED: (#)

Check this box to add a number after the CONTINUED (e.g. (2), (3), etc.) at the top of each continued page, indicating how many pages are included in the same scene.



NOTE

The Scene Breaks Continueds and Scene Continueds are used in scripts in production and are not recommended for [spec scripts](#).

Set Font


The text box displays the current font and size setting that the Mores and Continueds will use when they are displayed and printed.

To set Font attributes

1. Click Set Font;
2. The standard font dialogue appears;
3. Make any changes and click OK;
4. Click OK to save changes in the script.

1.11.1.5. Watermark

Opens the Watermark editing window. In this window the user can enter text that will appear on all printed and PDF pages:



Enter the watermark text and click OK to return to the script.

CLOSE ON: A GOLD KEY

Majestic, light glinting off it.

YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open?

INT. HOME - DAY

Meet TANGLE, 12, precocious eyes, unruly hair. She gazes out
a window of a house on a hill surrounded by evergreens.

Her merchant UNCLE, 40s, curved mustache perfectly groomed,
looks over various maps spread across a large table.

UNCLE
Only the Blacksmith who forged the
gold key knows what door it opens,
and he's long since passed. But
they say, on the other side of the
door, lies a great treasure.

Tangle turns from the window, intrigued by the legend.

UNCLE (CONT'D)
How does your hair get so tangled?
Every time I return to port, I find
you in some grand state of disrepair.
Should I ask the maids to better help
you maintain it while I'm at sea?

CUT TO:

KITCHEN - NIGHT (FLASHBACK)

THREE MAIDS spin toward Tangle, who's just entered. They're
sharing a bottle of Uncle's whiskey. Deck of cards waiting.

HEAD MAID
[4] Speak a word, we'll toss you in
this here pot:

The SECOND MAID drops a live LOBSTER into a boiling pot --
PLOP! The THIRD MAID SLAMS the lid --

BACK TO:

HOME - PRESENT TIME

Tangle shakes her head at Uncle: No maids.

To preview how the watermark will look, go to File > [Print Preview](#).

Once a watermark has been added to a script and the script has been exported as a PDF, the watermark cannot be removed from the PDF.

To remove a watermark from a Final Draft script, go to Document > Watermark, clear the text box and click OK.


The position, font and size of the watermark text cannot be changed.

1.11.2. Extras

- [SmartType](#)
- [Macros](#)
- [Bookmarks](#)

1.11.2.1. SmartType

Manages the SmartType lists. Use of SmartType lists eliminates having to enter names and phrases over and over again. The following example of the Character SmartType list is taken from the sample script *Tangle & Mossy*:



In this screen the characters, extensions, scene intros, locations, times and transitions used in a script may be viewed, changed, reordered and alphabetized. Clicking Rebuild will scan the script and repopulate the SmartType list from the script's contents.



NOTE

Clicking Rebuild when there is nothing in a script will result in all SmartType lists being empty.

SmartType options control whether lists appear automatically and how to handle special situations for entering characters.


See [SmartType](#) for more information.

1.11.2.2. Macros

Macros are key combinations for entering text. Final Draft comes with many built-in macros for entering the most frequently-used scriptwriting terms (INT., EXT., - DAY, CUT TO:, etc.). When a macro is typed, the associated text is automatically inserted into the script. Macros to create specific element paragraphs before and after their text is entered may also be created. Keystrokes that activate existing macros and change their behavior may be modified.

To view or modify macro settings

Choose Document > Macros and the following appears:



Name

The Name edit field contains the name of the macro, which is displayed in the status bar at the bottom of the script window when the appropriate shortcut keys are pressed.

Shortcut

The Shortcut edit field contains the key combinations for the macro selected in the list, which can consist of:

- Control + <any key>
- Control + Alt + <any key>
- Control + Alt + Shift + <any key>

That is, any combination that is not assigned to a menu command.

In addition, a Function key may be used by itself or in combination with Control, Control + Alt, Control + Alt + Shift.

Macro element

The Macro element field contains the text that is inserted into the script when the macro is invoked.

To modify an existing macro:

Select the macro from the list to be changed;

1. Type the new name in the Name edit field.;
2. Enter the text to be inserted in when the macro is invoked in the Macro edit field.



NOTE

If any but the default shortcut key combinations (or Function keys) are used, the macro name will not appear in the Status Bar with the other default macros.

To create a new macro:

1. Click the New button. An item named “New[#]” appears in the Macros list;
2. Set all attributes.

When finished, click OK.

Advanced Features

Macro Element popup list

Select what type of paragraph the insertion point should be in when the Macro Text is entered. If the macro invoked when the insertion point is not currently in this type of paragraph which has text, a new paragraph is created. If the macro invoked when the insertion point is not currently in this type of paragraph which has no text, the paragraph is changed appropriately.

For example, the first default macro, “INT.”, is a word which begins a scene heading, and its Macro Element setting indicates this. If the macro invoked and Final Draft finds that the current insertion point position is not a scene heading, then it adds a new scene heading before entering the text into that scene heading.



NOTE

If the insertion point is positioned anywhere but at the end of a paragraph, Final Draft does not split the existing paragraph.

To specify the element for the selected macro:

Select an element from the Macro Element popup list

- or -

choose None to leave the element unchanged (i.e. there is no paragraph change).

Transition To

The Transition To option is used to switch to another paragraph type after the macro text has been entered. Some macros, like “- DAY” and “- NIGHT”, are only used at the end of a scene heading. This option saves the additional keystrokes of having to create a new paragraph.

To specify the element for the transition paragraph:

Select an element from the Transition To popup list.

- or -

choose None to leave the element unchanged (i.e. there is no paragraph added).

Macro Alias

Since a macro can be invoked only with a key combination, the number of macros is limited due to the relatively small amount of available key combinations.

Macro aliases are used to expand the number of macros available. A macro alias is composed of regular text (which can be considered a kind of abbreviation) that is used to invoke a macro. All previously-described functions are available, plus a few more.



NOTE

The default macros can also be invoked by an alias.

An example of Alias use would be if a character frequently says “Absolutely!”, a macro that has as an Alias “abs” (without quotes) will enter “Absolutely!” whenever “abs” (without quotes) is typed.

Another example would be to correct common spelling mistakes. If the user frequently mistype “thier” instead of “their” an alias can be created to correct it automatically.

Keep these two examples in mind as we present the following steps for creating macro aliases. The number of options may seem complicated, but they all have a logical purpose. The use of macro aliases will save more typing time.

Alias

The Alias edit field indicates the text that is entered in the script that invokes the selected macro. This is where the user would enter “abs” or “thier.”

Activate In

Indicates which element(s) an alias is triggered in. Elements may be excluded from being considered from using a specific alias. For example, “abs” can be set to be used only in dialogue paragraphs.

To exclude an element:

Click on the element(s) to exclude. Click again to activate.

Smart Replace

Check the Smart Replace option to have a macro alias transformed intelligently when it is entered in.

Smart Replace knows about proper capitalization. For example, in the case of “their,” if it is used to start a sentence, the letter ‘t’ is capitalized.

Smart Replace watches for proper spacing. For example, if the macro for “their” has a preceding space entered as part of the Macro Text, “their,” and a space is entered prior to invoking the macro, Smart Replace does not add a second space as part of text that is entered.

Confirm Macro

Check the Confirm Macro options to display the macro text for the alias in a popup window when the macro is invoked. This gives the user the option to execute the macro (by pressing Enter) or not execute it (by continuing to type).

Word Only

Check the Word Only option to have the alias used only when a complete word is typed. That is, a space, a punctuation mark or Enter must be pressed after the alias text before the macro is invoked.

Match Case

Check the Match Case option to have the alias used only when the case of the text entered in the script exactly matches the text entered in the Alias text box. For example, if this is checked, typing “THIER” would not trigger the example alias.

To delete a macro


1. Select a non-default macro;
2. Click Delete (there is no confirmation);
3. When finished, click OK.

Apply Macro From...

If a Final Draft script has customized macros, they can be used in other scripts as well. Go to Document > Macros and click Apply Macro from... A standard Windows Open dialogue box is displayed; navigate to the script whose macros are to be used and click on it. Click Open and the custom macro settings in that script will be copied and made available in the currently-open script.

1.11.2.3. Bookmarks

Opens a dialogue containing options for managing Bookmarks. Bookmarks are placeholders in a script and may be set anywhere. See Insert > [Bookmark](#) for more information on how Bookmarks are created and placed in a script.



To change the name of a Bookmark

1. Select the bookmark in the list;
2. Edit the name of the bookmark.;
3. Click OK to apply any changes and return to the script.

To go to a Bookmark

1. Go to Document > Bookmarks;
2. Select the bookmark in the list;
3. Click Go to

- or -

3. Double-click the bookmark in the list.

Alternatively:

1. Choose Edit > Go to;
2. Select Bookmarks from the Go to dropdown menu;
3. Click the Bookmark name;
4. Click Go to.

The script scrolls to the bookmark's location and selects the paragraph containing the bookmark.

To delete a Bookmark


1. Select the bookmark in the list;
2. Click Delete;

The bookmark is removed from the list.

3. Click OK to apply any changes to the script.

1.11.3. Length - Target Script Length

The Outline Editor defaults to 120 pages, considered the average feature film script length. Double-click anywhere in the Outline Editor to adjust the target script length (the number of pages represented):

A screenshot of a dialog box titled "Target Script Length" with a close button (X) in the top right corner. Inside the dialog, there is a text input field with the label "Enter Target Script Length" above it. The input field contains the number "100". At the bottom of the dialog, there are two buttons: "OK" and "Cancel".

The more pages there are, the longer the Outline Editor will be.

Enlarge or reduce the size of the Outline Editor under View > [Zoom Outline Editor](#).



TIP

*To work with percentages rather than pages, set the Target Script Length to **100**. Now each hash mark represents 1% of the total project rather than page numbers. For example, placing a Beat at 33 means that it occurs a third of the way in, regardless of how many pages precede that Beat.*

1.12. Tools Ribbon

The Tools ribbon contains commands for program features that aid in writing and proofing a script.

- [Proofing](#)
- [Speech Control](#)
- [Tools](#)

1.12.1. Proofing


- [Spelling](#)
- [Thesaurus](#)

1.12.1.1. Spelling


To Begin Spell-Checking

Choose Home > Spelling or Tools > Spelling. The Spelling dialogue appears and checking begins with the first misspelled word highlighted and a list of suggestions to correct the error.

When the spell-checker encounters a misspelled or unknown word, that word is highlighted in the script and the word appears in the Misspelled Word area in the Spelling dialogue, along with a list of possible alternatives. The first item in the Suggestions list appears in the Change To text field. In this example, the spell-checker has found "Majetsic" as a misspelled word:



To accept the suggestion "Majestic" and continue spell-checking, click Replace:



To substitute an alternate word:

1. Select a word from the Suggestions list or type another word in the Change to box. It appears in the Change To text field;
2. Click Replace. If there may be more than one instance of the misspelled word in the script, click Replace All.

Alternately:

Double-click a suggested word. The new word replaces the misspelled word in the script and spell-checking continues.

To instruct the spell-checker to learn a word, click Learn. The word in the Misspelled Word area is added to the computer's user dictionary and spell-checking resumes.

To disregard the word considered misspelled and continue, click Ignore.

To disregard all instances of that word in the document. click Ignore All.

When the spell-checker reaches the end of the script, it asks if the search should continue from the beginning of the script. If the spell-checking was started in the middle of the script, when the spell-check reaches the end of the script it may be continued from the top of the script. Click Yes to continue.

When the entire script has been checked, a message indicates that the whole script has been checked. Click OK to close the Spelling dialogue.




TIP

You can halt spell-checking at any time and close the Spelling dialogue by clicking the Close button.

Spell-checking with the Contextual Menu

Access spell-checker functionality from a context menu. In the sample text below, the word “Majestic” is misspelled as “Majetsic.” Right-click on the misspelled word and the context menu appears:



Select the correct word;

- or -

select any of the alternative words;

- or -

choose to have the spell-checker ignore or learn the word;

- or -


make the correction manually by typing directly into the script.

1.12.1.2. Thesaurus

Find alternate word choices while writing.

To find words in the thesaurus:

1. Right-click a word for which synonyms are desired. In the example below, the word is “precocious.”
2. Choose Home > Thesaurus or Tools > Thesaurus. The Thesaurus dialogue appears:



1. Definitions of words are sorted alphabetically by part of speech, and a list of synonyms, antonyms, and related words is shown below each definition;
2. Select a replacement word. It appears in the text field above the definitions;
3. Click Replace.

The Thesaurus dialogue closes and the selected word replaces the selected word in the script.

If no alternate is acceptable, click Close.

To manually enter a word to find alternatives:


1. Position the cursor where the word is to be inserted;
2. Choose Tools > Thesaurus. The Thesaurus dialogue appears;
3. Type the word to be looked up in the text field above the alternatives;

4. Press the Enter key;
5. Definition(s), synonyms, alternatives, etc. are presented;
6. Select an alternative;
7. Click Replace.

The Thesaurus dialogue closes and the alternate replaces the selected word in the script. If no alternate is acceptable, click Close.

Thesaurus Context Menu

Another way to call a list of synonyms is to right-click on a word and from the Synonyms section of the context menu, choose a word from the list to replace the selection:



To dismiss these context menus without choosing an alternative word, press the Escape key until they disappear.

1.12.2. Speech Control

Speech Control


Directs the playback of the script being read. The Play, Stop, Rewind and Fast Forward commands are identical to those for a DVR or digital music player.

Assign Voices

Opens a dialogue for associating characters with actors; the voices are provided to Final Draft by the Windows operating system.

Characters tab

Displays the SmartType Character list along with the names of all available “actors.”



To assign an actor to a character


1. Click a character;
2. Click the actor to be assigned to this character;
3. Click the Preview button to hear the actor "audition";
4. If the pair is acceptable, click OK or click a different actor.

Narrator tab

Set an actor as the "narrator" of the script. The narrator is the voice that reads the text for elements other than dialogue.

To assign an actor to the narrator and to set which elements the narrator reads:

1. Click the Narrator tab:




2. Select an actor to be the narrator from the Narrator's Voice list;
3. Check the elements that the narrator will read from the Narrator Reads list;
4. Click the Preview button to hear the narrator "audition";

2. To accept the pair, click OK or click a different narrator.

Actors tab

Modify the voices an actor uses in the Actors tab. To set an actor's voice:

1. Click the Actors tab:



2. Select the actor whose voice is to be modified;
3. Select a voice from the Voice dropdown;
4. Make any changes desired to the pitch and speed;
5. Click the Preview button to hear the voice "audition."
6. When finished, click OK.



NOTE *Not all voices in the Actors dropdown menu will work.*

1.12.3. Tools

- [Collaboration](#)
- [Combine Files](#)
- [Reports](#)
- [Names Database](#)
- [Reformat](#)
- [Format Assistant](#)
- [Script Compare](#)
- [Show / Hide Navigator](#)
- [Customize \(Classic View only\)](#)
- [Options](#)


1.12.3.1. Collaboration

Final Draft 12's Collaboration tool allows the user to work on and discuss a script with any number of Final Draft 12 users anywhere in the world in real time.

Users can share either script pages or a Beat Board. The view may be switched during a collaboration session.


To Host a Collaboration Session

1. Go to Tools > Collaboration > Host or click the Collaboration icon in the Toolbar;
2. In the Host tab, enter a name to be used for the session;
3. Choose a script to share. If a script is currently open, it will automatically be selected as the script to share or click the dropdown menu to display a list of options:
 - Display an Open dialogue from which to choose a script OR
 - select a new blank document from a template OR
 - select a recently-used script:




4. After the script is chosen, click OK;
5. The Collaboration window is displayed;

6. Send (via phone, text message or other method) the Session ID to whoever else will be participating (NOTE: the Session ID in the graphic below is an example and will not work if used):



7. When the other participant(s) attempts to join the session, the Host can either Allow or Deny their entry:

Final Draft



8. If the Host approves their entry, the script will automatically be shared. As participants enter the room, their presence will be indicated in the upper-left panel in the Collaboration window.

To Join a Collaboration Session

1. Go to Tools > Collaboration > Join;
2. The Join Collaboration window is displayed;
3. Enter a name to be used for the session;
4. Type or paste in the Session ID (received from the Host of the session);
5. Click OK;

1. When the host approves the participant's entry, the shared script will open on the participant's screen and the participant will now be able to edit the script and view others' editing in real time.




IMPORTANT *All participants in a collaboration session must be on the exact same version of Final Draft 12. To determine which version is installed, go to the Help menu and choose About Final Draft.*

The Collaboration Window

The Collaboration window's title bar displays the name of the shared script.

The panel at the upper left displays the names of the room's participants and the Session ID. Each participant has a unique colored marker next to his or her name (set in Tools > [Options](#)).

The panel on the right displays session messages / chat messages and participant entries / exits. The collaboration window may be moved and resized as necessary.



The Session ID

The Session ID must be sent to other participants so they can join the session. It can be selected and copied and pasted into an email or instant message or read aloud. If the Session ID is read aloud, note that the Session ID has only uppercase letters.

The Session ID is not reusable for future Collaboration sessions. It expires permanently when the session is closed. However, a participant can leave a session and as long as that session is still live on the Host's computer, he or she can re-enter it with the original Session ID.

Refresh

If, after some time has elapsed since the start of the collaboration session and the shared script fails to update on some or all participants' screens, the Host can click Refresh to re-send the updated script to each participant. This command will ensure

that all participants have on their screen the current version of the script, containing all recent edits.



NOTE *No matter which view (Normal, Page or Speed) the script is in when the session begins, the program automatically switches to Page View. This is the only supported view and the screen may not be split.*

Chat

The Collaboration window allows participants to exchange text messages in real time. Type a message into the box on the bottom right and press Enter on the keyboard to broadcast it to the other participants.

The large box on the right of the Collaboration window is the transcript of the session's chat.

Click the Sound button on or off to notify participants with a chime when another participant has sent a text message.

Saving

The Host can save a copy of the script to local storage (hard drive, NAS drive, external drive, etc.) at any time during the collaboration session with the regular File > Save or Save As command. Guests can save a copy at the end of the session.

Closing a Session

To leave a Collaboration session, any participant may click the Leave button at the bottom right of the Collaboration window. The session ends when the Host closes his or her Collaboration window. When a session is closed, all participants will be prompted to save the script they have been working on.


Session Timeout

After approximately 20 minutes of inactivity, the collaboration session will close. A new session must be created.

1.12.3.2. Combine Files


Creates a new script containing the currently-open script and additional selected scripts.

1. If it has not already been saved, save the currently-open script;
2. Go to Tools > Combine Files;
3. A standard Windows Open dialogue will be displayed;
4. Navigate to the location containing the desired FDX script files;
5. Select the desired file(s). To select multiple files, Control + click on each one;
6. When all desired files have been selected, click Combine;
7. The File Order window containing the names of the selected files will be displayed; drag them into the order in which they should appear in the new script:



8. Click OK.

A new document will be created containing the first script and the selected scripts in the chosen order. Each successive section begins on its own page. In addition, the Title Page (Document > [Title Page](#)) contains the names and starting page numbers of the scripts that have been added to the first script:



This is a new, untitled document and should be saved with a unique file name.

If additional writing is to be done in this combined script, the SmartType lists should be rebuilt in order to eliminate repetitive typing. Go to Document > [SmartType](#) and rebuild all of the SmartType lists. See [Rebuilding SmartType Lists](#) for more information.



NOTE

The Combine Files command works only with FDX script files.

1.12.3.3. Reports

Final Draft's reports present information from a script in a variety of ways. Though the report formats cannot be changed, the information produced by the reports can be edited, saved and printed. The font used when the reports are printed may be modified.

The user can choose to generate all reports as either script documents or text documents.

To create a report

1. Choose Tools > Reports > [Report Name];
2. A dialogue appears with different options depending on the report chosen;
3. Once options are set, click OK.

Available Reports

- **Scene Report** contains the scene number (if the scenes have been numbered), intro, location, time of day, page number, page length and other data for each scene. There is an option to include each scene's tags;
- **Location Report** contains each location and the number of times it appears in a scene heading in the script;
- **Character Report** contains the scene numbers (if any), scene headings, character extensions, parentheticals, complete dialogue and other data for a character. It will also indicate if the character has any monologues of more than 100 words;
- **Cast Report** contains a list of each character, how many times he or she appears, and other data;


- **Script Report** contains the text from specified elements, presented in screenplay format. Note that choosing all the elements will generate a report that is identical to the actual script;
- **ScriptNote Report** contains the page number, scene heading, note text and other data of each ScriptNote in the script;
- **Statistics Report** can include the number of words and paragraphs, the number of each element and their percentage of all elements, character statistics, scene statistics, profanity usage and other data;
- **Tags Reports**
 - **By Scene** contains a list of all scenes in the script and all tags contained in each scene and their categories;
 - **By Tag** contains a list of all tags by category and the page numbers on which the tagged items appear and (optionally) the scene headings of scenes in which the tagged items appear.

1.12.3.4. Names Database

Provides over 90,000 names and is useful in providing unique or interesting alternative names, as well as determining their correct spelling.

To find a character name:

1. Choose Tools > Names Database to show the Names Database dialogue:




2. Type the first few letters of a name in the Name Prefix text field. In this example, we want to find some variations on the name "Michael";
3. Click the Look Up button. The list contains all the names that begin with the letters entered;
4. Scroll through the list. Select the desired name;
5. Click the Add to SmartType button to include the selected name in the Character SmartType list;
6. When finished, click the Close button.

1.12.3.5. Reformat

Convert text that is not formatted properly into correct script format, such as when a Dialogue paragraph is erroneously formatted as an Action paragraph. If a script written using another word processor is imported, the built-in formatting logic will apply; however, some elements may still need to be reformatted.

Choose Tools > Reformat. The paragraph containing the cursor is selected and the floating Reformat window appears:



The paragraph containing the cursor is selected and its current element type is indicated in bold (Selected:).

1. Choose a new element for the paragraph;

- or -

1. Press the number key for the new element for the paragraph;


The paragraph is reformatted and the next paragraph in the script is automatically selected;

2. Continue reformatting each paragraph as needed;
 - Click Next to skip a paragraph without any reformatting;
 - Click Previous to select the previous paragraph;
 - Click Delete to delete the current paragraph;

There is no confirmation dialogue and the deletion cannot be undone;

3. When done, click Close or press the Escape key on the keyboard to dismiss the Reformat tool.

In this example, the character name "UNCLE" is incorrectly rendered as Action:



The Reformat tool has selected the text and is waiting for the user to choose the correct element. Press the number 3 on the keyboard or click Character from the Reformat window and the text will be re-rendered as a Character. The next paragraph will immediately be selected, ready for the next reformatting choice. If the next paragraph is correctly formatted, click Next.

See [Reformatting](#) for more information.

1.12.3.6. Format Assistant

Final Draft is designed to automatically format a script correctly; however, because formatting errors may occur while a script is being edited, Format Assistant can display an alert if a script has:

- Characters with no dialogue
- A dialogue without a character preceding it
- Characters with two consecutive dialogues
- Elements that begin with a blank space
- Empty elements

The Format Assistant may be run at any time. It can also be set to run automatically before printing.

To use the Format Assistant


Go to Tools > Format Assistant. The Format Assistant will search a script for errors and if it finds an error, it will highlight the paragraph containing the error.

In the example below, the "grins" parenthetical has a blank space at the beginning.

```
          TANGLE
But if I found it, you wouldn't
need to go to sea for so long.

          UNCLE
  | (grins)
My dear, I'd always find an excuse
to go to sea.
```

The Format Assistant will identify this error and the proposed correction and present the option to fix or ignore the issue:



Clicking the Fix button will delete these blank spaces and move to the next found rule violation.

- Text in the **Rule violation** area indicates which formatting rule was broken;
- Text in the **Correction** area indicates how the error will be corrected.

To correct an error, click Fix. The error is corrected and the search for additional errors continues.

To disregard an error and continue checking for more errors, click Ignore.

To disregard an error and remember to disregard it until the script is closed, click Ignore.

Choose which Format Assistant rules to use by checking or unchecking the check box next to the desired Rule.



NOTE

The Rules are changed and retained for the current script only.


When the Format Assistant has found and reported on all the errors it can, it will display this message:

When finished, close Format Assistant by pressing the Escape key on the keyboard or by clicking the red Close button at the upper left corner of the window.

Format Assistant Options

Set whether and how to use the Format Assistant before printing.

From the Tools > Format Assistant dialogue, click Options and the Format Assistant Options dialogue appears:



Scan for formatting errors before printing


Check this option to have Format Assistant check scripts before they are printed.

Always ask me before printing

Check this option to have Final Draft ask whether a script is to be scanned for formatting errors before printing.

Printing and Format Assistant

By default, Final Draft asks if the Format Assistant is to be run before printing. From the File > Print dialogue, click Print and the following appears:



To run the Format Assistant, click Scan Now and the Format Assistant begins scanning.



NOTE

Any Rules you have previously changed for the current script are in effect.

If the Format Assistant does not find any errors, the script prints. If the Format Assistant does find errors, the Format Assistant window appears, asking if they should be corrected.



NOTE

In order to print the corrected script, you have to again choose File > Print.

To print without running the Format Assistant, click Print Now.

To run the Format Assistant automatically before printing, check the box next to "Do not ask me this again but always scan before printing."

To disable the Format Assistant, check Turn Format Assistant off.

1.12.3.7. Script Compare

To compare two scripts

1. Open the first script;
2. Choose Tools > ScriptCompare;

The standard Open dialogue appears;

3. Choose the script to be compared and click Open.

After the two scripts are compared, a third script appears. It contains text from both scripts with the first script's text in red and the second script's text in blue.

In the first script, the line of text is "This is the Ice Cream Sketch." In the next draft, "...is ..." has been deleted and replaced with "cannot be..."

```
INT. ICE CREAM PARLOR - DAY  
This is cannot be the Ice Cream Sketch.
```

This new document is named *[Scriptname] Changes* and can be saved for future reference.

1.12.3.8. Show / Hide Navigator

Displays or hides the [Navigator](#).

1.12.3.9. Customize (Classic View only)

Opens the Customize dialogue that allows the user to change what toolbars are visible and which buttons appear on each toolbar. See [Customize](#) for more information.

1.12.3.10. Options


Opens the Options dialogue, which contains settings that allow the user to control the way a number of Final Draft features operate. Settings are saved between sessions.

This section of the User Guide is specific to the General tab. As a convenience, options for some other commands that have an Options tab in their dialogue are included.

These include: [SmartType](#), [Spelling](#), [Document](#), [Header/Footer](#), [Scene Numbers](#) and [Format Assistant](#).

To set Options:

1. Choose Tools > Options and the Options dialogue appears:



2. Click the desired tab and make any changes;
3. Click OK to apply the settings.



NOTE

Some settings take effect only after Final Draft is closed and reopened.

General Tab

Use F1 key for help

Enables / disables the option to use the F1 key to invoke Help. Uncheck this if the F1 key is to be assigned to a keystroke shortcut.

Capitalize first word of a sentence.

Enables / disables the automatic capitalization of the first letter of the first word of new sentences.

Automatically Check for Updates

Enables / disables the option to connect to an online service that determines if the installed version of Final Draft can be updated. If a newer version is available, it can be downloaded for free.

Writer

Enter the name to be used for [Track Changes](#). From the color picker, choose a color to be associated with this writer for Track Changes and [collaboration](#).

Help Final Draft improve its products and services by sharing anonymous diagnostic and usage data

Choose to send to our company information about how Final Draft software is used. Only program data is collected -- nothing about a user's identity, location, computer or files is sent.

Documents Folder

Set the Documents folder to a different location and name. Default is the user's Documents folder.

Recent Items

Set the number of recently opened files displayed under [Recent Items / Exit](#) (Ribbon view) or File > Recent Files (Classic view). Default is 4.

Auto-Save

Auto-Save Every


Check this box to have Final Draft automatically save open documents at a time interval specified. Defaults are On and 15 minutes. To change the Auto-Save time interval, select a different number of minutes from the Auto-Save Every dropdown.

To change the Auto-Save time interval, select a different number of minutes from the Auto-Save Every dropdown.

Ask Before Auto-Save

Check this box to have Final Draft display a confirmation message before it automatically saves the open document.

If changes have been made to the open document(s) since the last time it was saved, and the Ask Before Option is checked, a confirmation message appears before Final Draft saves the document:





NOTE

Even if the time has expired, Final Draft will not interrupt your typing to save the script. It will wait for approximately 10 seconds of inactivity before triggering an Auto-Save.

Auto-Backup

Check this box to have Final Draft automatically create a backup copy of a document every time it saves. The maximum number of backup copies Final Draft keeps in the backup folder can be set here and the location of the backup folder may be changed. This can be on the local hard drive or, better yet, an external storage device.

When Final Draft creates a backup copy it is named [date] [time] [filename].fdx. For example, if a script named *Tangle & Moss* is saved on July 4, 2022, at 1:37pm, the backup is named *202207041337 Tangle & Moss.fdx*.

Backup Folder File Count

To change the maximum number of copies Final Draft saves to the backup folder, enter a number in Backup Folder File Count (default is 100; maximum is 1000).

After the maximum number of backups are saved, the oldest backup will be deleted at the moment a new backup is created.

Open Backup Folder

Click this button to access the backup script files.

To change the name or location of the backup folder

1. Click the box with the three dots to the far right of the Auto-backup section title;
2. Choose or make a new folder in the desired location and click OK.

For example, Final Draft can be set to save backups to a cloud storage synch folder or another hard drive.



IMPORTANT *The auto-save and auto-backup functions are on by default. Unless your computer uses some other backup system, DO NOT disable the auto-save and auto backup.*

Tablet

Allows Tablet PC users to set where the vertical scroll bar is positioned.

1.13. Production Ribbon

The Production ribbon contains commands that assist in configuring and organizing a shooting script.

- [Scene Numbers](#)
- [Edit Scene Number](#)
- [Omit Scene](#)
- [Revisions Setup](#)
- [Revision Mode](#)
- [Mark Revised](#)
- [Clear Revised](#)
- [Next / Previous Revision](#)
- [Lock Pages](#)
- [Lock A Pages](#)
- [Unlock A Pages](#)
- [Unlock All Pages](#)
- [Locking Tools submenu](#)
- [Tags Mode](#)
- [Tag All Characters](#)

1.13.1. Scene Numbers

Final Draft does not automatically assign scene numbers as scenes are created or deleted. Instead, the Scene Numbers command must be used to number or renumber scenes. The Scene Numbers command allows the user to number or renumber scenes or other elements.



TIP

Traditionally, scenes are not numbered until pre-production begins. If you are submitting a [spec script](#), numbering the scenes is not recommended.



NOTE

In this section, only Scene Numbers are described. You can number other elements in a script using the Scene Numbers command. To do this, position the cursor in the element you want to number and select the Element from the dropdown list in the Scene Numbers dialogue.

In standard screenplay format, scene numbers would normally be assigned to scene headings only. If the script requires that a heading not be assigned a scene number, the shot element should be used instead of the scene heading element.

Final Draft also contains options for nonstandard numbering by permitting any element to be numbered. Nonstandard numbering is used in animation, interactive, multimedia and other scripts.

To number scenes using the default settings

1. Choose Production > Scene Numbers;
2. Click Number/Renumber;

Scene Numbers [X]

Numbers | Options

Element: Scene Heading ▾

☒ Number/Renumber
☐ Remove Numbers

Starting number: 1

☐ Number from current scene
☒ Keep existing numbers
☐ Restart numbering every: ▾

Numbering Scheme: ☒ 1A: 1, 1A, 2, 3
☐ A2: 1, A2, 2, 3

OK **Cancel**

3. Choose the desired numbering scheme (numbers then letters / letters then numbers);
4. Click OK.

By default, Scene Heading is selected as the paragraph type to be numbered. Every scene heading is assigned a scene number, starting with the number entered in the Starting Number field (the default is 1), and incrementing by one.



NOTE

If the Keep Existing Numbers option is unchecked (and numbering has previously occurred), a confirmation message appears when OK is clicked.

Numbers Tab

Element

Select the element to number. Only one element may be numbered at a time.

Number/Renumber

Check this box and click OK to initiate numbering.

Remove Numbers

Check this box and click OK to remove all scene numbers from the script.

Starting Number

Select the number to begin numbering with.

Number from Current Scene

Check this box to begin numbering with the scene at the current cursor position. If this box is not checked, the script will be numbered from the beginning.

Keep Existing Numbers

Specify whether to lock existing scene numbers. If this box is checked, new scenes which have been inserted between previously numbered scene headings are assigned "A" and "B" scene numbers.

Restart Numbering Every


Numbers an element (other than the one already numbered) but the numbering restarts at 1 after each occurrence of another specified element.

For example, if an animation script's scenes have been numbered and there is a need to number dialogue within a scene as well, go to Production > Scene Numbers and choose Dialogue from the Element dropdown menu. Check the box for Restart Numbering Every and from this dropdown menu choose Scene Heading. Click OK and all dialogue paragraphs will be numbered; the dialogue numbering will restart from 1 after each scene heading.

If (for example) dialogue paragraphs are set to be numbered but the Restart Numbering Every box is not checked, the dialogue numbering will be consecutive throughout the script.

Options Tab

Click the Options tab and this window appears:



Draw Number on Left and Draw Number on Right checkboxes

Specify whether to display numbers to the left and/or right of paragraphs.

Left and Right Location Settings

Click the up or down arrows next to the Location box to adjust the location of the scene numbers. Placement of scene numbers is measured in inches from the left edge of the page.



NOTE

Once changed, these settings remain for future (re)numberings no matter which element is selected in the Elements dropdown list.

Font

Choose the font and font size of the numbers.

To set Font attributes

1. Click Set Font;
2. A font dialogue appears;
3. Make any changes desired and click OK.

Renumbering scenes in an already numbered script

When a script is in production it is common for new scenes to be written and inserted between two existing and numbered scenes. This new scene must also be numbered but it cannot use a number that has already been assigned.

To create a new scene and number it

1. Position the cursor at the end of the text of the scene after which the new scene will be added;
2. Press Control + 1 to create a new scene heading;
3. Type the letter I (as in Interior) or E (as in Exterior);
4. Press Tab twice;

The Location SmartType list appears, allowing the location to be selected.

5. Press the Tab key to accept the choice;

6. The Time SmartType list appears, allowing the time of day to be selected. Press the Tab key to accept the choice;
7. The cursor moves to blank Action paragraph;
8. Type the scene (in this example, "Uncle gazes out of the window.").



Following is the process for numbering this sample scene for production purposes:

To number a new scene in a script in which scenes are already numbered

1. Choose Production > Scene Numbers;
2. Check Add Numbers;
3. Be sure that Keep existing numbers is checked. If it is not checked, all currently-numbered scenes will be renumbered;
4. Click OK.





Note that the new scene is now correctly numbered 28A. All other scenes have retained their original numbers.

A scene may be renumbered to fit another numbering format requested by someone in production. Individual scene numbers may be adjusted manually as well.

1.13.2. Edit Scene Number

To manually renumber an individual scene

1. Place the cursor in the scene heading to be edited;
2. Choose Production > Edit Scene Number;
3. In the Edit Scene Number dialogue, manually overwrite the number;
4. Click OK.



NOTE

If the scene has yet to be numbered, the dialogue appears blank.

Removing an Unwanted Scene Number

In the event that a scene (or another element) has been assigned a number erroneously, it can be removed by going to Production > Edit Scene Number, deleting all text from the box and clicking OK.

1.13.3. Omit Scene

Once scenes are numbered, use the Omit Scene command to indicate that a scene has been deleted. Since the scene numbers must not change, the term “Omitted” replaces the text of the deleted scene.

To omit a scene

1. Place the cursor in the scene to be omitted;
2. Choose Production > Omit Scene.

The scene is removed from view and stored (see below). The scene heading text becomes “OMITTED” but the scene number remains.

In this example, Scene 33 will be omitted:

32	INT. CASALINDA - DAY/MOMENTS LATER (D10)	32
	Tangle races through, exploring --	
33	INT. MAIDS' QUARTERS - DAY/CONTINUOUS (D10)	33
	No maids!	
34	INT. UNCLE'S ROOM - DAY/MOMENTS LATER (D10)	34
	No Uncle.	
	Tangle takes in the emptiness.	

When the Omit command is issued, the page looks like this:

32	INT. CASALINDA - DAY/MOMENTS LATER (D10)	32
	Tangle races through, exploring --	
33	OMITTED ▶	33
34	INT. UNCLE'S ROOM - DAY/MOMENTS LATER (D10)	34
	No Uncle.	
	Tangle takes in the emptiness.	

Since this scene was omitted in the first Blue revision set (1st Rev. Blue), the page turns blue (denoted by the coloration on either side of the page) and the omitted scene is marked as revised. The scene itself has not been revised; the omission of the scene is a revision.


The triangle icon indicates that the omitted scene can be viewed or retrieved.

To view an omitted scene

1. Double-click the triangle icon;


33 OMITTED ▶

2. and this dialogue appears:



3. Click View.

A small window containing the omitted scene appears:



Click the red X button when done.

To retrieve an omitted scene and put it back into the script

1. Double-click the triangle icon and a dialogue appears;
2. Click Unomit.

The scene is restored.



NOTE


You can permanently delete an omitted scene's text and scene number from the script by selecting and deleting it. However, this is not recommended because all remaining

scenes would then have to be renumbered. The point of the Omit command is to remove a scene but still have it accounted for. Deleting an omitted scene defeats the purpose of the feature.

1.13.4. Revisions Setup

Select, modify and create revision sets. Each revision set is typically distinguished by color or other characteristics.

Choose Production > Revisions, and the Revisions dialogue appears:



Revision Mode checkbox

Turns Revision Mode on and off. This switch has the same functionality as the Production > Revision Mode menu item.

The Revision Set Table

Shows all revision sets being used or yet to be used and some of the properties of each set.

Active revision set

When new text is added to a page, it has the characteristics of the active revision set (revision mark, page color and / or text appearance). The active revision set is indicated by checkmark in the first column of the Revisions table.

To make the previous revision set the active set, click Previous Revision Set.

To make the next revision set the active set, click Next Revision Set.

To set another revision set as the active set, double-click anywhere in that set's row.



IMPORTANT *Best practice is to move sequentially down through the revision set list. Skipping sets or choosing sets out of order may lead to unintended consequences.*

Show Page Colors


Check this box to display a revision set's color down the sides of the script if there are revisions on that page. Most Final Draft templates already have the correct page color assigned to each revision set.

To change the properties of a revision set

See [Edit Revision Set](#).

Show Text and Mark

Expand the Show Text and Marks dropdown menu to choose what will be displayed:



From Active Revision Set Only

Displays as revised only the revisions made in the active (current) revision set. For example, if Show Active Revision Set is selected and Revision Set 4 is the active revision set, new revisions will be in the Revision Set 4 revision style (colored text or page, margin marks, etc.) and no revisions made in revision sets 1-3 will be displayed as revised.

If the Active Revisions placeholder field is in the Header and the Show Active Revision Set option is chosen, the header of each page will show the current revision set whether the page contains revisions or not.

Collated Script

Displays each page's revision marks from the highest (most recent) revision set in which edits on that page were made. For example, if all of the revisions on Page 5 were made when Revision Set 1 was the active set, they will be in the revision set style (colored text or page, margin marks, etc.) of Revision Set 1. At the same time, if Page

12 contains revisions only from Revision Set 2, those edits will have the revision set style of Revision Set 2. At the same time, Page 24, edited while Revision Set 3 was active, will show the revision set style of Revision Set 3.

If the Collated Revisions placeholder field is in the [Header](#) and the Show Collated Script option is chosen, the header of each revised page will show the highest (most recent) revision set in which edits on that page were made. Per the example above, the header on Page 5 will display “Revision Set 1,” the header on Page 12 will display “Revision Set 2” and the header on Page 24 will display “Revision Set 3.”

From All Revision Sets

Displays every revision set on every revised page. For example, if a page contains revisions from Revision Set 1, Revision Set 2 and Revision Set 3, these revisions will be in the respective revision set style of the revision set in which they were made. If this option is selected, further choices to show or hide revised text will be offered. Note that “hidden” revised text will still be visible but it will not be displayed as revised.

From All Revision Sets After and Including Latest Draft

Displays every revision set on every revised page from the last revision set marked as a [Full Draft](#). For example, if Revision Set 3 is marked as a Full Draft, and a subsequent revision set is set to show text and marks from all revision sets after and including latest draft, this set will show revisions starting with Revision Set 3.

None


When this option is chosen, no revised text is colored or styled and no revision marks are displayed.

To apply the options, click OK.

To add or delete a new revision set

To add new revision set, click the plus sign icon at the bottom left of the table window.

A new untitled revision set will be added to the bottom of the list of revision sets. If necessary, this new revision set can be dragged into the correct place on the list of revision sets above. In the example below, "Production White" has been created and will be dragged into position above the Blue set:



Revision sets can be dragged from one place in the list to another, if the order of revision sets needs to be changed before entering revision mode.



IMPORTANT Do not delete a revision set that has already been used. Problems in page labeling, revision set printing or exporting to PDF may result.

If a revision set is deleted, the revision set is cleared from the list and all revisions in the script that were marked with that revision set are no longer marked as revised. Note that the active revision cannot be deleted.

When all changes are complete, click OK.

Mark Location

Adjusts the margin for revision marks, measured from the left edge of the page.


To change the margin setting, click the up or down arrow to adjust the value (as measured from the left edge of the page).

Click OK to apply all changes.

For an overview on revisions, see [Revisions](#).

1.13.4.1. Edit Revision Set

Click the Gear icon at the bottom right of the table window and the Edit Revision Set window is displayed:



Edit Revision Set

Label: Pink Rev. (mm/dd/yy)

Page color: White

Show on: Revised Pages Only

Text style: ☐ Bold ☐ Underline ☐ Strikethrough [Color Selection Box]

Underline style: [Dropdown Menu]

Mark: *

OK Cancel

Label

In most Final Draft templates, the standard US production revision sets will already be listed and only the date of the revision set needs to be added to the revision set label.

To edit the revision set name, overwrite the current name in the Label field or leave the default name in place but (optionally) modify the date or remove the date placeholder text.

Page Color

Set the page color for the revision set. If the Show Page Colors box is checked, the color assigned to a revision set in this window will run down the sides of revised pages. In most Final Draft templates, the standard US production revision sets will already be listed and the matching page color chosen for each set.

Page Color Show On dropdown menu

Options are Revised Pages Only (appropriate for a Collated draft) and Full Draft.

Collated Draft

A collated draft is one in which different revision sets are displayed (pieces of text are marked revised) simultaneously on a page-by-page basis, depending on which revision set was active when changes were made to this page or that. Most scripts start out this way and stay this way until enough rewriting has been done to warrant moving to a full-color draft. A collated draft will usually have pages of many different colors.

Full Draft

When more than 50% of the pages have been revised in a certain draft color (this is the typical criterion), that draft is known thereafter as (for example) the “Blue Draft” or the “Full Blue.” Every page of this draft is now blue and considered a part of the Blue revision set whether it’s been revised or not.

Text Style

To change the style or color of text that has been revised while this revision set is active:

Choose which, if any, style the revised text is to have. The choices are

- Underline -- the text is underscored by a continuous line. The lines applied to the text are the same color as the text;
 - Choices for underlining are found in the Underline Style dropdown menu
 - Regular (default)
 - Dotted

- Word (only words underlined, not the spaces between them;
- **Bold** -- the text is rendered bold.
- ~~Strike-out~~ -- the text is struck through its horizontal center with a continuous line.

Color

Click on the color swatch and choose a predefined color from the list

- or -

select Other... and use the standard Windows color picker create a custom color and click OK.

The default revised text color is black.

To change the revision mark

Highlight and overtype the current revision mark.



NOTE

*The asterisk (" * ") is standard for production scripts. Other symbols may be used to denote a distinct set of revisions from a particular person, or that person's initial(s) may be used. No more than two characters are recommended for a revision mark.*


1.13.5. Revision Mode

Toggles revision mode on and off. When the script is in revision mode, all text added or edited is marked as revised per the active revision set's style (colored text or page, margin marks, etc.). It is easier to turn on revision mode than to manually mark every change after the fact using the Mark Revised command. All new text entered is marked as revised and displayed in the current revision style. Any lines from which text has been deleted will have a revision mark (if a revision mark is one of the attributes of the current revision set) next to them.

In this example, the dialogue is originally "And what is the key for? What door will it open?"

```
CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
      YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open?
```

When "Am I the one to open it?" is added, this new text is blue (because that is how this revision set's text has been configured), margins of the page turn blue (because this edit is made while the active revision is the Blue set) and revision marks appear in the right margin.



```
CLOSE ON: A GOLD KEY
Majestic, light glinting off it.
      YOUNG GIRL (PRE-LAP)
And what is the key for? What door
will it open? Am I the one to open
it?
```

(Note that revised text is usually black; for purposes of illustration and to point out that this option is available, the revised text in the graphic above has been set to blue).

1.13.6. Mark Revised

Marks selected text as revised using the active revision set style. This revision will be part of the current revision set.

To mark revision text

1. Select the text;
2. Choose Production > Mark Revised or Control + R.

The text marked revised appears as though it has been typed in as a revision -- it will appear in color (if the active revision set has been assigned colored text), the margins will be colored (if the revision set has been set to show page colors) and a revision mark or marks will appear (if the revision set has been set with revision marks).

1.13.7. Clear Revised

To clear text which has been marked as revised

1. Select the revised text;
2. Choose Production > Clear Revised or Control + Shift + R.

Revision marks and revision styles are removed, and the text appears the same as other text in the script.

To clear all the revised text in a script

1. Choose Edit > Select All or Control + A on the keyboard;
2. Choose Production > Clear Revised or Control + Shift + R.

1.13.8. Next / Previous Revision

Changes the displayed script page to (and positions the blinking cursor in) the next or previous revised paragraph.

1.13.9. Lock Pages

Like any other word processor, Final Draft automatically repaginates when text is added to or removed from the document. If a document is exactly 10 pages long and 2 pages' worth of text is added to the beginning, what were pages 9 and 10 are now pages 11 and 12. This is not an issue if a script is not about to go into production. However, when a script is broken down by scene and page in collateral production documents (i.e., schedules, prop lists, talent call sheets), automatic repagination with each change would be a critical problem.

For example, when a script has been distributed to cast and crew and The Big Important First Act Monologue starts on Page 15 and The Big Chase Scene has been designated as Scene 25, no matter how much the script is rewritten, all subsequent versions must still have The Big Important First Act Monologue on Page 15 and The Big Chase Scene must still be Scene 25. Otherwise, people would not be, in a very literal sense, on the same page.

Also, once a script has been issued, every page and scene must now be accounted for without exception — if Page 15 or Scene 25 are deleted without permanent denotation, cast and crew will wonder if they're missing a page. Final Draft's page-locking feature is designed to protect a script's pagination against changes caused by the addition and removal of content.

To lock script pages

1. Choose Production > Lock Pages;
2. A dialogue appears asking whether to enable [Revision Mode](#).
3. Click either the Yes or No button, depending on the situation. (Enabling revision mode is recommended).

From this point forward, if enough text is added to a page to cause existing text to spill over to the next page, Final Draft moves the additional text to a blank A page without affecting the next existing script page. Conversely, when text is deleted or omitted from a locked page, the text from the next page does not flow backward onto that preceding page.

When pages are locked, the menu command changes to Lock "A" Pages and other locking and unlocking commands are enabled.



NOTE

"Locking pages" or "locking a script" is not a security setting and does not refer in any way to its accessibility to certain individuals or groups.

1.13.10. Lock A Pages

Pages for each revision may be locked separately. For example, pages have been locked so there is now a 21A, 21B, etc. If the Lock “A” Pages command is chosen, Final Draft locks all existing A and B pages, which then act just like any other locked page (retaining their starting position, etc.)

When new text is added to a locked A page that causes an overflow to a new page, it becomes an “AA” page, and so on. Likewise, if there are multiple locked pages and more than a page is deleted, the multi-page range that appears in the header reflects the page range that was deleted (such as 7BB-9A).

1.13.11. Unlock A Pages

Reverts one level of page-locking. It becomes enabled only after A pages are locked.

To unlock “A” pages

1. Choose Production > Unlock “A” Pages. A confirmation dialogue appears;
2. Click Yes.

The last level of locking is overridden and the appropriate pages are unlocked.

This command may be chosen multiple times, if applicable.

No matter how many times “A” pages are unlocked, the Production menu item still reads “Unlock A Pages” — that is, the menu item does not dynamically track levels of page-locking.

1.13.12. Unlock All Pages

Completely unlocks the script and renumbers the pages in standard numerical order (removing all “A” and “B” page numbers).

To unlock all pages

1. Choose Production > Unlock All Pages;
2. A confirmation dialogue appears.
3. Click Yes.

All pages are unlocked and the script repaginates so that the pages are renumbered consecutively.



IMPORTANT *You cannot go to Edit > Undo to move a just-unlocked script back to its locked state with all of its A pages intact. DO NOT unlock a production script unless you have a backup of the locked script and an important reason to do so. This function should be used only in extraordinary circumstances.*

1.13.13. Locking Tools submenu

Relock Pages

Removes all A page numbers from the page containing the cursor to the end of the script, renumbers them in normal sequential order, then locks them again. Use this command when the locked script does not match the printed draft of the script due to pages not being properly locked at some point before changes were made.

To relock pages

1. Place the cursor at the beginning of the page where relocking is to begin;
2. Choose Production > Relock Pages;
3. A confirmation dialogue appears;
4. Click Yes.

All pages following the current page are unlocked and repaginated normally, then locked again.

Adjust Locked Page


Changes the starting position for a single locked page. This can be useful when a particular locked page must be moved up or down a paragraph or two to match a printed draft.

To adjust locked pages

1. Place the cursor at the beginning of the paragraph where the locked page to is start;
2. Choose Production > Locking Tools > Adjust Locked Page;
3. A confirmation dialogue appears;

4. Click Yes;

1. The Adjust Locked page dialogue appears:



6. Select the page number where the current paragraph is to begin;

7. Click OK. The script repaginates to reflect the new starting position for the specified locked page.




IMPORTANT *If the page number you need is not on the list, it is because that page it is not a valid candidate. Final Draft cannot number a page in a way that is inconsistent with its pagination logic or normal sequential numbering.*

Edit Page Number

Manually change the number of a page that displays in the header or footer.

To modify a page number

1. Position the cursor in the page whose number is to be edited;
2. Choose Production > Edit Page Number;
3. The Edit Page Number dialogue appears:



4. Enter the new page number;
5. Click OK.

The page number changes.

Lock New Page

Creates a new locked page at the current cursor position. The new locked page extends from the insertion point (the blinking cursor) to the end of that page. This should only be necessary if a page is incorrectly numbered.

To create a new locked page

1. Place the cursor exactly where the new locked page is to begin;
2. Choose Production > Locking Tools > Lock New Page;
3. A confirmation dialogue appears.
4. Click Yes.

The page becomes locked.

Unlock Page

Unlocks a single page. This essentially removes the top border of the page and allows as much text as will fit to flow backward onto the previous page. Use this command if a page is incorrectly numbered or is improperly numbered as an "A" page.

To unlock a page

1. Place the cursor on the page to be unlocked;
2. Choose Production > Unlock Page;
3. A confirmation dialogue appears;
4. Click Yes.

The page becomes unlocked and text from the following page will move up into it.

Unlocking Pages

A user may want to delete some content on pages after they have been locked, resulting in “orphan” pages. It is common to combine the page numbers and put the remaining script contents on a single page to cut down on paper and confusion.

There are two ways content can be moved around: unlocking a page or deleting all the contents on a single page to create a page “x-y” on the prior page. Unless a page number is not expected to be used again, we don't advise unlocking a page once the pages are locked and suggest the second method described below in “merging pages”. However, sometimes it is impossible to get the desired results without unlocking pages.

To manually unlock an individual page

1. Place the cursor in front of the first contents at the top-most position of the page to be unlock in order to have its contents move up to the prior page;
2. Choose Production > Locking Tools > Unlock Page;
3. A dialogue will ask to confirm the unlocking of the page at the cursor location. Click Yes.

The contents from the page move up to the prior page, filling any available space on the prior page.

Repeat steps 1-4 on any other pages to be unlock and move up to other content. For example, if there is an empty page 1A, 2 and 3 and they should be merged with page 1.

Once all the pages to merged together have been unlocked, the new page must be unlocked so that any subsequent changes made to the script will maintain the proper pagination and page numbering.

To manually re-lock an individual page

1. Place the cursor in front of the first contents at the top-most position of the page to be relocked;
2. Choose Production > Locking Tools > Lock New Page;
3. A dialogue appears asking to confirm whether the page should be locked at the cursor location. Click Yes.

The contents on the page are now locked.

Continue these steps for any other remaining pages that were created as a result of unlocking pages.



NOTE

You do not need to lock pages beyond any that were affected by the “unlock” process. So, for example, if you unlocked pages 1A, 2 and 3 and merged them all into a single page, you only need to relock that single page. You will not need to lock pages 4 and after.

1.13.14. Tags Mode

Places Final Draft into Tags mode, in which items may be tagged. All tagged text will be displayed in the color assigned to the document's tags. Selecting this menu item while Final Draft is currently in Tags mode will take Final Draft out of Tags mode.

See [Tagging](#) for more information.

1.13.15. Tag All Characters

Scans the entire document for speaking characters and tags them as Cast Members.

This command may be used whenever it is necessary to update a Cast Member with additional associated tags. See [Tagging](#) for more information.

1.14. Window (Classic View only)

The Window menu contains commands for displaying the currently open documents. The bottom of the Window menu contains a list of all currently open documents. It is available only in Classic View.

To make a document the front-most (active)

Select the document title from Window menu.

The document window is brought to the front and a check mark appears next to its name in the Window menu.

Cascade

The Cascade command displays all the currently open documents stacked upon one another. This makes it easy to cut and paste text between different documents.

Tile

The Tile command displays all the currently open documents overlapping one another. Similar to Cascade, it makes it easy to cut and paste text between different documents.



NOTE

The size of each tile depends on the number of open documents.

1.15. Help Ribbon

The Help menu contains commands for features that assist the user manage the program.

- [Final Draft User Guide](#)
- [Welcome to Final Draft](#)
- [What's New](#)
- [Sample Scripts](#)
- [finaldraft.com](#)
- [Check for Updates](#)
- [Submit Feedback](#)
- [Register Online](#)
- [Activate / Deactivate](#)
- [Get Help](#)
- [About Final Draft](#)

1.15.1. Final Draft User Guide

Opens the web page on which this user guide can be accessed. An internet connection is required.

1.15.2. Welcome to Final Draft

Displays the splash screen seen when the program is opened.

What's New displays a list of new features and functionality.

Writers' Resources links to the [Learn](#) page on the Final Draft website. This page features how-to screenwriting articles, software tutorial videos, testimonials from the pros, and the official Final Draft blog.

Learn Final Draft links to a page on the Final Draft website containing the [Getting Started with Final Draft 12](#) video.

Choose Template opens the Template chooser, from which the user can select the type of script he or she wants to write.

Launch with most recent file(s) -- check this box to have Final Draft open next time with the most recently edited script or scripts;

On the right side of this window is a list of recently-edited files, which can be opened by double-clicking.

Browse opens a standard Open dialogue box that allows the user to navigate the computer and find a desired document to open.

1.15.3. What's New

Contains details about new features in Final Draft 12.

Final Draft 12's new features are demonstrated in this video:

1.15.4. Sample Scripts

This User Guide refers to *Tangle and Moss*, a sample project in various stages of writing and production.

- ***Tangle and Moss - Outline*** represents a script in its beginning stages, when the writer is working on the broad strokes of the story. It is not tagged.
- ***Tangle and Moss - Script*** represents a working draft of a script. It is tagged for story and character structures and arcs.
- ***Tangle and Moss - Shooting Script*** represents a script that is being or will shortly be produced. It has been scheduled and budgeted and distributed to cast and crew. It is tagged for production breakdown.

1.15.5. finaldraft.com

Opens the computer's default web browser to Final Draft's home page,
www.finaldraft.com.

1.15.6. Check for Updates

Enables / disables the option to query the Final Draft server to determine whether a newer version of Final Draft 12 is available for download. If a newer version is available, it can be downloaded for free. An internet connection is required.

1.15.7. Submit Feedback

Opens the computer's default web browser to Final Draft's [feedback](#) page, where the user can suggest changes or enhancements to Final Draft products. An internet connection is required.

Final Draft customers are encouraged to submit suggestions on how the program can be improved.



TIP

The Submit Feedback channel is a way for us to collect information on what new functionality our clients need in the program or to let us know if a particular feature can be improved.



IMPORTANT

For problems installing or using Final Draft, please log on to www.finaldraft.com/support for troubleshooting resources and ways to reach our support staff.

1.15.8. Register Online

Opens the computer's default web browser to Final Draft's [online registration form](#). An internet connection is required.

Registering Final Draft is strongly recommended. Only registered customers are eligible for free software updates, customer support and discounts on other Final Draft products and services.

Registration is a one-time-only process.



NOTE

If Final Draft has already been registered and a Register prompt appears, choose Register Later.

1.15.9. Activate / Deactivate

A computer must be connected to the internet to activate and deactivate. Final Draft 12 can only be activated and deactivated online.

Choose the Activate command to activate Final Draft. Once it is activated, it will run without restrictions. When Final Draft has been activated, this menu item will read Deactivate.

Choose the Deactivate command to remove the activation from the computer. This activation is returned to the user's account on our activation server and is now available to be downloaded onto another computer (or this computer at another time).

If you have only one computer activated and, when you try to activate a second computer, you receive a message stating that you have no more activations available, visit the activation reset page: <https://www.finaldraft.com/self-service-activation/>



NOTE

*Once the computer has been activated, an internet connection is **not** necessary to run Final Draft.*

1.15.10. Get Help

Opens the computer's default web browser to the Final Draft [support page](#). This page has information and links for:

- Program installers
- Frequently-asked questions
- Self-service support options
- The searchable online [knowledge base](#)
- These assisted support options (registered customers only)
 - [Email](#)
 - [Chat](#)

1.15.11. About Final Draft

Displays the Final Draft version number, your unique Customer Number and Final Draft acknowledgments and copyright information.



1.16. Tutorials

The Tutorials section contains topics that help the user learn best practices when using Final Draft.

- [Typing a Sample Script](#)
- [Importing Content from Other Sources](#)
- [Make Writing Dialogue Easier](#)
- [Manipulating the Page Count](#)
- [Inserting Symbols and Foreign Characters](#)
- [Revisions](#)
- [File Management](#)
- [Outlining a Script on the Page](#)


- [Configuring the Workspace \(video only\)](#)

1.16.1. Typing a Sample Script

With Final Draft open to a blank, untitled screenplay document:


Type the letter **i**

A SmartType menu will come up and offer INT. or I/E. INT. (the abbreviation for Interior) will be highlighted; accept it by pressing the Tab key. Note that Final Draft capitalizes everything in this element automatically, which is standard. A period and a space are also added automatically.



Type in a location such as **house** and hit the Tab key. The Time of Day SmartType menu will come up and allow the user to choose when the scene takes place. Choose **Day** with the arrow key, the letter **D** on the keyboard or the mouse and hit the Tab key.

INT. HOUSE - DAY



A blank Action paragraph has been created, ready to be typed into.


Type this sentence: **BOB enters and sits down at the desk.** Note that the first letter of the sentence is automatically capitalized.

Press Enter again to move to the next paragraph. Press Enter to bring up the Elements menu and choose Character.

INT. HOUSE - DAY

BOB enters and sits down on the sofa.

|



Type in **bob** and press Enter. The name will be rendered in all uppercase.

A new, blank dialogue paragraph has been created. Type **alone at last!**. Press the Tab key to insert a new Parenthetical paragraph and type **sees Sue**. Note that the parentheses will be added automatically. Press Enter to continue Bob's dialogue. Type **what are you doing here?**

INT. HOUSE - DAY

BOB enters and sits down on the sofa.

BOB
Alone at last.
(sees Sue)
What are you doing here?

Press Enter twice to bring up the SmartType menu of elements. Choose Character with the arrow key, the letter **C** on the keyboard or the mouse and type **sue**. Press Enter and type Sue's line, **waiting for you**.

INT. HOUSE - DAY


BOB enters and sits down on the sofa.

BOB
Alone at last.
(sees Sue)
What are you doing here?


SUE
Waiting for you.

Note that Final Draft will insert the next appropriate element when Enter is pressed, depending on which element the cursor is in. For example, when the cursor is at the end of a scene heading, pressing Enter brings the next logical element, action. When the cursor is at the end of a character name, Enter inserts a dialogue element.

The Status bar at the bottom will indicate what the Enter and the Tab key will insert (not available in Revision Mode).



At this point in the scene, a new character is introduced but is offscreen. Create the new character JANE by typing her name into a blank Character paragraph. When the blinking cursor is to the left of the E, press Shift + 9 to insert an Open Parenthetical. The Character Extension SmartType list will be displayed; choose (O.S.) by pressing the O key on the keyboard, using the down-pointing arrow on the keyboard by or selecting it with the mouse:



After the Character Extension has been inserted on the page, press Enter to insert a new Dialogue paragraph.

Example: If the blinking cursor is at the start of a blank Action paragraph and it should be a Transition instead, hold down the Control key and press the 6 key. A new blank Transition paragraph will replace the blank Action paragraph.

If a new paragraph of a type not offered by the Enter key is desired, hold down the Control key and choose another element's number.

Example: If the blinking cursor is at the start of a blank Action paragraph and it should be a Transition instead, hold down the Control key and press the 6 key. A new blank Transition paragraph will replace the blank Action paragraph.

If it makes the writing flow better, the user may change what the Enter key inserts. For example, if it is a dialogue-heavy script, the user may want to have Enter insert a new Character after dialogue instead of Action. This will allow dialogue to be written quickly.

To do this, go to Format > Elements Settings and from the list on the left, choose Dialogue. Change the Next Element (Enter/Return) dropdown to Character and click OK. To finish this new setting, go to Document > SmartType > Options and check the box for Automatically Guess Next Character, then click OK. From this point on, after Bob's dialogue has been typed and Return is pressed, then the character Sue has been typed or SmartTyped in and Sue's dialogue typed, Enter after Sue's dialogue will insert the character name BOB. After Bob's dialogue, press Enter and the character name SUE will be inserted.

When this scene ends and it's time to move to the next scene, insert a new scene heading by pressing Control +1.

1.16.2. Importing Content from Other Sources

Scripts written in other writing programs (such as MS Word) or other screenwriting programs can be opened in Final Draft software in a few easy steps.

The fastest way to accomplish this is to save the script out of the original program as a PDF, then import the PDF into Final Draft (File > Open, then set Files of Type to PDF).

If for some reason this does not result in relatively well-formatted import, an alternative import method is to export the material from the original program as a plain text file and then import it into Final Draft.

1. Open the script in the program in which it was created;
2. Choose the Desktop as the save-to location and from the Save as Type or Format dropdown menu at the bottom of the window, choose Plain Text, Text Only or ASCII Text file (they're all the same). Recent versions of MS Word will offer Save As Other; choose Plain Text from this submenu;
3. Save the file;
4. In Final Draft, go to File > Open;
 1. Navigate this dialogue box to look on the Desktop;
 2. Double-click the text copy of the script;
 3. At the prompt to choose between formatting it as a Script or Text, choose Script;
 4. Final Draft will import the text and render it as a feature screenplay;
5. Go to File > Save and save the script with any desired file name modifications, such as today's date or the word "master" (without quotes).


To apply a different format to this script, see [Applying a Template](#). If it needs reformatting, see [Reformat](#).

If content needs to be taken from a web page or some other source that cannot be saved as a text file, copy and paste it into a word processor and follow the steps above.


1.16.3. Make Writing Dialogue Easier

Final Draft can make writing dialogue even easier by changing the Dialogue element to transition to Character with Enter rather than keeping it set to its default transition-to element, Action.

1. Go to Format > Elements Settings and choose Dialogue from the list on the left:



2. From the Next Element dropdown menu, change the value from Action to Character:



From this point forward, pressing Enter after a character is finished speaking will insert a new Character paragraph instead of a new Action paragraph. Final Draft's Auto-guess Next Character function is enabled by default and once it sees that two characters are having a conversation, it will automatically insert the other character's name after the first character's dialogue is over.

To see this work (after making the change to the Dialogue SmartType element as above):

1. Go to Help > Sample Scripts > Script to open the sample script *Tangle & Moss FD12 - Script*;
2. Scroll to the middle of Page 2 and click the mouse at the end of 's Uncle's line, "Then better not to find it."
3. Press Enter to create a new Character paragraph;
4. SmartType displays the choice TANGLE in gray;
5. Press Enter to accept this option and the cursor will move to a blank dialogue paragraph, waiting for you to type Tangle's next line.

Once again, if Dialogue is set to return a Character paragraph with the Enter key and there have been a couple of exchanges between two characters, Final Draft will supply their names automatically with the Enter key.

To choose a different character name from the SmartType list or to enter a new name, simply overwrite the auto-suggestion. If there is a character match in SmartType, it will sketch in. If there is no character match, finish typing the new character name, press Enter and it will be added to the Character SmartType list.



IMPORTANT *By changing Dialogue's default transition-to element, to insert a new Scene Heading, Action, Shot or Transition paragraph after a Dialogue paragraph, you will now need to press Control + Element Number.*

1.16.4. Manipulating the Page Count

Manipulating the page count, also called cheating the page count, is usually done to prevent widows/orphans. It is also done sometimes to keep the last line or two of a scene at the bottom of the page rather than letting it spill to the top of the next page.

Widows and orphans refer to paragraphs that should stay together but are erroneously separated by a page break. A Character name at the bottom of Page 5 and that character's dialogue at the top of Page 6 is a widow / orphan situation. Final Draft was designed to prevent this but as writers continually move, add and delete text, this can sometimes occur.

Producers need to rely on roughly one page per minute of screen time and 30 seconds per page for a sitcom. If the script is cheated too much, those formulas go out the window.



IMPORTANT *Although you can undo changes to your pagination, it's much easier to create a new copy of the file and tweak that one. Go to File > Save As and call the test copy something like "Scriptname – pagination test" (without quotes). If the new copy isn't right, you will still have the master. If it is right, rename it and use it as the new master.*

Local Indents (Margins)

Place the cursor anywhere within the paragraph whose indent is to be changed. In the ruler bar, click on the triangular indent marker on the right. Drag it to the left or the right and the text will contract or expand accordingly.

If an element's indents have been adjusted and they should be restored to their default settings, place the cursor anywhere within the paragraph and use the Revert Paragraph command.

Leading

Tighten or loosen the vertical line spacing (leading, pronounced "ledding") of a particular block of text by choosing Format > [Leading](#) and selecting an option. The options are Very Tight, Tight, Normal and Loose.

Global Indents

Narrow or widen the horizontal margin of one or more elements throughout the script.

1. Go to Format > Elements Settings;
2. Click the [Paragraph](#) tab;
3. On the list on the left, click the element whose indents are to be changed;
4. Alter the left- or right-hand indents.

Changing margins through the Elements control panel is global and will be applied to every instance of that element.

Best practice is to jot down the indent settings before adjusting them in the event that the change needs to be undone.

Line Spacing Options

1. Go to Document > Page Layout;
2. Click [Options](#);

3. Select an option from the Line Spacing field: Very Tight, Tight, Normal and Loose.

These options act like leading but affect every paragraph in the script.

Line Spacing Differences

A script that is exactly 100 full pages with Regular line spacing will come out as:

- Very Tight: 90
- Tight: 95
- Loose: 107

Text and Header/Footer Margins

Text margins control the amount of space left blank at the top and bottom margin of each page.

Header/Footer margins control the amount of space left blank above the header and below the footer.


1. Go to Document > Page Layout and click on the [Margins](#) tab;
2. Raise or lower the top or bottom Text and/or Header/Footer margins.

Due to variables in printer drivers and operating systems, there's no exact formula for how adjustments made to either of these two margin settings will translate into pages added or subtracted from the page count. That is, moving the bottom text margin from (for example) 1" to .5" won't reliably reduce a script's page count on any computer by exactly (for example) 1.5 pages. Some trial-and-error experimenting on test scripts will help determine the appropriate settings. We recommend leaving the default settings in place.


1.16.5. Inserting Symbols and Foreign Characters

In the Windows Start menu, do a search in Cortana or the Search or Run box for the word "charmap" (without quotes);

1. Choose the Character Map to open this utility:



2. Select the font you're using in Final Draft (most likely Courier Final Draft);
3. Look for the character you want (in this example, the copyright symbol);



4. Select, copy and paste that character into Final Draft.

Note that when you select the character, at the bottom right of the Character Map you'll see a keystroke combination beginning with Alt+ followed by four digits. Use the Alt key and these numbers on your number pad (on the right side of the keyboard) to place the character into your script. For example, typing Alt+0169 into Final Draft will insert the copyright symbol, ©.

1.16.6. Revisions

Revision Mode is a tool used by writers, script coordinators, writers' assistants and other production personnel to keep successive versions of a script organized. In the interest of working efficiently, it's important to be able to quickly see which pages have edits on them, and on those pages, the lines that have been changed or deleted. Final Draft's Revision Mode makes this easy.

When a script is put into revision mode, any new text added will be denoted as a revision. Revised text is black (but can be colored or styled) and there will be a revision mark (usually an asterisk) in the right margin. If text has been removed, the line from which it's been removed is also marked as revised.

If Show Page Colors is chosen as an option, any page on which a revision has been made will show that revision set's assigned color in the margins. If the revised script is saved as PDF, the entire page will be colored. You can disable the colored margins by going to Production > Revisions (Setup) and unchecking the Show Revision Page Colors box.

NOTE: You must be in Page View (View > Page View) for the colored margins to be displayed. If the zoom scaling is set too high, the colored margins may become hidden.

When you go to Production > Revision Mode, by default you're placing your script into the first revision set, sometimes called "Production White." The Collated Revisions field should already be in the header, so "Production White - 7/1/22" (or whatever the first revision set is called) will appear in the header of any page that's been revised while the script is in this set.

After enough changes have been made to the script, a certain period of time has passed or another writer takes over – whatever the criterion – the script is moved to

the next revision set. Cast and crew can then organize successive drafts by color or number.

To move to the next set, go to Production > Revisions Setup and click Next Revision. The script is now in the Blue set, and any revisions made now will make the page margins blue. To distinguish text in the first revision set (which is black by default) from text in the second (the Blue) set, you can set the text color in the Blue set to blue.

The standard revision set colors included in Final Draft's feature and television templates are per WGA/Cole & Haag. Although some shows have their own patterns, many shows use a cycle of

1. White (Unrevised Production Draft)
2. Blue
3. Pink
4. Yellow
5. Green
6. Goldenrod
7. Buff
8. Salmon
9. Cherry
10. Tan

After Tan, the script usually goes to 2nd (or double) White, 2nd (or dbl) Blue, etc. It's common practice to add the date to the end of the revision set name.

However, if the revision set names in the template don't suit your needs, you can rename and reconfigure the existing ones or create and configure new ones. Click the

plus sign to add a new set, then configure its properties by clicking the Settings icon at the lower right of the Revisions table. There you can name the new set and optionally assign a color to it. You also have options to make revised text appear not only as a different color but also as bold, a few variations of underlined, or struck through.

Although it's not recommended to change the traditional revision mark from a standard asterisk, you also have the option to use a different mark.

Other Revision Mode Controls

Mark Location

If the scene heading indents have been extended so that the scene headings are now closer to the right edge of the page, they may step on the revision marks. You can move the revision marks even further to the right with the Mark Location adjustment tool. The measurement indicated here is from the left edge of the page.

Production > Mark Revised

You can highlight a section of text, go to Production > Mark revised and an asterisk will be placed in the margin. If the Show Page Colors option is on, that page's margins will be colored.

Production > Clear Revised

Highlight a section of text -- be sure to highlight the entire line or block margin to margin -- go to Production > Clear Revised and the revision mark will be removed. If you leave some of the text on a line as revised, the line will still have the asterisk.

To clear an entire script of revised status (colored pages and revision marks), go to Edit > Select All then Production > Clear Revised. Note that the script will still be in revision mode, so any subsequent typing will again be marked revised.

Best practice: Save every new revision set as its own separate file. When you move to the next revision set, go to File > Save as and rename the file <ScriptName> Blue Revisions 7-4-22. When you move to the Pink set, go to File > Save As and rename the file <ScriptName> Pink Revisions 7-7-22.



TIP *Revision mode isn't recommended for writing partners editing separately. Outside of production, [Track Changes](#) is easier to use for this.*

1.16.7. File Management

Where the Scripts Are

No different from any other program, Final Draft saves your script to any folder you tell it to save to -- your Desktop (which is a folder), your Documents folder, the Scripts folder you created or the folder bearing the name of your movie. It can save to a USB stick, a network drive, an external hard drive or a local cloud storage synch folder such as Google Drive, iCloud, Box or DropBox. It will save anywhere the operating system gives it permission to save.

Your scripts are **not** saved to the Final Draft program itself, and if you install Final Draft on a second computer, your scripts don't automatically get copied to the new machine. They have to be copied to a USB stick and transferred, or downloaded onto the computer from cloud storage, or by some other means.

The default save-to folder is the Documents folder, and unless you specify some other folder when you save a script for the first time, that's where your script will be saved.

Auto-Save and Backup

Click to learn about the [Auto-Save](#) and especially the [Backup](#) function.

Beyond Final Draft's backup function, include your Final Draft scripts in whatever other backup application or procedure you use for your other files. If you don't currently have a way to back up your data, we suggest you go online and search for ways to ensure that your digital scripts, pictures, songs, letters and anything else of value are stored somewhere outside of your computer.

Save Different Versions

"Writing is rewriting," goes the saying, and you can create an unlimited number of different versions of your script. Do this so that you don't lose work that you think you no longer like, but may change your mind about later. If your script is called "Monster Movie" and you've just reworked Scene 4 (a very important scene) go to File > Save As and title this new version "Monster Movie - Scene 4 Updated - <date>." You'll still have the "Monster Movie" script with the original Scene 4, and now you have this new copy, with the improved Scene 4, right next to it. You can access the old one if you later decide that the first Scene 4 is better after all.

When you're finally finished with the project, you should have many, many different versions, all with descriptive file names and dates. If the studio says they want to go back to the version set in NYC, that they no longer like the one set in Vegas, you'll still have the correctly-labeled NYC one.

Use most or all of the characters available in a file name -- there are 255, to be exact -- to name different versions specifically:

- Monster Movie
- Monster Movie - Scene 4 Updated - <date>
- Monster Movie - Scene 9 deleted - <date>
- Monster Movie - NYC - <date>
- Monster Movie - Vegas - <date>
- Monster Movie - Happy Ending - <date>
- Monster Movie - Sad Ending - <date>

If you're working with a partner or partners, make sure that each pass everyone does is labeled, similar to:

- Monster Movie - JL edit - July 9

- Monster Movie - GS edit - July 11
- Monster Movie - MB edit - July 13
- Monster Movie - GS edit - July 15
- Monster Movie - JL edit - July 20

1.16.8. Outlining a Script on the Page

OUTLINE ELEMENTS


In addition to the elements (paragraph types such as Scene Headings and Dialogue) normally present in a script, Final Draft also gives the writer the ability to outline a script using Outline Elements.

The five Outline Elements are Outline Body, Outline 1, Outline 2, Outline 3 and Outline 4.

Outline Body is a General element that can be used for any text relating to an outline.

Outline Elements 1, 2, 3, and 4 are header-level paragraph types with unique indents.

To begin an outline using these paragraph types, go to File > New from Template and choose the Outline template to see how the sample outline text is configured. This text can be deleted in order to start writing (Control + A on the keyboard, then the Delete key on the keyboard).



With the cursor blinking on a blank line, press the Enter key to display the Elements menu. Choose Outline 1 and type in the heading of the first section of the outline.

Press the Enter key to break the line and insert a new, blank Outline Body paragraph, which can be the first detail of this section of the outline

- or -

press the Tab key to insert a new blank Outline 2 paragraph.

Press the Tab key at the end of any Outline paragraph to cycle through the rest of the Outline paragraph types in order:

- Outline 1 then Tab inserts a new blank Outline 2 paragraph underneath it;
- Outline 2 then Tab inserts a new blank Outline 3 paragraph underneath it;
- Outline 3 then Tab inserts a new blank Outline 4 paragraph underneath it;
- Outline 4 then Tab (or Enter) inserts a new blank Outline Body paragraph underneath it.

Press the Enter key after any Outline paragraph to insert a new blank Outline Body paragraph. The new Outline Body paragraph will have the same left margin as the Outline paragraph that precedes it.

Outline paragraphs can also be added by using keyboard shortcuts: on the keyboard, hold down the Control and Shift keys and the status bar at the bottom of the screen will display each Outline elements' shortcut number; Control + Shift + *<number>* will insert a new Outline paragraph of that type.

Outline element text is blue by default, but this color and all other attributes can be customized the same way as any other element. See [Modifying Elements and Creating New Custom Elements](#).

Outline paragraphs can be converted into any other paragraph type. See [Reformatting](#).

HIDING OUTLINE PARAGRAPHS

To hide all Outline paragraphs on the page, go to View > Hide Outline in Script (or press Control + Shift + O (the letter) on the keyboard). All Outline paragraphs will be hidden. If the script is printed or saved as PDF while Outline paragraphs are hidden, they will not be included in the printout / PDF job.

To show all Outline paragraphs again, go to View > Show Outline in Script or press Control + Shift + O (the letter).



NOTE

Showing and hiding Outline paragraphs **will** affect the script's page count.

1.16.9. Configuring the Workspace (video only)

1.17. Elements

The Elements section contains information about how elements are used in Final Draft.

Scripts are comprised of different types of information -- scene headings, action, characters, dialogue and others. Each of these has its own indents (margins), alignment, spacing, casing and other attributes. Final Draft calls these unique paragraphs "Elements." In this sense, a script can be described as a stack of elements.


The specifications for all elements are defined in the Format > Elements dialogue. Other word-processing programs may refer to them as styles or style sheets.

Whenever a new paragraph is created, it gets its characteristics from the specifications in the Elements dialogue, which gives the script a consistent, professional look. An entire script may be altered by changing the settings for one or more elements. For example, if the indents (margins) for the dialogue element are changed, every existing and new paragraph of dialogue is (re)formatted accordingly.

- [Elements in a Script](#)
- [Adding Paragraphs](#)
- [Modifying Elements and Creating New Custom Elements](#)

1.17.1. Elements in a Script

Elements are paragraph types that, when populated with clever text and arranged in the right order, comprise an award-winning script.



General

General elements are used for any text which does not fall within any of the standard elements.

Scene Heading (Slug Line)

A Scene Heading marks the beginning of a scene, describing where and when the scene takes place. Scene Headings are always written in uppercase. Traditionally, scene headings are the only element that have a scene number assigned to them. They are never “orphaned” at the bottom of a page but are placed at the beginning of the next page to stay with the action that follows.

The Scene intro indicates whether the scene is set inside or outside. The default scene intros are: INT (interior); EXT (exterior); I/E (interior/exterior).

The Location indicates where the scene is to take place.

The Time of Day indicates when the scene is to take place.

Action

Represents screen direction that tells what is happening in the scene. It may include physical and psychological action.

Character and Dialogue

A character always precedes dialogue to indicate who is doing the talking. Characters are always written in uppercase.

Dialogue represents a character's speech. It is always preceded by a character, which identifies the speaker.

Parenthetical

Parentheticals provide directions which precede or follow dialogue. They indicate an immediate action being taken by the speaker, or that the dialogue should be delivered in a certain way. Parentheticals should be no more than a few words. When a parenthetical element is added, Final Draft automatically enters both the left and right parentheses and positions the cursor between them.

Transition


A Transition marks the end of a scene and may indicate how the passage between scenes takes place. They are always written in upper case. Some examples are CUT TO:, DISSOLVE TO:, and MATCH CUT TO:.

Shot

A shot is used to indicate a camera angle, camera movement or direction within a scene. Shots are always written in uppercase and behave and paginate just like scene headings, although they do not get numbered. They will not be “orphaned” at the bottom of a page but will be placed at the beginning of the next page to stay with the action that follows the shot description.

Cast List

The Cast List feature is used in sitcoms to list which characters appear in a scene. The cast list appears directly below the Scene Heading. See [Cast List](#) for more information.



As characters are entered into the scene, their names automatically appear in the new Cast List element. When a character is removed from a scene, it is removed from the Cast List for that scene. For information adding a nonspeaking character to a scene's Cast List, see Insert > [Nonspeaking Character](#).

Continueds and Extensions

Final Draft will automatically add a (CONT'D) after a character name if that character's speech is interrupted by an Action paragraph. Automatic Character Continueds are enabled by default and can be disabled under Document > Mores and Continueds.

A **character extension** indicates where the speech is “coming from” — offscreen, off camera, voice-over, telephone, etc.

The Element dropdown menu indicates the element type of the paragraph that contains the blinking cursor.

Changing a Paragraph's Element Type

Occasionally, a paragraph's element type may need to be changed after it has been created. See [Reformatting](#).

Outline Elements

See [Outlining a Script on the Page](#).

1.17.2. Adding Paragraphs

Final Draft offers a variety of methods for adding new paragraphs and switching elements so that the user may choose the method that works best for his or her own typing style.

Create a new paragraph with:

- Control + [#] key combination (displayed at the bottom of the screen)
- The Enter key
- The Tab key

1.17.3. Modifying Elements and Creating New Custom Elements

Most scripts can be written using the default set of elements. However, Final Draft gives the user the ability to modify existing elements and create new ones, which allows complete customization of the look of any script.

To modify the list of elements and element properties

1. Choose Format > Elements Settings and the Elements dialogue appears, open to the Basic tab;
2. The Elements dialogue contains the controls for all aspects of each element. It contains a list of the current elements as well as all the keystrokes, margins, alignment, spacing and stylistic information for each element;
3. Make changes to any element(s);
4. Click OK.

The change is applied to all instances of that element throughout the script.

Basic Tab

The Elements List contains the elements that are defined for the currently open script. The currently selected element's characteristics are determined by the options set in the Basic, Font and Paragraph tabs of the Elements dialogue.

Behavior Options

These options determine what happens when an element is added or inserted in the script.

Start New Page

When Start New Page is checked, a new page begins where the element is added or inserted.

Example: If each scene should begin on its own page, choose Scene Heading from the list on the left and check this box. Click OK and every scene will now start on a new page.

Paginate As

The Paginate As option instructs Final Draft how to break pages when the selected element text overflows between pages. The page-breaking rules for one of the screenplay elements listed may be selected, or None may be selected.

Example: The user is writing a musical and has created a special Lyrics element for use when characters are singing. Set the Lyrics element to paginate as dialogue, which ensures that it is never orphaned from its associated character element.

Shortcuts

The Shortcuts options determine which keyboard shortcuts are used to add or insert the selected element. It also indicates which element is automatically created the Enter key is pressed at the end of a paragraph.

Control and Shift Key Shortcuts

This option sets the keystroke combination that creates a new paragraph of the selected element type. The core elements' shortcut keys cannot be modified, but other existing elements and elements created by the user can be assigned a unique combination of keys to form the shortcut.

To change or assign an element shortcut:

1. Choose the element desired from the Element List;

2. Click in the Shortcut Key text field;
3. Replace the current character with any character desired. It can be a number, character, function key, etc.;
4. Optionally check the box to include the Shift key as part of the key combination.

Note that if a key combination is identical to one already in the operating system, it cannot be used.

Enter Key / Next Element pop-up list


This option specifies which element is automatically created when the Enter key at the end of an element is pressed.

To change which element is automatically created when the Enter key is pressed, choose the element from the dropdown list.

Example: The Enter key should bring up a new Character paragraph after Dialogue instead of an Action paragraph. Choose Dialogue from the list on the left and Character from the Next Element (Enter/Return) dropdown on the right.

Font Tab

The Font tab indicates the current font and size setting for the selected element.



IMPORTANT *You have the ability to use other third-party fonts, but this is not recommended.*

Setting a script in a different font almost always causes a change in the page count, especially when the script is sent to a computer that doesn't have that font installed. This is true even if the font is in the Courier family. Using Courier Final Draft is the way to ensure that a script retains its original page count even if it's opened on a variety of machines.

To set font and size for an element

1. Choose the element desired from the Element List;
2. Click the Font tab;
3. Click Set Font;
4. The Font dialogue appears.
5. Make any desired changes and click OK;


To set font and size for all elements:

1. Change these font attributes for one element;
2. Click Apply Font/Size to All Elements.

All the elements are set to the same font and size. Note that the Apply Font/Size to All Elements command does not apply a style or styles (such as bold or italic) to all elements.

Paragraph Tab

The Paragraph tab is the place to adjust an element's layout attributes.



Alignment

The Alignment dropdown contains the options Left, Centered, Right and Justified.

Spacing

The Spacing dropdown contains the options 1, 1.5, 2, and 3.

Space Before

The Space Before option allows the user to set the spacing *before* an element. The options include 0, 1, 2 and Other (where a value up to 30 may be entered).

Left and Right Indents

These settings control the indents (margins) of the selected element and are measured in inches from the left edge of the page.

To change the Left or Right Indent settings for an element:

1. Choose the element desired from the Element List;
2. Click the up or down arrows next to the setting.

To create a custom element

1. Click New. A default name appears in the Element list and in the text field above the list;
2. Edit the name in the text field. The name in the Elements list changes accordingly;

The Basic, Font and Paragraph tab options are set to default for those of the Action element.

3. Make any changes desired.

To delete a custom element

1. Select a custom element. The Delete button becomes enabled;
2. Click Delete.




NOTE

You cannot delete or rename a core element (General, Scene Heading, Action, Character, Parenthetical, Dialogue, Transition, Shot, Cast List, New Act, End of Act, Outline Body and Outline 1-4).

To Apply a Template

If a certain kind of script (i.e., feature screenplay) must be converted to another kind of script (i.e., one-hour drama), there is no need to adjust all elements of the script one at a time. The script may be converted to another format by instructing Final Draft to apply the element settings from one of the templates that ship with Final Draft.

1. Click Apply a Template:
2. From this template picker, expand the desired category by clicking the plus sign next to it:



3. Choose the desired template;
4. Click OK to return to the Elements Setup window;
5. Click OK to return to the script. The element specifications of the chosen script or template will be applied to the script.

To Apply the Elements from Another Script or a Template not included in Final Draft

1. Click Apply a Template;
2. From the template picker, choose Browse;
3. A standard Windows Open dialogue will open;
4. Navigate to the script or template
5. Select the desired script or template and click Open to return to the Elements Setup window;
6. Click OK to return to the script. The element specifications of the chosen script or template will be applied to the script.


1.18. Beat Board and Outline Editor

The Beat Board and Outline Editor section contains information about these two functions and how they work together to help the writer plan and structure a story.

- [The Beat Board](#)
- [The Outline Editor](#)

1.18.1. The Beat Board

Displays a field in which the user may insert and arrange Beats.



Before they "go to pages" (write action and dialogue), many writers and writing teams first outline their stories using real or virtual cards to lay out the "beats" of a script and view them from a high altitude. The Beat Board allows the user to compile and organize his / her ideas, notes, story points, scene fragments, scenes, sequences, acts, plot structure, the arc of a show season or even a series itself.



TIP

Open Final Draft, go to Help > Sample Scripts and choose one of the scripts. Open the Beat Board to see how the writer of Tangle and Mossy used the Beat Board to organize story, plot, theme, characterization and arcs.

1.18.1.1. Inserting a New Beat

To insert a new Beat, right-click or Control + click the Beat Board and choose New Beat. A new Beat will be placed on the Beat Board at that location:



A new Beat may also be inserted by

- Double-clicking anywhere on the Beat Board;
- Right-clicking anywhere on the Beat Board and then clicking New Beat;
- Pressing Control + Enter on the keyboard;
- Going to the Insert menu and clicking New Beat.

Beats created in one of these ways will not have an [Outline Goal](#) in the upper right corner.

1.18.1.2. Entering Text

To enter text into the Title or Body field, click once on the Beat to select it (selection indicated by a blue border), then click again into the Title or Body field. Text may be entered or pasted when the blinking cursor is present in the field.


Text in the body field of a Beat may be modified by highlighting it and selecting a style or styles from the Format > [Text](#) section.

The font, size, style and color of text in the title field of a Beat may not be modified.

To move the blinking cursor from the Title field to the Body field, press the Tab key on the keyboard. To move the blinking cursor from the Body field to the Title field, press the Tab key again. If the cursor is in the Title field, Enter will also move the cursor to the Body field.


1.18.1.3. Outline Goal

Another way to create a Beat is to right-click on the Outline Editor on a particular page marker (hash marks represent page numbers and page eighths) and select New Beat.



A Beat marker will be created on the Outline Editor at that point and a new Beat will also be placed on the Beat Board.


Note that in the upper right corner of the Beat an "Outline Goal" (a set of numbers) is displayed. The Outline Goal indicates the script page range on which the user expects to write the content contained in the Beat.




The Outline Editor displays hash marks representing script pages and two "lanes" that represent two levels of outline:



To assign an Outline Goal to a Beat after it has been created from the Beat Board and not the Outline Editor, drag it from the Beat Board to the desired page and lane in the Outline Editor. A Beat marker will be placed at that location on the Outline Editor and the Outline Goal will now be displayed in the Beat.




If the Beat marker in the Outline Editor is resized to the left or the right to span more or fewer pages, the Outline Goal numbers on the Beat will update accordingly.



If the marker is moved in the Outline Editor, the Outline Goal on the Beat will be updated.

If a color is assigned to the Beat, the marker in the Outline Editor will take that color as well:



To remove the Outline Goal from a Beat, right-click in the upper right of the Beat. From the context menu choose Remove Outline Goal.

1.18.1.4. Positioning and Sizing Beats

Beats may be moved anywhere on the Beat Board; they are not confined to columns and rows.



NOTE

Although the instructions below refer to moving a single Beat, they also apply to moving a grouping of Beats (see [Multiple-Selecting Beats](#)),

To move a Beat, click onto it with the left mouse button, hold the left button down and drag it to the desired location. Note that when in drag mode, the cursor changes to the drag icon.

A Beat may also be moved by clicking into it and using the arrow keys on the keyboard to send the Beat in the desired direction.

If [Grid Snapping](#) is off, each arrow keystroke will move a Beat one pixel.

If Grid Snapping is on, each arrow keystroke will move a Beat one grid space.

If Grid Snapping is on and the Shift key is held down when an arrow key is pressed, each arrow keystroke will move a Beat three grid spaces.

Beats can be resized or reshaped by hovering the cursor on any border or corner so that the double arrow appears, holding the left mouse button down and dragging inward or outward, right or left, up or down.

As more Beats are added or moved down or to the right, use the vertical and horizontal scroll bars to display further sections of the Beat Board.

To move a Beat or a grouping of Beats (see [Multiple-Selecting Beats](#)) to a section of the Beat Board that is not currently visible, drag the selection off the edge of the Beat Board and continue dragging. The Beat Board will move in the opposite direction of the drag (revealing more of the Beat Board) until the mouse button is released.

1.18.1.5. Grid Snapping

When Grid Snapping is enabled, Beats will, when created or moved on the Beat Board, automatically be positioned along the nearest horizontal or vertical grid line or along the midpoint between horizontal or vertical grid lines.

Enabling Grid Snapping will not snap existing Beats to the grid; Beats are only aligned along a grid line at the end of a move.

1.18.1.6. Copying Beats and Text from Beats

Copying a Beat

A Beat may be copied and pasted elsewhere on the Beat Board by selecting it and, on the keyboard, pressing Control + C, then clicking the Beat Board and pressing Control + V

- or -

Right-click on a Beat and from the context menu choose Copy. Right-click on the desired location on the Beat Board and from the context menu choose Paste.

Copying Text in a Beat

Text in a Beat may be copied to another Beat, a script page, a Summary card or a text field in the Navigator.

To copy Beat text:

1. Select the Beat;
2. Click into the Title field or the Body field;
3. Select the desired text or, if all text is to be copied, on the keyboard press Control+ A;
4. On the keyboard, press Control + C

or

4. Right-click to display the context menu and choose Copy.

The text is now on the clipboard and may be pasted elsewhere.

Text can be pasted into a Beat from any source. If a Beat is selected and the blinking cursor is in a field, right-click in the field and choose Paste. Text can also be pasted with Control + V.

If it is pasted into a script page, the Beat's title will be inserted as an Outline 1 paragraph and the Beat's body text will be inserted as an Outline Body paragraph.


If multiple Beats are selected and Control + C is chosen, and the text is pasted into a script page, the text will be placed on the page in the order of Beat selection.

There is no limit to the amount of text that can be entered into the body of a Beat; if there is too much text to be displayed in its entirety and the Beat has not been enlarged to accommodate it, use the Up or Down arrow keys or the Page Up / Page Down keys on the keyboard to scroll.


1.18.1.7. Dragging a Beat to a Script Page

If the screen is split and displays Normal, Page or Speed View in one panel and the Beat Board in the other, text may be copied from a Beat by dragging the Beat to the desired location on a script page.


The Beat's title will be inserted as an Outline Heading paragraph and the body will be inserted as an Outline Body paragraph. These paragraphs can be [reformatted](#).



The Beat will remain on the Beat Board after the drag.



An alternate way of moving Beat Board content to a script page is to right-click on a Beat and from the context menu, choose Send to Script:



1.18.1.8. Dragging Selected Script Text to the Beat Board

If the screen is split and displays Normal, Page or Speed View in one panel and the Beat Board in the other, script text may be selected and dragged onto the Beat Board. A new Beat will be created at the end of the drag that contains the selected script text. The selected text will not be removed from the script page and the text in the new Beat will retain its original formatting from the script page. This function is especially useful for storing content for later use.






TIP

Create a “trim bin” area on the Beat Board for bits of your script that you’re not sure you want to keep. Assign a color to these Beats so you can easily identify them. Watch this video for more information:

1.18.1.9. Coloring Beats

A Beat may be colored by right-clicking into it and choosing a color from the context menu. Suggested schemes include color-coding groups of Beats by location, time of day, presence of a particular character or characters, type of scene, related scenes, or by sequence or act.



A custom color can be created and assigned to a Beat by choosing Custom at the bottom of this menu. When Custom is chosen, a standard Windows color picker is presented.

When a Beat is colored, its corresponding Beat marker in the Outline Editor (if any) also takes on that color.

1.18.1.10. Multiple-Selecting Beats

Beats may be multiple-selected by drawing a box around the desired Beats with the mouse. Once several have been selected, they can be moved, colored or deleted as a group. Note that there is no confirmation dialogue when deleting. To release the selection of a group, click anywhere else in the field. Text may be copied from multiple Beats and pasted in other locations; the text will paste in as a single block.

Beats may also be multiple-selected by holding down the Control key and clicking desired Beats. The order in which they are selected will determine the paste order if their contents are to be pasted elsewhere.


1.18.1.11. Align Selected Beats

These commands are available when the Beat Board is the current active panel.

Align Selected > To Grid

If Grid Snapping is off and this command will snap selected Beats to the nearest grid line or grid half-line.

Align Selected > To Grid > Make Column



Align Selected > To Grid > Make Row



Align Selected > To Grid > Cascade



Note that after Beats are cascaded, they are not still selected. They must be selected again to perform some batch function on them (i.e. color, move, delete, etc.)

1.18.1.12. Deleting Beats


To delete a Beat, click into the upper right-hand corner so that it is selected (blue outline) but it is not in text-edit mode (no blinking cursor). Press Delete on the keyboard.

To remove a Beat marker from the Outline Editor, right-click on it and from the context menu, choose Remove. This will remove the Beat mark but leave the Beat on the Beat Board.

1.18.1.13. Images on the Beat Board

The Beat Board can display images – storyboards, lighting schematics, headshots, location ideas, wardrobe choices, etc.

Supported graphics formats are .GIF, .JPG, .JPEG and .PNG.



To insert an image, right-click on the Beat Board and choose New Beat from Image. A standard Windows Open dialogue box will appear, allowing the user to navigate to and select an image. Locate the image and double-click it; a new Beat containing the image will be created on the Beat Board at that location.

Alternately, an image may be dragged from a folder directly onto the Beat Board to create a new Beat containing that image. The name of the graphics file will be the title of the Beat.

Insert > Image will open a standard Open dialogue and allow the user to navigate to and select an image. Locate the image and double-click it; a new untitled Beat containing the image will be inserted at the upper left of the Beat Board.

Beats containing images behave identically to Beats containing text – they may be resized, colored, dragged to a script page, etc.



IMPORTANT *Images larger than 1mb in size are not recommended. If a script file contains many large image files, program performance may be affected.*

1.18.1.14. Zooming and Moving the Beat Board

Zooming


If a mouse with a scroll wheel is being used, hold down the Control key and scroll up or down with the scroll wheel.

Keyboard


Hold down the Control key and press the plus or minus keys on the right-hand side of an extended keyboard.

View Mini-Bar


At the bottom right of the application window, use the slider to zoom in and out (left is smaller, right is larger):



or click the percentage button at the far right and choose a pre-set zoom percentage:



or type in a desired zoom percentage and press Enter on the keyboard:



Moving the Beat Board

The Beat Board may be dragged with the mouse by holding the left mouse button down and at the same time holding down the Space bar on the keyboard.

The Beat Board may also be dragged by holding the Space bar down and using a trackpad. Another way, if the computer is set up for this, is to use two fingers on a trackpad to

If a mouse with a scroll wheel is being used, the Beat Board can be tilted (moved up or down) by turning the scroll wheel on the mouse. The operating system's settings for scroll wheel directionality will apply to scrolling the Beat Board.

If a mouse with a scroll wheel is being used, the Beat Board can be panned (moved left to right or right to left) by holding down the Shift key and turning the scroll wheel on the mouse.

The Beat Board may also be moved with the horizontal and vertical scroll bars, as in other word processors.

1.18.1.15. Flow Lines

- Connect -- when two Beats are selected and this command is issued, a Flow Line will be drawn between the two Beats.
- Connect with Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the second Beat selected will be drawn;
- Connect with Reverse Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards the first Beat selected will be drawn;
- Connect with Double Arrow -- when two Beats are selected and this command is issued, a Flow Line with an arrowhead pointing towards both Beats will be drawn.

A Flow Line type may also be changed at any time by right-clicking on it and choosing another type from the context menu:

Beats can be connected by dragging one on top of the other. The dragged Beat will return to its original location and there will a Flow Line (with no arrows) between the two. Beats can be disconnected the same way.

Connectors stay attached to Beats even when they are moved.

Connection Color

Displays a color picker to change the color of a Flow Line. Click on a Beat at either end of the Flow Line to select it.

A Flow Line color may also be changed at any time by right-clicking on it and choosing another color from the context menu.

Disconnect


When a Beat with one Flow Line is selected and this command is issued, the Flow Line between it and the other Beat to which it is connected will be removed.

When a Beat multiple Flow Lines is selected and this command is issued, the Flow Line between it and the first Beat to which it was connected will be removed.


A Flow Line may also be removed at any time by right-clicking on it and choosing Disconnect from the context menu.

1.18.2. Outline Editor


The Outline Editor is a story-planning tool that allows the user to lay out story beats and story milestones in a linear fashion. There are two outline levels (lanes) and the numbers and hash marks correspond to page numbers in a script. The user can place resizable markers representing story events in either lane, anywhere along its length.




To insert a new Beat marker, right-click in the desired lane, above a desired page number, and choose New Beat. A new Beat marker will be placed in the Outline Editor at that location:




Click on it to edit the title and the body of the beat, and a Beat will be placed on the Beat Board with the Outline Goal in the upper right corner:



An existing Beat marker may be dragged from one location to another along the Outline Editor, which changes its Outline Goal. A Beat marker may also be resized by dragging its right or left border, which changes the page range of its Outline Goal. The corresponding Beat on the Beat Board will reflect the updated Outline Goal.



When a Beat is clicked, a popup will appear containing the text in the corresponding Beat. Click into the popup to edit the content of the Beat:




Navigation

Double-click on a Beat marker to move the Beat Board so that the Beat associated with the double-clicked marker is displayed at the center of the screen. The Beat will also be selected (blue border).


Script Pages

The bottom lane of the Outline Editor (the Script lane) displays the first few words of a written scene's scene heading in that scene's assigned color, if a color has been assigned. The number of words shown depends on the size of the cell. Double-click a cell in this lane to scroll the script to that scene:



Send to Script

This command copies the contents of all markers from the Outline Editor to the script pages:




If script pages are shown, text from the Outline 1 lane will be copied to the script page as an Outline 1 paragraph and text from the Outline 2 lane will be copied to the script page as Outline 2:



Outline Elements


Location Indicator

The script page containing the cursor is indicated in the Outline Editor by a blue line. If the cursor is placed on a different page, the Location Indicator will move to the new page marker. The script cannot be scrolled by dragging the blue line.



Target Script Length

The Outline Editor defaults to 120 pages, considered the average feature film script length. Double-click or right-click anywhere in the Outline Editor to adjust the target script length (the number of pages represented):



The more pages there are, the longer the Outline Editor will be. If a script is longer than the target script length, the hash marks and Page Goals in the Outline Editor will appear in red:



If a locked script has A pages, they will appear as gold hash marks.

If a locked script has dashed / deleted pages (i.e. "page 9-10"), the corresponding area of the Outline Editor will not display a scene content tooltip.



TIP

*To work with percentages rather than pages, set the Target Script Length to **100**. Now each hash mark represents 1% of the total project rather than page numbers. For example, placing a Beat at 33 means that it occurs a third of the way in, regardless of how many pages precede that Beat.*


Panning the Outline Editor

If a mouse with a scroll wheel is being used, the Outline Editor can be panned (moved left to right or right to left) by placing the cursor anywhere in the Outline Editor and turning the scroll wheel on the mouse. The operating system's settings for scroll wheel directionality will apply to scrolling the Outline Editor.

If a trackpad is being used, panning can also be done by clicking anywhere within the Outline Editor and swiping left or right.


Menu

Right-click on a Beat marker to display this context menu:



- **New Beat** -- places a new Beat in the Beat Board and a new Outline Editor marker at that page number location. The Beat will have that page number as its Page Goal;
- **Show** -- moves the Beat Board so that the associated Beat is displayed at the center of the screen. The Beat will also be selected (blue border). This command is identical to double-clicking a Beat marker;
- **Remove** -- removes the Beat marker from the Outline Editor and the associated Beat from the Beat Board;
- Assign a color to both the Beat marker in the Outline Editor and the associated Beat on the Beat Board;
- **Change Target Script Length** -- see above.
- **Hide Outline Editor** -- removes the Outline Editor from the application display. To show the Outline Editor , go to View > Show Outline Editor.

Right-click on a Scene marker in the Script lane to display this context menu:



- **Show** – if script pages are displayed, scrolls the script to the scene selected;
- Assign a color to the Scene marker in the Outline Editor; this color will apply to the scene when it is represented in the Scene Navigator, Index Card view and Scene View;
- **Change Target Script Length** -- see above.
- **Hide Outline Editor** – see above.

Right-click anywhere in the Outline Editor to display the above menu but without the options to Show or Remove a Beat.

For information on zooming and resizing the Outline Editor, see [Zoom Outline Editor](#).

1.18.3. Idea to Rough Draft (The 1-2-3 Workflow)

Final Draft can help a writer form a plot, organize its structure, create an outline and work out a page budget before writing the first page of a script.. Use the Beat Board to structure the events of the story, use the Outline Editor to organize the acts and scenes, and use Page View to begin writing around the skeleton.

In the example below, the writer has organized her short film into three acts, with each act having three scenes. This story structure has come to look like this after some time was spent brainstorming, adding and removing ideas, and moving them around on the Beat Board until the story was exactly where she wanted it to be.

The next step is to move this story to the Outline Editor, which is a linear representation of the story. The Outline Editor can be used to break down the story into a page budget, which helps the writer know how many pages to allot to each scene. If it's not visible, go to the View menu and choose Show Outline Editor or choose its icon from the toolbar Home Ribbon.



NOTE

There are many story paradigms that can be used to help you structure your story; this tutorial will use the three-act model.

If the script is intended to be fifty pages long, right-click or Control + click anywhere in the Outline Editor and choose Change Target Script Length. The default is 120 pages, considered the standard length of a feature screenplay, but this project isn't feature length. The writer enters 50 and clicks OK. Now the Outline Editor displays a 50-page scale.

Drag the markers for Acts One, Two and Three to the Outline 1 Lane and sizes them appropriately. Act One will go from Page 1 to Page 15, Act Two will go from Page 16 to Page 34 and Act Three will go from Page 35 to Page 50.

Next, drag the scenes to the Outline 2 lane. Each scene will span an average of five pages.

To make it easier to differentiate each scene, right-click or Control + click a scene marker to assign it its own color. You can also edit the text in the marker and the Beat on the Beat Board will be updated as well.

To make it easier to see, zoom the Outline Editor in or out with the slider on the left right and resize vertically by dragging the bottom border up or down.

Scenes' lengths can be adjusted once they've been positioned, and the page range will be updated in the Beat on the Beat Board.

After the acts and scenes have been fine-tuned for length, create an outline on the script page by clicking the Send to Script button at the left. To see this in action, split the screen vertically with Page View on one side and the Beat Board on the other.

Beat titles will be brought to the page as Outline Body paragraphs and Beat body text is copied to the page as Outline 1.

The writer now has an outline on the page, and she can write actual script content around the blue outline paragraphs. Outline paragraphs can also be converted to regular script paragraphs by right-click or Control + clicking on a paragraph and going to the Change Element to menu.

Outline paragraphs can be hidden by going to the View menu and choosing Hide Outline in Script.

It's also possible to create an outline without using the Beat Board and the Outline Editor by writing story beats on the script page as outline paragraphs. There are five kinds of Outline paragraphs: Outline Body and Outline 1-4. If the blinking cursor is at the end of an Outline Body paragraph, press the Tab key to insert an Outline 1 paragraph underneath it. After the Outline 1 paragraph has been written, press the Tab key to insert an Outline 2 paragraph underneath it, and so on.


1.19. Navigator

The Navigator section contains information about the four parts of the Navigator -- what they do and how to use them.

- [Navigator > Scenes](#)
- [Navigator > ScriptNotes](#)
- [Navigator > Characters](#)
- [Navigator > Tags](#)
- [Managing Columns](#)
- [Showing / Hiding the Navigator](#)

1.19.1. Navigator > Scenes

If the Navigator is not open, go to Tools > Show Navigator. The Navigator panel will be displayed, open to the Scenes tab. The script used in the examples below is found in Final Draft under Help > Sample Scripts > Shooting Script.



Navigator

Filter by...

Order	Page	Scene #	Title	Color	Intro	Location	Time	Length
1	1		Act One					
2	1		Meet Tangle					
3	1		Set up Gold Key					
4	1		Tangle's desire to fin...					
5	1		Uncle's advice:					
6	1	1	Meet Tangle		INT	HOME	DAY	4/8
7	1	2	KITCHEN - NIGHT (F...			KITCHEN	NIGHT (FLASH...	3/8
8	2	3	Uncle's advice:			HOME	PRESENT TIME	1
9	3	4	FOYER - ANOTHER ...			FOYER	ANOTHER DAY	5/8
10	3	5	FOYER - 5 YEARS LA...			FOYER	5 YEARS LATER	1 2/8
11	4		Tangle finds key & M...					
12	4		Tangle loses everythi...					
13	4		Meets Mossy					
14	4		Debate who key be...					
15	4		Warned about Crea...					
16	5		T & M begin quest					
17	5		Told to find the Old...					
18	5	6	Tangle finds key & ...		EXT	FOREST	DUISK	3 3/8

Heading:

Title:

Color:

Scene Summary:

Characters in scene:

Character Arc Beat:

Add Remove



NOTE


All Navigator tabs operate the same way, regardless of which tab is chosen. Most options, configuration and navigation to and from are identical.

This view contains a table of the scenes in the active script. Each row of the table corresponds to a scene in the script. The highlighted row in the Navigator corresponds

to the currently-selected scene in the active script. If multiple scenes are selected in the active panel, the highlighted row corresponds to the last scene added to the selected scenes. If another script is made active, the Navigator displays the scenes in the new active script.

1.19.1.1. Navigating to a Scene

Double-clicking a scene in the Navigator will display that scene in the active panel (see the [Panels](#) section). If the active panel shows script pages (Page/Normal View), the scene chosen in the Navigator will be displayed at the top of the screen and the blinking cursor will be placed at the beginning of that scene.



If the active panel is set to an Index Card view, the card of the scene chosen in the Navigator will be positioned at the top of the screen and highlighted.

Conversely, wherever the blinking cursor is placed in a script page or whichever card is clicked on in an Index Card panel, that scene will be highlighted in the Navigator.

1.19.1.2. Sorting Scenes

Sort the scenes by any column in either ascending or descending order. To sort by a column: Click on the header of the column to be sorted. The triangle indicates whether the column is currently sorted by ascending (arrow up) or descending (arrow down) order.

In this example, the Locations column has been set to sort in ascending (A - Z) order. To reverse this order, click the Location column header and the list of locations will be sorted Z - A.

Navigator								
Filter by...								
Order	Page	Scene #	Title	Color	Intro	Location ^	Time	Length
76	30		THE END					1/8
75	28	36	T & M find the door			A SMITHING WORKSH...		1 4/8
47	20	22	BACK AT THE CAMP...			BACK AT THE CAMPSITE	CONTINUOUS	4/8
34	13	13	BASE OF THE SLOPE			BASE OF THE SLOPE		7/8
45	20	20	Mossy disappears			CAMPSITE	DAWN	5/8
67	27	32	EXT. CASALINDA - A...		EXT	CASALINDA	AFTERNOON	3/8
68	27	33	INT. CASALINDA - ...		INT	CASALINDA	MOMENTS LA...	1/8
56	23	28	INT. CAVE ENTRANC...		INT	CAVE ENTRANCE	NIGHT	2/8
37	15	16	T & M grow closer			CLEARING	NIGHT	1 2/8
25	10	9	CLIFF OVERLOOKIN...			CLIFF OVERLOOKING ...	ANOTHER DAY	5/8
39	16	17	T & M suddenly older			DAWN		1 2/8
59	24	29	DEEPER INTO THE L...			DEEPER INTO THE LAB...		1 1/8
30	13	12	DOWN THE SLOPE			DOWN THE SLOPE		1/8
18	5	6	Tangle finds key & ...		EXT	FOREST	DUSK	3 3/8
9	3	4	FOYER - ANOTHER ...			FOYER	ANOTHER DAY	5/8
10	3	5	FOYER - 5 YEARS LA...			FOYER	5 YEARS LATER	1 2/8
23	8	7	T & M on the road		EXT	GRAVEL ROAD	NIGHT	1
29	12	11	GRAVEL ROAD - CO			GRAVEL ROAD	CONTINUOUS	6/8

1.19.1.3. The Columns

The Scenes section of the Navigator can display the following columns:

Show Character... presents a list of the characters in the script, which, when one is selected, will be displayed as a column header. Scenes in which that character has dialogue will be denoted by a dialogue bubble icon; scenes in which that character appears but does not speak will be denoted by a dialogue bubble icon with a red X.

A column may be added for as many characters as are needed. Character columns must be added one at a time; multiple-selecting from this dropdown menu is not supported.

Show Character Arc... presents a list of the characters in the script, which, when one is chosen, will be displayed as a field which displays text written about that character in the selected scene. Character arc notes are entered in the [Character Arc](#) window.

The **Order** column displays the numerical order each scene appears in the script, (e.g., the first scene in the script has a “1” in the Order column, the second scene in the script has a “2” in the Order column, etc.). Note that the Order is not the same thing as the scene number (See [Scene Numbers](#)). The Order column may not be hidden.

The **Color** column displays the scene color. A color may be assigned to each scene to make scenes easier to group and sort. See [Color](#) for information on how to assign or change a scene’s color.

The **Intro, Location and Time** columns display parts of the scene heading for each scene. The Intro column displays the scene intro (either INT or EXT), the Location column displays the name of the location and the Time column displays the time of day.

The **Length** column displays the length, in pages, to the nearest 1/8th of a page, of each scene.

The **Page** column displays the starting page number for each scene. The **Scene #** column displays the scene number for each scene, if scene numbers have been generated. See [Scene Numbers](#) for information on how to generate scene numbers.

The **Scene #** column displays scenes' numbers, if they have been numbered.


The **Time** column displays the time the scene takes place, per the scene heading – examples are Day, Night, Afternoon, etc.

The **Title** column displays the title of each scene. The title is a short text label you can assign to a scene, in addition to the scene heading and summary, to make it easier to identify. See the section below on the [Scene Properties](#) section for how to enter and edit a scene title.

1.19.1.4. Filter by...


The Navigator can display scenes based on search criteria entered into the Filter by... field at the top of the panel.

Click into the Filter by... field...



...and type a search parameter such as “ext.” or “int.” (without quotes), a location, a time of day, a character name or a word from a scene summary. As more text is entered, scenes containing the search term will be displayed.

Example: Type the letters “ext (without quotes) into the Filter by... field and only scenes that contain that letter combination in the scene heading or in the scene summary will be displayed.



Navigator								
			Scenes ScriptNotes Characters Tags					
ext								
Order	Page	Scene #	Title	Color	Intro	Location	Time	
67	27	32	EXT. CASALINDA - A...		EXT	CASALINDA	AFTERNOON	
61	25	31	Tangle sacrifices the ...		EXT	PRECIPICE	DAY	
55	22	27	Tangle enters lair		EXT	WOODS	ANOTHER NIG...	
23	8	7	T & M on the road		EXT	GRAVEL ROAD	NIGHT	
18	5	6	Tangle finds key & ...		EXT	FOREST	DUSK	
76	30		THE END					
73	27		But they still turn t...					
72	27		Tangle realizes Moss...					
71	27		Mossy's found the d...					

If more letters are entered into the search box, the search becomes more specific.

To view all scenes again, delete the search term from the Filter by... field. The Filter by... field does not search for individual words in action or dialogue.

1.19.1.5. Scene Properties / Characters in Scene / Character Arc Beats

The lower panel of the Navigator allows the user to add information about a scene that is not displayed on the script page. This information can be helpful in organizing, structuring and tracking the many scenes that comprise a script and the characters in those scenes.

- [Title](#)
- [Color](#)
- [Scene Summary](#)

1.19.1.5.1. Title

The user can, if desired, assign a short title to a scene in order to reference it quickly and easily. Click into the Title field to enter or edit text and click anywhere outside the edit field to apply the change. The Title field is blank until text is entered.

Examples of scene titles are “The Necktie Scene,” “The Bicycle Accident” or “Bob Meets Sue.”

1.19.1.5.2. Color

The user can, if desired, assign a color to a scene. Assigning a color to a scene or group of scenes enables the user to organize scenes into groups or categories. They can then be sorted by color in the Navigator. The Scene View and Index Card panels also display each scene's color.

To assign a color to a scene, select a scene row, click on the color dropdown menu and select the desired color. This color will be applied to the scene immediately. If multiple scenes are selected, the new color applies to all of the selected scenes.

Examples of how colors can be used to organize scenes are:

- All A-story scenes are red, B-story scenes are green and C-story scenes are purple;
- All park scenes are red, all restaurant scenes are green and all hotel scenes are purple;
- All Bob scenes are red, all Sue scenes are green and all Fred scenes are purple.

1.19.1.5.3. Scene Summary

The user can, if desired, describe in greater detail what happens in a scene. This is particularly useful at the story construction stage of the writing. The scene summary will appear in the Index Card summary view. Click into the Summary field to enter or edit text and click anywhere outside the edit field to apply the change. The scene summary field is blank until text is entered.


The screenshot shows a software interface for creating a scene. At the top, the heading is "EXT. FOREST - DUSK". Below it, the title field contains "Tangle finds key & Mossy". The color dropdown is set to "Custom...". The main area is divided into three panels: "Scene Summary:", "Characters in scene:", and "Character Arc Beat:". The "Scene Summary:" panel contains the following text: "Tangle loses everything. Meets Mossy. Debate who key belongs to. Warned about Creature. 'Will not make it alone.'", "T & M begin quest", and "Told to find the Old Man. He'll know where the door is." The "Characters in scene:" panel lists "GRANDMOTHER", "MOSSY", "TANGLE", and "WOMAN", each with a speech bubble icon. The "Character Arc Beat:" panel is empty. At the bottom of the "Characters in scene:" panel are "Add" and "Remove" buttons.

If multiple scenes are selected in the active Script panel, then the title and summary text boxes are unavailable. Thus, the user cannot change the title or summary of multiple scenes at once. However, if multiple scenes are selected in the active Script panel and all the selected scenes have the same color, then the color dropdown displays that color, which can be changed here.


On the other hand, if the selected scenes have different colors, then the Color dropdown is unavailable. If each scene is to be assigned a different color, they will have to be selected one by one. In the Script panel, if the selection highlight extends across the start of a scene heading, then both the scene previous to the scene heading and the scene that contains the scene heading are selected.

1.19.1.5.4. Characters in Scene / Character Arc Beat Window


At the upper right corner of the Scene Summary window is a right-pointing arrow icon which, when clicked, hides the Characters in Scene and Character Arc Beat windows:



The icon is now left-pointing, and when it is clicked, the Characters in Scene and the Character Arc Beat windows are shown again:



The Characters in Scene window indicates all characters in the scene selected in the table above. Speaking characters have a dialogue bubble icon and non-speaking characters have a dialogue bubble icon with a red X. In the example below, the Head Maid speaks in this scene and Tangle and the other maids appear but do not speak.



If a character is selected for display in the Navigator table, the dialogue bubble icons (speaking and non-speaking) will appear in the scene rows in which that character appears:

Navigator

Scenes Scriptnotes Characters Tags


Filter by...

Order	Page	Scene #	Title	Color	Intro	Location	Time	TANGLE
4	1		Tangle's desire to fin...					
5	1		Uncle's advice					
6	1	1	Meet Tangle		INT	HOME	DAY	(X)
7	1	2	KITCHEN - NIGHT (F...			KITCHEN	NIGHT (FLASH...	(X)
8	2	3	Uncle's advice			HOME	PRESENT TIME	(S)
9	3	4	FOYER - ANOTHER ...			FOYER	ANOTHER DAY	(S)
10	3	5	FOYER - 5 YEARS LA...			FOYER	5 YEARS LATER	(S)
11	4		Tangle finds key & M...					

1.19.1.5.4.1. Character Arc Beats

The Character Arc Beats window allows the user to add information about a character in a scene. This information can be helpful in organizing, structuring and tracking a character's individual story as it progresses through the script.

Choose a character from the Characters in Scene box and enter a note about that character at this point in the script. In the example below, Tangle is after a treasure; her story is how she learns what that treasure is. Her progress can be mapped out in selected scenes.



If a character has Character Arc Beat content in a particular scene and his or her Arc is selected for display in the table, that content will appear in the scene's row in the Navigator table.

This can be useful in determining how many and which scenes characters appear in and how many and which scenes combinations of characters interact with each other.

The Character Arc Beat field is blank until text is entered.

1.19.1.5.4.2. Non-Speaking Characters

To add a non-speaking character to a scene

If a character is to be added to the scene but the character does not have dialogue, click the Add button at the lower left...

22	8	Hints of attraction						
23	8	7	T & M on the road	<input type="checkbox"/>	EXT	GRAVEL ROAD	NIGHT	1
24	9	8	VARIOUS SPOTS ILLU...	<input type="checkbox"/>		VARIOUS SPOTS ILLU...	TIME LAPSE (D...	6/8

Heading: KITCHEN - NIGHT (FLASHBACK)

Title:

Color:

Scene Summary:

Characters in scene:

HEAD MAID ☐

SECOND MAID ☐

TANGLE ☐

THIRD MAID ☐

Character Arc Beat:

...and type in the name of the non-speaking character. When the typing is complete, click away from the text field to commit the change. The new character (in this example, "COOK") will then be added to the scene:

Heading: KITCHEN - NIGHT (FLASHBACK)

Title:

Color:

Scene Summary:

Characters in scene:

COOK ☐

HEAD MAID ☐

SECOND MAID ☐

TANGLE ☐

THIRD MAID ☐

Character Arc Beat:

Examples of typical non-speaking characters are Orderly, Passerby, Receptionist, Atmosphere or Extras.


To remove a non-speaking character from a scene

Select the non-speaking character to be removed from the scene and click the minus sign icon at the lower left or press Delete or Backspace on the keyboard. This icon will be disabled if a speaking character is selected.

As with speaking characters, if a non-speaking character is created, this character and / or the character's arc may be added to the columns in the upper panel.

1.19.1.6. Exporting

The information in the Scenes tab (and the Characters tab) can be exported as a CSV (Comma Separated Values) file to a spreadsheet by clicking the CSV icon to the left of the Scenes tab button:



The export will contain all default columns and all custom columns.



IMPORTANT When importing this CSV file into a spreadsheet program, the program's Open dialogue box may need to be set to look for All Files or CSV files if it defaults to only being able to recognize its own usual file format.

When opening the CSV, there may be a prompt to choose how to import it; choose Delimited Width with the Comma as the delimiter:

Text Import Wizard - Step 1 of 3

The Text Wizard has determined that your data is Fixed Width.

If this is correct, choose Next, or choose the data type that best describes your data.

Original data type

Choose the file type that best describes your data:

☒ Delimited Characters such as commas or tabs separate each field.

☐ Fixed width Fields are aligned in columns with spaces between each field.

Start import at row: 1 File origin: 65001 : Unicode (UTF-8)

☐ My data has headers.

Preview of file \\Mac\Home\Desktop\Untitled Tangle & Moss FD 12 - Script Scenes.csv.

1	"Title", "Page", "Order"
2	"Act One", "1", "1"
3	" Meet Tangle", "1", "2"
4	" Set up Gold Key", "1", "3"
5	" Tangle's desire to find the key, door, and treasure", "1", "4"
6	" Uncle's advice:", "1", "5"
7	" Meet Tangle", "INT", "HOME", "DAY", "#D7D78383FFFF", "", "1", "0.500", "6"
8	" KITCHEN - NIGHT (FLASHBACK)", "", "KITCHEN", "NIGHT (FLASHBACK)", "#RRRRGGGG"

< >

Cancel < Back Next > Finish

Text Import Wizard - Step 2 of 3

This screen lets you set the delimiters your data contains. You can see how your text is affected in the preview below.

Delimiters

☐ Tab

☐ Semicolon

☒ Comma

☐ Space

☐ Other:

☐ Treat consecutive delimiters as one

Text qualifier: " ▼

Data preview

Title	Page	Order	
Act One	1	1	
Meet Tangle	1	2	
Set up Gold Key	1	3	
Tangle's desire to find the key, door, and treasure	1	4	
Uncle's advice:	1	5	
Meet Tangle	INT	HOME	DAY
KITCHEN - NIGHT (FLASHBACK)		KITCHEN	NIGHT (FLA

< >


Cancel < Back Next > Finish

1.19.2. Navigator > Characters

If the Characters Navigator is not open, go to Tools > Show Navigator and choose the Characters tab at the top of the window.




This view contains a table of the characters in the script and a set of demographic categories by which characters may be defined ("Traits"): Role, Gender, Ethnicity, Orientation, Disability, Age and Occupation. These can be hidden individually by clicking the Column icon on the right of the Filter by... field and, under Show / Hide Traits, clicking to deselect the column:



Other optional columns include how many dialogues, scenes, speaking scenes and non-speaking scenes each character has. They can be hidden by clicking the Column icon and clicking to deselect.

Additional custom traits may be created by clicking the Column icon on the right of the Filter by... field and clicking Add Trait. Enter the trait and click OK. The new column will be displayed to the right of the existing columns. New columns may be moved by dragging them to a different location.



NOTE

The number of dialogues a character has is measured by the paragraph, not by the word. To see how many words a character speaks, run a [Character Report](#).

As in the other sections of the Navigator, the columns containing these statistics can be sorted in ascending or descending order to determine which characters have the most presence in the story and which have the least.

To create a new value in a trait column, click into a character's cell and when the blinking cursor appears, type in a new value:

Character	Role	Gender	Ethnicity	Orientation	Disability	Age	Occupation
GRANDMOTHER	Minor	Female	Native A...	Gay	Hard of Hearing	30s	Earth Mother
HEAD MAID	Minor	Female	Caucasian			60s	Maid
MOSSY	Lead	Male	Black	Straight		19-40s	Soldier
PASSING BATTALION	Minor	Male	Black				Soldiers
SECOND MAID	Minor	Female					Maid
TANGLE	Lead	Female	Mixed	Straight		12-80s	Treasure see...
TANGLE & MOSSY							
THE BOY	Minor	Male	Asian	Neutral		5	Earth Father
THE CREATURE	Lead						
THE MAIDS	Minor	Female					Maids
THIRD MAID	Minor	Female					Maid

Press Enter after the label has been added and this label will be available for labeling other characters as they are added.

To assign an existing label to a character, click into the character's cell in the appropriate column and type the first few letters of the desired label or click the dropdown arrow to the right of the cell and choose the desired label. When the desired label is highlighted, press Enter on the keyboard to accept the choice.

Character	Role	Gender	Ethnicity	Orientation	Disability	Age	Occupation
GRANDMOTHER	Minor	Female	Native A...	Gay	Hard of Hearing	30s	Earth Mother
HEAD MAID	Minor	Female	Caucasian			60s	Maid
MOSSY	Lead	Male	Black	Straight		19-40s	Soldier
PASSING BATTALION	Minor	Male	Black				Soldiers
SECOND MAID	Minor	Female					Maid
TANGLE	Lead	Female	Mixed	Straight		12-80s	Treasure see...
TANGLE & MOSSY							
THE BOY	Minor	Male	Asian	Neutral		5	Earth Father
THE CREATURE	Lead						
THE MAIDS	Minor	Female					Maids
THIRD MAID	Minor	Female					Maid




A custom trait may be a specific descriptor, such as Color > Purple / Blue / Green, a general descriptor, such as Age > Teens / 20s / 30s, or an adjective, such as Honest > Yes / No.

The data in the Characters section of the Navigator can be exported to CSV by clicking the CSV icon on the left of the Filter by... field. See [Exporting Scene Navigator data](#).

To remove a non-speaking character from the script

A non-speaking character may be removed from every scene in the script by right-clicking or Control + clicking on that character's row; a context menu will be displayed and if the character has no dialogue anywhere in the script, the command to remove this non-speaking character will be enabled.



If the character does have dialogue in at least one scene, this command will be disabled. Note that there is no confirmation dialogue when removing a non-speaking character from a script.

This function is useful for removing a non-speaking character that has been renamed in, or removed from, this draft or if a character used to have dialogue but no longer does.

1.19.2.1. Inclusivity Analysis


At the bottom of the Characters Navigator are three charts that graphically illustrate the script's demographic (or other) statistics.

This tool can be used to compile statistics on how many characters of a certain type are in the script, how much dialogue certain types of characters have, and how many scenes certain types of characters have individually or together with other types of characters.



TIP


"Character types" can refer to anything -- typical delineations such as age, ethnicity, gender and orientation, among others, are default traits available for use -- but the user can create any other necessary traits, such as height, disposition, honesty, species, political affiliation or relationship to the main character.




- [Characters](#)
- [Dialogue](#)
- [Scenes](#)
- [Resizing the Charts](#)
- [Exporting](#)
- [Screenshot](#)

1.19.2.1.1. Characters

Choose a trait from the Trait 1 dropdown menu on the right to set a parameter in this chart. In the example below, with Age as Trait 1, the chart shows that 7% of the characters are in their 60s, 7% are in their 40s, 7% are in their 30s, etc. Sixty percent are undefined:



A second parameter may be added by choosing another trait from the Trait 2 dropdown menu. In the example below, the chart shows not only the age breakdown, but also the gender breakdown:




Thirty-three percent of the cast are female, 13% are male and 13% are undefined. Of the female characters, 7% are in their 60s and 7% are in their 80s and of the male characters, 7% are in their 40s.


To clear the second trait, choose the blank top row of the Trait 2 dropdown menu. Trait 1 must have a value.

1.19.2.1.2. Dialogue

This chart shows the percentage of dialogue spoken by each group of characters. In the example below, with Age chosen as Trait 1, 35% of the dialogue is spoken by characters whose age is between 19 and 40, 6% by characters in their 40s, and 6% by characters in their 30s.




Adding a second trait (Gender) shows that males spoke 35% of the dialogue and females spoke 49%. Six percent of the dialogue was spoken by males in their 40s and 6% by females in their 30s.




1.19.2.1.3. Scenes

This chart shows the percentages of scenes in which certain groups of speaking and non-speaking characters appear. When Trait 1 is chosen (required), the Characters Who Are... dropdown (opened by clicking the Settings icon at the right) is automatically populated with the values in that category (Ethnicity, in this example):



In another example, the objective is to find the number of scenes in which females speak. Trait 1 is set to Gender and the Scenes With... value is set to 1. The chart will display the percentage of scenes with at least one female:



The chart shows that females appear in 97% of all scenes and speak in 71% of them. In 26% of the scenes, more than one female speaks. Three percent is undefined.


If (for example) the Scenes With number is changed from 1 to 2, the Ethnicity of Black and the Gender of Female are specified, the query becomes how many scenes have two Black females. The resulting sunburst chart indicates that there are no scenes with two Black females:




In the Scenes with <number>... field, a digit must be entered to set the minimum number of characters in each scene who meet the Trait 1 criterion or both of the Traits 1 and 2 criteria. The number must be at least 1.

1.19.2.1.4. Resizing the Charts

A chart can be resized by dragging the section divider line right or left. Enlarging one chart will shrink the chart next to it:




All charts can be resized by dragging the vertical divider handle up or down:



1.19.2.1.5. Exporting

Results of the Inclusivity Analysis can be exported to CSV by clicking on the CSV icon on the left side of the Navigator tabs Filter by... field. See [Exporting Scene Navigator](#) for further instructions on importing the CSV file into a spreadsheet.




Navigator

Filter by...


Character	Role	Gender	Ethnicity	Orientation	Disability	Age	Occupation
GRANDMOTHER	Minor	Female	Native A...	Gay	Hard of Hearing	30s	Earth Mother
HEAD MAID	Minor	Female	Caucasian			60s	Maid
MOSSY	Lead	Male	Black	Straight		19-40s	Soldier
PASSING BATTALION	Minor	Male	Black				Soldiers

1.19.3. Managing Columns

To add a column, click the Column icon on the right of the Tags Navigator tab button:



A context menu will appear with column choices ("Show..."), depending on which Navigator tab is active:



The currently displayed columns will be listed; to remove a column, click the menu item.

Moving a Column


Any column (except Order) can be moved by dragging it to a new location.

Resizing a Column

Any column can be widened or narrowed by clicking and holding either the left or right border and dragging left or right to expand or contract the column's width.

Viewing a Cell in a Narrow Column

If a column is too narrow to display all of its contents, click and hover over it and a popup will open that displays all of the text in the cell:



The screenshot shows a software interface with a 'Navigator' panel. At the top, there are tabs for 'CSV', 'Scenes', and 'ScriptNotes'. Below these is a 'Filter by...' section. The main part of the interface is a table with the following columns: 'Scene #', 'Title', 'Color', and 'Intro'. The table contains several rows of data. A tooltip is visible over the 'Title' column, displaying the full text of the selected row: 'Meets Mossy', 'Debate who key belongs to', and 'Warned about Crea...'. The tooltip is a white box with a black border and a mouse cursor pointing at it.

Scene #	Title	Color	Intro
	Meets Mossy		
	Debate who key belongs to		
	Warned about Crea...		
	T & M begin quest		
	Told to find the Old...		
6	Tangle finds key & ...		EXT
	Act Two		

1.20. Panels

The Panels section contains information about the various ways Final Draft can display a document.

Final Draft's Panel system displays the Script panel, Index Card panel and / or Scene View individually or any two of these at a time by splitting the screen vertically or horizontally.

This feature gives the user the flexibility to tailor the display to the way he or she wants it to work. Some examples:

- Use only the Summary Cards view to fill the screen with story beats or plot points, giving a high-altitude view of the project that can help structure the story;
- Split the screen and with Script > Page view in both panels, display Scene 1 and Scene 100 at the same time. This can assist in ensuring that (for example) an important conversation in Scene 1 is accurately recalled in Scene 100;
- Have Scene View in one panel and script pages in another to easily see what scenes precede and follow the scene that is currently being written.

There are many combinations of script pages, card views, scene views and horizontal or vertical splits.



TIP

Take time to experiment with the Panels system to see how it can best work for you.

1.20.1. Script Panel

The Script panel is the standard textual view of the script. The Script panel has three different display modes: Normal View, Page View and Speed View. The Normal and Page views are WYSIWYG (What You See Is What You Get) displays, meaning that the font, text layout and pagination are presented on the screen exactly as they will be printed. Speed View is WYSIWYG except for pagination.

Script - Normal View

Choose Normal View to display the text of the script with all active components: page breaks, page numbers, dialogue breaks, mores, continuations, headers and footers. See View > [Normal View](#) for more information.

Script - Page View

Choose Page View to display the text of the script on realistic-looking script pages, with all active components: page numbers, dialogue breaks, mores, continuations, headers and footers. See View > [Page View](#) for more information.

Script - Speed View

Choose Speed View to display the text of the script as if it were a single, continuous page, which means more of the text appears on screen. Speed View looks like Normal View but without any of the active components. See View > [Speed View](#) for more information.

1.20.2. Index Card Panel

The Index Card panel is designed to approximate a common way scripts are developed, structured and annotated. Each card represents one scene.

A scene is defined as extending from the first letter of a scene heading to the last possible punctuation mark or letter before the next general, scene heading or transition element.

Cards are ordered in a left-to-right, top-to-bottom fashion. This section describes functionality that is specific to the Index Card panel. For discussion of functionality common to both the Index Card panel and Scene View, see [Scene View and Index Card Panels](#).

The top line of each card contains the scene's scene heading, scene number (if any) and page number. Cards (scenes) may be added in both Index Cards views and the number of columns of cards viewed at any time may be changed. Index Cards may be viewed along with the Script (see following).




NOTE


Most functions and commands that are used to write or edit the script are not available in the Index Card panel. You must be in the Script panel to access them.

Index Card Panel Display Modes

The Index Card panel has two display modes, Summary and Script, which simulate the two sides of a physical index card. The Summary display is blank initially and available for the user to type in notes pertaining to the scene:



The Script side contains some of the script text from that scene:



To change the display mode of an Index Card panel, go to the View menu and choose Index Cards > Script or Index Cards > Summary.

- or -

Right-click the mouse on any card and choose Script View or Summary View from the context menu.

Summary Cards

In addition to the scene heading, scene number and page number, the Summary cards contain any notes written that pertain to the scene.

Example: A useful Summary card might contain this text (without quotes): "Bob confronts Sue about the secret documents." This is a concise description of the story beat or plot point conveyed in this scene. Additional notes about what happens in the scene may also be added.



TIP

Creating a set of Summary cards with one story beat or plot point per card may be a good way to structure a script, before you go to pages. Arranging and rearranging the cards until your story is exactly where you want it can mean less rewriting time.

To add summary text to an Index Card

1. Click once in the summary area of an Index Card;

The cursor appears in the summary text area of the Index Card.

2. Type in any text;
3. Click anywhere else in the panel to apply the changes to the card.

Script Cards

The Script cards display text from the scenes in the actual script -- as much of the beginning of the scene as the card can hold.

The amount of text the card can hold depends on the size of the card, which depends on the View > [Cards Across](#) setting. If more cards are displayed, the cards are smaller and less text is visible.

Text in Script cards cannot be edited but the scene heading may be edited.

Editing the Scene Heading

Edit the scene heading of a scene in either display mode of the Index Card panel.

To edit a scene heading in an Index Card:

1. Click the scene heading in an Index Card;

The cursor appears in the scene heading text area of the Index Card.

2. Edit the scene heading;
3. Click anywhere else in the panel to apply the changes to the card. Any changes made to the scene heading in an Index Card will be reflected in the actual script.

1.20.2.1. Changing Fonts and Font Size

Index Cards can use any font and font size available on your computer.



NOTE

The default font for the Index Card panel is Arial 12.



NOTE

Changing the font/font size of the Index Cards does not affect the font/font size of the script.



IMPORTANT

If you transfer your script to another computer, the font / font size might change due to unavailability of a particular font/font size on the second computer.

To change the font and font size of Index Cards, choose Format > Font and all font settings are available.

The Index Cards appear in the selected font and size. The font changes for all the text in all the Index Cards in the script. The font cannot be changed for individual index cards or ranges of text in the summary.

1.20.2.2. Printing Index Cards

The Index Card panel may be printed to actual index cards, regular paper or special card stock made by Avery and other vendors.

To print Index Cards:

1. Choose File > Print;
2. Set the options as desired;
3. Click OK;

The standard Print dialogue appears.

4. Choose the number of copies to print, page range, etc.;
5. Click OK.




NOTE

The current display mode of the Index Card panel (Summary or Script) prints.

Print Cards dialogue

The Print Cards dialogue allows the user to configure how the cards will print.



Layout

Index Cards

Prints to index cards. Choose to print on either 3x5 or 4x6 index cards.

Index Card Paper

Prints to pre-cut perforated index card stock.

Custom

Prints to custom-size paper. When this option is chosen, the Across and Down adjustment pop-up lists become available so the number of cards that will print on a page can be set. Since all printers are different, some experimenting and test prints may be necessary to get the desired results.

To change the number of cards that will print on a sheet, enter or select numbers in the Across and Down pop-up lists.

Options

Selected Cards Only

If this option is selected, only the selected cards in the panel print.

Frame Cards

If this option is selected, each card prints with a black border around it.

Print Gray Background

If this option is selected, a gray background prints behind the cards.

To print on index cards

1. Select the Index Card layout option;
 2. Select "3x5" or "4x6" from the Card Size dropdown;
 3. Click OK and the standard Print dialogue appears;
 4. Make sure the index cards are placed in the manual feed tray of the printer. See the printer's documentation for instructions on using the manual feed tray to print small paper sizes;
1. Click OK/Print in the Print dialogue.



NOTE


Some printers are unable to print on paper as small as 3x5 (or even 4x6) index cards.

1.20.2.3. Index Card Context Menu

Right-click anywhere in the panel to access the Index Card panel context menu.

Summary View / Script View

Toggles between Summary View and Script View. The current card view will have a check-mark next to it:



Insert New Scene

Creates a new Index Card. See Insert > [New Scene](#).

Insert Non-Speaking Character


Inserts a non-speaking character into the scene represented by the currently-selected card. See Insert > [Non-Speaking Character](#).

Send to Script

Sends the Summary content in the card as an Action paragraph to the scene on the page. See [Send to Script](#).

Scene Colors


Assign or change the selected scene's color:



Choose Custom to display a standard Windows color picker, which can be used to create a custom color to assign to the selected scene.

1.20.3. Scene View

Similar to the [Index Card Panel](#), Scene View also gives a scene-only view of the project. Each row in Scene View contains a scene's scene heading, the first line of action, the scene title (if one has been entered) and the first line of the scene summary (if one has been entered):



Editing Scene View fields

Edit the Scene Heading and Scene Title in Scene View.

To edit the Scene Heading of a scene in Scene View

1. Select the scene to be edited;

2. Click once on the Scene Heading;
3. Enter or change the text;
4. Click anywhere else in the panel to apply the changes to the scene.

To edit the Title of a scene in Scene View

1. Click once on the Title;
2. Enter or change the text;
3. Click anywhere else in the panel to apply the changes to the scene.



NOTE

You cannot edit the action row in Scene View.



NOTE

When you select a scene, the editable fields display ghosted grey text that indicates where you can type.

Tab key

Edit the next or previous editable section in Scene View by hitting the Tab key to move to the next section or Shift + Tab to move to the previous editable section. If changes have been made in the current editable area, when the Tab key is pressed those changes are applied to the scene.


Scene View Fields

Hide or show the scene title, summary and/or action in Scene View. Hiding one or more of the Scene View items reduces the height of each row which allows more scenes to become visible on the screen.

To hide the Scene Title and/or the Action and/or the Summary, go to View > Hide Action / Scene Title / Summary

- or -

right-click and choose Hide Action / Scene Title / Summary from the context menu.



The View > Hide Action / Scene Title / Summary menu item now changes to View > Show Action / Scene Title / Summary and the context menu now has a Show Scene Title / Action / Summary command instead of a Hide Scene Title / Action / Summary command.

Note: Hiding or showing Action / Scene Title / Summary text applies to all scenes; changing a color applies only to the selected scene.



NOTE *You cannot hide the scene heading in Scene View.*

Scene View Context Menu

Right-click anywhere in the panel to access the context menu. In addition to menu items for hiding or showing Action / Scene Title / Summary text, it has:

Insert New Scene

Creates a new Scene row.

Insert Non-Speaking Character

See Insert > [Non-Speaking Character](#).

Scene Colors

Changes the selected scene's color. The scene will retain this color in both Index Card views as well.

Printing Scene View

Like the Index Cards, Scene View may be printed.

To print Scene View:

1. Choose File > Print;
2. Choose print settings;
3. Click OK (or Cancel).

1.20.4. Scene View and Index Card Panels

Both the Index Card panel and Scene View share many functions that work the same way. This section describes those functions for both types of panels.

Selecting Scenes

Select more than one scene using the mouse by holding down the Shift or Control keys when a scene is clicked on.

To select a range of scenes using the mouse

1. Click on a scene that will be either the start or the end of the range of scenes to be selected;
2. Hold down the Shift key and click the scene to be the other end of the range of scenes to be selected.

The range of scenes between and including the two scenes clicked on are selected.

To select individual scenes or add a scene to the set of selected scenes

Hold down the Control key and click an unselected scene. The scene clicked on is added to the set of selected scenes.

To remove a scene from the set of selected scenes

Hold down the Control key and click a selected scene. The scene clicked on is removed from the set of selected scenes.

To select all scenes

The Edit > Select All command selects all the scenes in the script. All scenes may be selected with the keyboard using Control + A.

Rearranging Scenes

Because many scenes are viewed at once, it's easy to rearrange them. Scenes can be repositioned by selecting a scene or scenes then dragging and dropping them to a new location.

Any changes made will be reflected in the arrangement of the script.

To reposition a scene or scenes:

1. Select the scene or scenes to be moved;
2. Hold down the mouse button and drag the selected scene(s);

An indicator appears showing where the new scenes will be dropped if the mouse button is released;

3. Release the mouse button.

The selection moves to the desired location. The other scenes shuffle to reflect the new order.

Scenes may also be rearranged scenes with the standard Cut, Copy, Delete and Paste commands available in the [Edit](#) menu. The Delete command removes all the selected scenes. The Cut command removes the selected scenes and puts them on the operating system's clipboard. The Copy command puts the selected scenes on the clipboard but does not remove them from the script. The Paste command inserts the scenes on the clipboard where the blinking cursor is positioned.

Keyboard Navigation

Use the keyboard to navigate among the scenes in Scene View or Index Card panel just as in the Script panel for words and characters.

If multiple scenes are selected, then the **current scene** is the last scene added to the selection, and the **anchor scene** is the first scene selected.



NOTE

If the script is in [Scene View](#), the following key combinations that refer to selections within rows will not apply.

Arrow Keys

The Left Arrow key selects the previous scene and the Right Arrow key selects the next scene in the sequence.

The Up Arrow key selects the scene in the same column as the current scene in the previous row. The Down Arrow key selects the scene one row down.

The Shift + Right Arrow key combination selects the current scene and following scenes one at a time. The Shift + Left Arrow selects the current scene and previous scenes one by one.

The Control + Up Arrow key combination selects the first scene in the view and the Control + Down Arrow key combination selects the last scene.

Home and End keys

The Control + Home or End key combination selects the first or last scene.

The Shift + Home or End key combinations selects the range of scenes from the current to the first or last scene.

Page Up and Page Down Keys

The Shift + Page Up key combination scrolls the panel up one view, where a view is as much vertical space that is visible in the panel and extends the selection to the scene

one view up from the current scene. The Shift + Page Down key combination scrolls the panel down one view and extends the selection to the scene one view down from the current scene.

Insert New Scene

This command is only enabled when the active panel is an Index Card panel or Scene View.

To insert a new scene

Select Document > Insert New Scene from the main menu or right-click on a Scene View row or Index card and from the context menu select Insert New Scene.

The new scene is inserted after the currently selected scene. If no scene is selected, the new scene is inserted at the end of the script.

Double-click to Go To Scene

Double-click on a scene in an Index Card panel or Scene View and the window is split, if the other panel displays a Page view, Scene view or an Index Card view, the panel scrolls to that scene and that panel becomes active.

- If the inactive panel is Script panel, the cursor goes to the beginning of the scene and the script panel scrolls to keep the cursor in view;
- If the inactive panel is Scene View or an Index Card panel, the scene corresponding to the one clicked on is selected and the panel scrolls to keep the selected scene in view.

Coloring Scenes

Assign any scene in a script a color, which makes the corresponding scene in Scene View or the Index Card panel appear in that color. By default, a new scene has no color.

To color a scene:

1. Click on the scene in Scene View or an Index Card panel you wish to color;
2. Select Tools > Navigator and choose the Scenes Navigator (if it not is already showing);
3. Select a color from the color chooser in the Scene Properties section;

- or -

3. Right-click on the panel and select a color from the context menu;

The selected scene now displays in that color.

To change the color of multiple scenes at the same time:

1. Select more than one scene in the active Scene View or Index Card panel (see [Selecting Scenes](#), above);
2. Select Tools > Scenes Navigator (if it is not already showing);
3. Select a color from the color chooser in the Scene Properties section

- or -

3. Right-click on the panel and select a color from the context menu.

All of the selected scenes now display the new color.

1.20.5. Send to Script -- Summary Cards

Copies a scene's summary text into that scene in the script. The text becomes a new action paragraph at the end of the scene.

To copy a scene summary into the scene in the script

1. Select the scene from which the summary is to be copied. More than one scene may be copied;
2. Right-click on one of the cards and from the context menu choose Document > Send to Script;

- or -

2. Go to Insert > Send to Script;

- or -

2. On the keyboard press Control + Shift + C.

The summary text for each selected scene becomes an action element after that scene's scene heading. If there is already content in the scene, the summary information will be added as an action element at the end of the scene.

1.20.6. Split (Horizontally/Vertically), Unsplit, Swap

These commands determine how different panels will be displayed and arranged. They are all parts of Final Draft's Panels System.

The contents of each panel are determined by the View menu commands - the three Script commands, the two Index Card commands and the Scene command (see [View Menu](#)).


- Any single panel or combination of two panels may be displayed at once;
- The exact size and position on-screen of the panels may be changed;
- When a script is saved, the current Panels configuration is saved as well;
- When two panels are visible and one of the panels is an Index Card panel or Scene View, navigate to a scene in the other panel by double-clicking on a scene in the Index Card panel or Scene View. In other words, when a scene is double-clicked, the panels are synched so that the same scene is in view in both panels.

Split (Horizontally / Vertically)

Divides the script into two panels.

To split panels

1. Go to View > Split Horizontally or Vertically or choose from the Split dropdown menu in the toolbar:



Whichever View is currently onscreen (Script, Index Cards or Scene View) will now appear in two panels. For example, if Script - Page View is onscreen, choosing View > Split Vertically would result in both panels containing script pages.

2. Select one of the panels by clicking in it; a selection box appears around the active panel;
3. Go to the View menu and choose another view for the active panel (Script, Cards or Scene view), or click at the bottom-right of the screen to select another view (in this example, Index Cards > Summary):

The contents of the active panel will be changed to the chosen view.

Manually resize the panels by clicking and dragging the Splitter (usable when the cursor is hovered over the dividing line between the two panels and becomes the double arrow) and the Resize Box. Adjust the panels to suit the screen and panel configuration.



NOTE

When a script is saved, the current Panel configuration will be saved as well, whether it is a single panel or multiple panels.

Unsplit Panels

Hides one of the panels. This command is disabled if only one panel is displayed.

To hide a panel

1. Select the panel that will remain displayed;
2. Choose View > UnSplit Panels or select the Unsplit button in the toolbar.

The panel that is not selected will be hidden and the selected panel will resize to fill the screen.

Swap Panels

Reverses the position of the displayed panels. This command is disabled if only one panel is displayed.

To change the order of the panels, choose View > Swap Panels and the panels will switch sides.

1.20.7. Additional Script Views and Panels Notes

Script Views in Both Panels

Whichever Script view is in one panel (Normal, Page or Speed) will also be the view in the other panel. It is not possible to display, for example, Normal View in one panel and Page View in the other.

Script Views with Cards or Scene View

Change the Script View between Normal, Page and Speed without affecting the display of either of the Index Cards or Scene Views.

1.21. Tagging

To prepare a script for production, an Assistant Director, Unit Production Manager or other specialist goes through the document to identify and label (“tag”) items that will be needed for shooting and post-production. This process is known as breaking down a script.

In the past, the person breaking down the script used colored pencils to underline items on the physical page – a specific color for (for example) props, another color for special equipment, another color for live special effects. The tagging function in Final Draft allows the user to do this work electronically and in the Final Draft script delivered by the writer(s) and approved by the appropriate personnel. There is no need for a separate program, a separate file or a hard copy of the script.

Because the tagging function is completely customizable – meaning that the user can add and remove any categories he or she wishes and can tag anything in a script as anything – there are many uses for tagging beyond breaking down a script for production. Tagging scenes and characters in various ways may reveal patterns or rhythms in the story that the writer can continue or change.

Some examples:

- Tagging scenes by storyline: A-Story / B-Story / C-Story
- Tagging scenes by function: preparation / action / aftermath
- Tagging scenes by emotional value: sad / happy / confused
- Tagging characters by gender: male / female / pan
- Tagging characters by race: white / black / Asian
- Tagging characters by disposition: enemy / friend / neutral

Tagging can be useful for members of a production crew as well. The director of photography can associate a camera package or lighting design with particular scenes; the production designer can assign a certain look to a group of scenes and another look to another group of scenes; the location manager can indicate what equipment and resources must be available at which sites.

- [The Tags Navigator](#)


1.21.1. Tagging an Item

1. Go to Production > Tags mode;
2. Highlight the word, phrase or paragraph to be tagged;
3. The tagging window will be displayed;
4. Choose a category from the dropdown menu;
5. The highlighted text will by default be shown as the name of the tag;
 - a. To tag the item as it appears on the page, for this scene only, click Tag or press Shift + Enter on the keyboard OR;
 - b. To change the name of the tag (for example from "The Porsche" to "Bob's Car,") enter a desired tag name in the Tag As field OR;
 - c. To use an existing tag, choose it from the upper-right panel;
6. Choose Tag All to tag all instances of this item in the script;
7. Click OK to dismiss the tagging confirmation window.

In this example, "gold key" will be tagged as a Prop in the sample script that comes with Final Draft 12, *Tangle & Mossy*:

1. Go to Help > Sample Scripts and choose Script;
2. *Untitled Tangle & Mossy Script* will open;
3. Scroll to the beginning of the script;
4. Go to Production and choose Tags Mode;
5. At the top of the script highlight "GOLD KEY";
6. From the Category dropdown, double-click Props or click Props and then click Tag All. (Choose Tag All if "gold key" should be tagged as a prop in all scenes in


the script -- and in this example, it should.) Click Tag All and all instances of "gold key" will be tagged as a prop.



"GOLD KEY" is now tagged as a prop in this scene. Its tagged status and category is indicated by its brown text:

CLOSE ON: A GOLD KEY
Majestic, light glinting off it.

However, this prop is referred to in various places in the script as either "gold key" or "key." Tagging all instances of "gold key" will not identify or tag "key" as the same prop, so "key" must be tagged as "gold key" as well. To do so, find an instance of "key" in the script (p.9) and highlight it. The tagging window will be displayed and the default tag will be "key"; choose "GOLD KEY" from the Reuse an Existing Tag field to replace "key" with "GOLD KEY" and click Tag All:



Now all instances of "gold key" and "key" will be tagged as the same item.



NOTE

When Final Draft is not in Tags Mode, all tagged items will revert to the default script text color (most likely black in normal mode and gray in Night mode). When Final Draft is placed in Tags Mode again, all tagged items will again be displayed in their respective categories' assigned color.


1.21.2. Linking a Character with Tagged Items Throughout a Script

The tagging function also enables associations to be set up so that, for example, a prop or a piece of wardrobe that is always with or on a character will be tagged wherever that character appears.


As an example, in the sample script that ships with Final Draft, *Tangle and Moss*, whenever the character of Tangle is seen, she has the gold key with her; the member of the production team responsible for props wants this noted whenever Tangle is in a scene.

As Gold Key (and key) have been tagged as a prop, to associate this prop with Tangle in every scene:


1. If it is not already open, open the Tags Navigator (Tools > Navigator or from the toolbar, choose Navigator > Tags);
2. At the top of the bottom right panel, adjust the dropdown menu (if necessary)...



...to All Tags:




3. Double-click Tangle;
4. Click the plus icon at the bottom right of the window;
5. From the list, choose Gold Key and click OK:



6. Go to the Production menu and click Tag All Characters.

From this point on, wherever Tangle appears in the script, the Gold Key will be indicated in the Navigator and in reports as present in the scene as well. Note that in the All Tags window, a link icon appears next to Tangle to indicate that there are one or more items linked to her:



To illustrate that the Gold Key is now indicated in every scene in which Tangle appears, the Gold Key tag has been added to the Tags Navigator with the Show Tag:

Intro	Location	Time	Length	Cast Members	GOLD KEY
INT	HOME REAR LANE	DAY	4:30	UNCLE	1
	KITCHEN	NIGHT (FLASHBACK)	3:00	HEAD MAID	1
	HOMELIBRARY	PRESENT TIME	1	TANGLE • UNCLE	
	POYER	ANOTHER DAY	5:00	TANGLE • UNCLE	
	POYER	5 YEARS LATER	12:00	HEAD MAID • TANGLE	2
EXT	FOREST	DUSK	3:30	GRANDMOTHER • MOSSY • TANGLE	6
EXT	GRAVEL ROAD	NIGHT	1	MOSSY • TANGLE	3
	VARIOUS SPOTS JUST ...	TIME LAPSE (CUTTING)	6:00	MOSSY • TANGLE	3
	CLIFF OVERLOOKING ...	ANOTHER DAY	5:00	MOSSY • TANGLE	
	OFF THE ROAD	LATER	14:00	MOSSY • TANGLE	
	CONCRETE ROAD	LATER	2:00	MOSSY • TANGLE	

The Tags in Scene with Category window now indicates the Gold Key as a prop in the scene and the Tags in Scene window indicate the Gold Key and Tangle as present in this scene.




NOTE

The Tag All Characters command may be used repeatedly as additional script-wide tags are linked to a Cast Member or script-wide tags are linked to other Cast Members.

If there is a scene in which Tangle is not supposed to have the Gold Key, its tag can be removed from that scene.

1. In the Tags Navigator, click the scene to display the tags for that scene;
2. In the Categories panel, click All or Props;
3. In the Tags in Scene with Category window, click Gold Key and then the minus sign. A prompt will appear asking whether to remove this tag from the entire script or this scene only; for the purposes of this example, choose Scene Only:



The Gold Key tag is removed from this scene but is still tagged in all other scenes.

1.21.3. The Tags Navigator

If the Navigator is not onscreen, go to Tools > Show Navigator and click the Tags tab.

The Tags Navigator is customizable and configurable in the same way as the other Navigators – the ability to sort columns, reorder columns, resize columns, add and remove columns and resize the panels.



To enter Tags mode, click the Tags icon on the left side of the menu bar. To exit Tags mode, click the icon again. This is the same as toggling Tags mode on and off under Production > Tags Mode.

- [The Scenes Table](#)
- [The Categories Window](#)
- [Importing Categories from Another Script](#)
- [The Tags in Scene with Category Window](#)
- [The All Tags / Tags in Scene / Tags with Category Window](#)
- [Tagging Character Attributes](#)


1.21.3.1. The Scenes Table

The table section of the Navigator displays a list of the scenes in the script, along with several default columns with standard information about each scene (Order, Scene #, Title, Location, Color and Page).

In addition to the catch-all Tags columns, more detailed information can be displayed when additional columns are added. Each individual tag, category, list of tags (shown by default) and list of categories may be selected as a column in the Tags Navigator table:



In the following example, the Gold Key is tagged as a Prop and has been selected as a column in the Navigator:




When a tagged item is selected as a column, its presence in a scene is indicated by a number, which is the number of times that item appears in the scene:

Or...	Page	Scene #	Intro	Location	Time	Length	GOLD KEY
1	1	1	INT	HOME LIBRARY	DAY	4/8	
2	1	2		KITCHEN	NIGHT (FLAS...	3/8	
3	1	3		HOME LIBRARY	PRESENT TIME	1	1
4	2	4		FOYER	ANOTHER DAY	5/8	1
5	3	5		FOYER	5 YEARS LATER	1 2/8	1
6	4	6	EXT	FOREST	DUSK	3 3/8	1
7	8	7	EXT	GRAVEL ROAD	NIGHT	1	1
8	9	8		VARIOUS SPOTS JUST OFF THE ROAD	TIME LAPSE (...)	6/8	1
9	9	9		CLIFF OVERLOOKING A LAKE	ANOTHER DAY	5/8	1
10	10	10		OFF THE ROAD	LATER	1 4/8	1
11	11	11		GRAVEL ROAD	CONTINUOUS	6/8	1
12	12	12		DOWN THE SLOPE		1/8	
13	12	13		BASE OF THE SLOPE		7/8	1
14	13	14		LATER		5/8	1

Show Category

When a category is selected as a column, the tagged item from that category appears in the scene row by name:



In this example, the two tagged props in the "VARIOUS SPOTS JUST OFF THE ROAD" scene, the Gold Key and the Necklace, are indicated:


Order	Page	Scene #	Intro	Location	Time	Length	Cast Members	Props
1	1		INT	HOME LIBRARY	DAY	4/8	UNCLE	GOLD KEY
2	1			KITCHEN	NIGHT (FLAS...	3/8	HEAD MAID	GOLD KEY
3	2			HOME LIBRARY	PRESENT TIME	1	TANGLE + UNCLE	
4	3			FOYER	ANOTHER DAY	5/8	TANGLE + UNCLE	
5	3			FOYER	5 YEARS LATER	1 2/8	HEAD MAID + TANGLE	GOLD KEY
6	5		EXT	FOREST	DUSK	3 3/8	GRANDMOTHER + MOSSY + TAL...	GOLD KEY
7	8		EXT	GRAVEL ROAD	NIGHT	1	MOSSY + TANGLE	GOLD KEY
8	9			VARIOUS SPOTS JUST...	TIME LAPSE (...)	6/8	MOSSY + TANGLE	GOLD KEY + necklace
9	10			CLIFF OVERLOOKING...	ANOTHER DAY	5/8	MOSSY + TANGLE	
10	11			OFF THE ROAD	LATER	1 4/8	MOSSY + TANGLE	

The Tags column is shown by default. It displays all tags associated with each scene. If there are many tags to be displayed, the Tags column can be widened to accommodate them.

When the categories list is selected as a column, categories to which tags have been assigned in each scene appear in the scene row by name.


1.21.3.2. The Categories Window

The first of the three windows in the lower section of the Tags Navigator, this window displays the categories of tags available in this script. The standard production categories from a leading scheduling program are duplicated here.




Any category on the list may be removed except for All. To remove a category, select it and click the minus sign at the bottom left of the window. A confirmation window will be displayed that contains all of the tags that will be removed from the script if their parent category is deleted. Click Delete to confirm the deletion or Cancel to cancel this operation.

To edit a category, double-click it to display its properties window. Here the name may be edited and the text color, highlight and style may be changed:




To rearrange the list order, select a category and click the up- or down-pointing arrow at the lower right of the panel to reposition it:




The list can be customized by adding, removing and re-ordering categories.

To add a new category:


1. Click the plus sign at the bottom left of the window:



1. In the Category Name field enter the name (in this example, "Aerial Unit");
2. Optionally choose text color, text highlight and / or text styling (bold / italic / underline) (in this example, underlined text and cyan background);
3. Click Add.




The new category is visible at the bottom of the list.



1.21.3.3. Importing Categories from Another Script

If an already-tagged script (or template) contains a set of categories that the currently-open script should have as well, this set of categories may be imported in order to eliminate the need to re-create them.

1. Click the left-pointing arrow next to the Categories label;




2. Click OK to continue the import (or Cancel to return to the Tags Navigator);
3. A standard Windows Open dialogue opens;
4. Navigate to the script (or template) whose categories are to be imported and double-click it (or single-click it and click Import).

All categories from that script (or template) will overwrite **all** categories in the currently-open script. This cannot be undone.

1.21.3.4. The Tags in Scene with Category Window

This second window lists the tags present in the scene currently selected in the Tags Navigator table and in the category selected in the Categories window to the left. For example, if in the Categories window Props is the selected category, all props that have been tagged in the currently-selected scene will be listed in the Tags in Scene window. To display all tags assigned to the currently-selected scene, choose All.



For details on adding a new tag to a scene (the plus sign at the bottom left of this window), see [Tagging in the Navigator](#).

To remove a tag from a scene, select the tag and click the minus sign at the bottom left of the window. A confirmation window will be displayed that offers to delete the tag from the entire script or this scene only and the option to cancel this operation.

1.21.3.5. The All Tags / Tags in Scene / Tags with Category Window

This third window displays three lists, which are selected by clicking the dropdown arrow next to the box label:



All Tags contains all tags in use in the currently open script.

Tags in Scene contains all tags in the scene currently selected in the Tags Navigator table above. If Tags in Scene is selected and the Categories windows is set to display All, the lists in the two windows are identical.

Tags with Category contains all tags in the category selected in the Category window.


To remove a tag from the script, select it and click the minus sign at the bottom left of the window. A confirmation window will be displayed that allows the user to confirm deletion of the tag from the script or to cancel the operation.

1.21.3.6. Tagging Character Attributes


Tagger can be used to display data in a graphical way. In this example, we will plot several characters' relationship to the main character.

We will tag characters in *Tangle and Moss* as Enemy, Friend and Neutral:

1. Go to Help > Sample Scripts > Script;
2. Open the Tags Navigator;
3. Click the plus sign at the bottom left of the Categories window;
4. In the Category name field, type in "ENEMY" (without quotes):




5. Click Add;
6. Click the plus sign again and add a "FRIEND" category;
7. Click the plus sign again and add a "NEUTRAL" category;
8. In the script, scroll toward the bottom of Page 1 and tag all instances of HEAD MAID as ENEMY;



5. Tag all instances of UNCLE as NEUTRAL;
6. Tag all instances of MOSSY as FRIEND.

To view the characters in their scenes by disposition:

1. Click the Column editor icon or right-click the column header row;
2. Click Show Category:



1. From the dropdown, choose ENEMY;
2. Repeat to select NEUTRAL and FRIEND.

The three columns will be displayed and indicate whether Tangle has an enemy, a neutral or a friendly relationship in that scene:


Order	Page	Scene #	Intro	Location	Time	Length	ENEMY	NEUTRAL	FRIEND
1	1		INT	HOME LIBRARY	DAY	4:0		UNCLE	
2	1			KITCHEN	NIGHT (FLASHBACK)	3:0	Head Maid	UNCLE	
3	2			HOME LIBRARY	PRESENT TIME	1		UNCLE	
4	3			FOYER	ANOTHER DAY	5:0		UNCLE	
5	3			FOYER	5 YEARS LATER	12:0		UNCLE	
6	5		EXT	FOREST	DUSK	3:30			MOSSY
7	8		EXT	GRAVEL ROAD	NIGHT	1			MOSSY
8	9			VARIOUS SPOTS JUST...	TIME LAPSE (LATER)	6:0			MOSSY
9	10			CLIFF OVERLOOKING...	ANOTHER DAY	5:0			MOSSY
10	11			OFF THE ROAD	LATER	1:40			MOSSY

Headings: KITCHEN - NIGHT (FLASHBACK)		
Categories: IB	Tags in Scene with Category	All Tags
ALL	HEAD MAID	GRANDMOTHER
Synopsis	Head Maid	HEAD MAID
Cast Members	UNCLE	Head Maid
ENEMY		MOSSY
NEUTRAL		MOSSY
FRIEND		TANGLE


1.21.4. Tagging in the Navigator

Scenes can be tagged in the Tags Navigator. In this section, scenes will be tagged in the Navigator as A Story, B Story or C Story.


1. Go to Help > Sample Scripts > Script to open *Tangle and Mossy*;
2. If it is not already, open go to Tools > Navigator and choose Tags Navigator or from the toolbar icon, choose Tags Navigator;
3. Click the plus sign at the bottom left of the Tags in Scene with Category window:




4. In the Category Name field enter STORYLINE:



5. Optionally choose text color, text highlight and / or text styling (bold / italic / underline) (in this example, underlined text and cyan background);
6. Click Add; the STORYLINE category is now displayed on the list;




7. In the Navigator's scene table, double-click the scene to which the tag is to be added;
8. Click the plus sign at the bottom left of the Tags in Scene with Category window;
9. In the Tag As field, type in "A STORY" (without quotes):




10. Click Tag to tag this scene as being part of the A Story;
11. Double-click another scene row in the scene table;
12. Click the plus sign at the bottom left of the Scene Tags window;
13. In the Tag As field, type in "B STORY" (without quotes);
14. Click Add;
15. Click another scene row in the scene table;
16. Click the plus sign at the bottom left of the Scene Tags window;
17. In the Tag As field, type in "C STORY" (without quotes)
18. Click Add.

To view the scenes by their Storyline tags:

1. Click the Column editor icon or right-click the column header row;
2. Click Show Category:



1. From the dropdown, choose STORYLINE:



The Storyline column will be displayed and will indicate whether a scene is A Story, B Story or C Story.

Order	Page	Scene #	Intro	Location	Time	Length	STORYLINE
1	1		INT	HOME LIBRARY	DAY	4/8	A STORY
2	1			KITCHEN	NIGHT (FLASHBACK)	3/8	
3	2			HOME LIBRARY	PRESENT TIME	1	B STORY
4	3			FOYER	ANOTHER DAY	5/8	
5	3			FOYER	5 YEARS LATER	12/8	C STORY
6	4		EXT	FOREST	DUNK	3/8	
7	8		EXT	GRAVEL ROAD	NIGHT	1	
8	9			VARIOUS SPOTS JUST...	TIME LAPSE (LAPSE)	6/8	
9	10			CLIFF OVERLOOKING...	ANOTHER DAY	5/8	
10	11			OFF THE ROAD	LATER	14/8	
11	12			FOREST, MOUNTAIN...	ANOTHER DAY (LAPSE)	3/8	

1.22. Toolbars

The Toolbars section contains information on various parts of the Final Draft user interface.

- [The Ribbon Menus](#)
- [Recent Documents / Exit](#)
- [The Quick Access Toolbar](#)
- [The Element Dropdown Menu](#)
- [Customize Status Bar](#)
- [The View Mini-bar](#)

1.22.1. The Ribbon Menus

Final Draft 12's default view is the Ribbon toolbar, which contains groups of icons that in the past were contained in menus.


To hide the Ribbon menu and replace it with the Classic menu and toolbar configuration, go to View > [Classic View](#).

To hide the Classic view and replace it with the Ribbon toolbar, go to View > Switch to Ribbon View.


To minimize the Ribbon and leave the [Quick Access toolbar](#), choose that option from the Quick Access toolbar menu.

1.22.2. Recent Documents / Exit

In the upper left corner of the application window is a popup menu that displays the last opened files.



Click the desired file to open it or press the appropriate number key on the keyboard to open it.




Close Final Draft by opening this popup menu and clicking Exit. A Save prompt appears if there are any unsaved documents open.


1.22.3. The Quick Access Toolbar

The Quick Access toolbar is a small, customizable toolbar to which frequently-used commands may be added.


To customize it, click the down-pointing arrow and this menu is displayed:



Choose More Commands and this sheet is displayed. Click the first dropdown menu and choose the command category -- in this example, the command we want is Cascade, which is in the Format category:



Choose Cascade and click Add. The Cascade icon will be added to the Quick Access Toolbar:



Adjust the order of icons in the toolbar by moving one or more up or down via the Up / Down arrows on the right of the window.


To remove all additional icons from the Quick Access Toolbar and return it to the default set, click Reset. Additional icons can be added again, if desired.

The Quick Access Toolbar may be displayed below the Ribbon instead of above it. Check that box to reposition it.

To change a keyboard shortcut combination, click Customize and the [Keyboard Customization](#) dialogue will appear.


1.22.4. The Element Dropdown Menu

The Element dropdown menu serves two functions. The first indicates the element type of the paragraph in which the cursor is currently positioned. In this example, the cursor is in the paragraph that starts with "CLOSE ON:". This paragraph is listed as a Shot paragraph:




The second function is to change the element type of the paragraph in which the cursor is currently positioned, if necessary. In this example, it would be better if "CLOSE ON" were rendered as a Scene Heading. While it may not look incorrect, if this script has its scenes numbered, as a Shot this title would not get a scene number when it should.

With the cursor anywhere in the paragraph, click the down-pointing arrow next to the Element dropdown menu and choose Scene Heading:



This title is now listed as a Scene Heading and will get a scene number if / when the scenes are numbered.



1.22.5. Status Bar

At the bottom left of each script window is a display of information about the script and the paragraph in which the cursor is currently positioned.

- [Scene Number](#)
- [Page X of Y](#)
- [Element Indicator](#)
- [Tab / Enter key Information](#)
- [Revision Mode](#)
- [Customize Status Bar](#)
- [Macros](#)


1.22.5.1. Scene Number

Indicates the scene number of the paragraph in which the cursor is currently positioned. If the script's scenes have not been numbered, this reads "No Scene."




1.22.5.2. Page X of Y

Indicates the number of the displayed page and the total page count of the active document.




1.22.5.3. Element Indicator

Indicates the element type of paragraph in which the cursor is currently positioned. In this example, the blinking cursor is in a Dialogue paragraph.



1.22.5.4. Tab / Enter key Information

Indicates which new element will be inserted when the Tab or the Enter key is pressed. In this example, pressing the Tab key will insert a new Parenthetical paragraph, pressing the Enter key will insert a new Action paragraph, and pressing the Control key will display all of the element/keyboard number shortcuts.




If the blinking cursor is not at the end of a paragraph waiting for an Enter or Tab keystroke, the Status Bar will read "Ready."

1.22.5.5. Revision Mode

When a script is placed into Revision Mode, Tab / Enter key information is replaced by *Revision Mode*.

1.22.5.6. Customize Status Bar

All components of the Status Bar, including the [View Mini-Bar](#), can be displayed or hidden by right-clicking anywhere on the Status Bar and checking or unchecking the components to be displayed or hidden.



1.22.5.7. Macros

The macro name is the abbreviation displayed in the Status Bar at the bottom of the script window when either the Control + [number] or Control + Alt + [number] or Control + Alt + Shift + [number] keys are pressed.

Control:

[0] General [1] Scene Heading [2] Action [3] Character [4] Parenthetical [5] Dialogue [6] Transition [7] Shot [8] Call List [9] New Act, [Control+Shift] hold for more Elements

Control + Alt:

[1] INT [2] EXT [3] I/E [4] DAY [5] NIGHT [6] SUNRISE [7] MAGIC [8] CONT [9] INTER [0]

Control + Alt: + Shift:


[1] INT [2] EXT [3] I/E [4] DAY [5] NIGHT [6] SUNRISE [7] MAGIC [8] CONT [9] INTER [0]

See the [Macros](#) section for more information.

1.22.6. The View Mini-bar

- [Focus Mode](#)
- [Night Mode](#)
- [Document View Options](#)
- [Zoom](#)

1.22.6.1. Sprint Timer



Opens a clock that counts down a user-set number of minutes. The default time for a writing sprint is 25 minutes but this number may be highlighted and the desired number of minutes entered. The minimum number of minutes is 1 and the maximum number is 999.


When the desired number of minutes has been typed in or if the 25-minute writing sprint is acceptable, press Start Sprint to begin the countdown.

Click away from the Sprint Timer or press the Escape key on the keyboard to hide it; click the icon to display it. Hiding it does not stop the countdown.

At any point in the writing sprint, the countdown may be suspended temporarily by clicking the Sprint Timer icon and pressing the Pause button. When the Pause button is pressed, the button converts to the Resume button. Press the Resume button to restart the clock from the point at which it was paused.


At any point in the writing sprint, the countdown may be cancelled by clicking the Sprint Timer icon and pressing the End Sprint button. The default number of 25 minutes will be restored.

When the set time has elapsed, the Sprint Timer will pop up and present the user with the option to begin another writing sprint (the Reset button) or open the computer's default web browser to their Twitter page (the Twitter button), where the user can tweet about his or her writing progress to followers.




1.22.6.2. Focus Mode

Click the Focus mode icon at the lower right of the application window:



Focus mode displays the current document (whether Pages, Cards, Scene View or any combination of views) without the menu bar, toolbar, tab bar, Outline Editor or ruler at the top of the screen and with the Final Draft document window maximized.



To exit Focus mode

Press the Escape key on the keyboard

- or -

move the mouse arrow to the very top of the screen and hold it there until the menu bar and toolbar are displayed. Go to View > Focus mode; the document window will be


restored to its previous smaller size and the menu bar and toolbar will be visible again;

- or -



click the Focus mode icon at the lower right of the application window.

1.22.6.3. Night Mode

Switches between the default color scheme and Night Mode.



The default color scheme displays black text or markings on a white field and Night Mode displays white text or markings on a dark gray field.




Night Mode is available for all script page views, the SmartType window, the Navigator, the ruler, the Beat Board and the Outline Editor.

See Document > Page Layout > [Colors](#) for more color options.


1.22.6.4. Document View Options

Click an icon to change the view mode of the panel currently in focus:



1.22.6.5. Zoom

The Zoom slider allows the user to resize the page to any magnification chosen (expressed as a percentage). Click and hold the slider and move it left to reduce the page display, right to enlarge it:




- or -

click the minus sign on the left to reduce the page display or click the plus sign on the right to enlarge it.

This function is only available when the document is in a script page view (Normal, Page or Speed View). The slider will not resize a Card or Scene view.

The Zoom popup menu allows the user to choose a pre-set magnification size. A custom value between 50-300 may also be typed in; press Enter to scale the script to that percentage.




NOTE

For very high resolution screens, setting the Zoom preset to Page Width will automatically enlarge the page and the text to an appropriate size not otherwise available.


All components of the Status Bar, including the [View Mini-Bar](#), can be displayed or hidden by right-clicking anywhere on the Status Bar and checking or unchecking the components to be displayed or hidden.

1.23. Classic View

Final Draft 12's default view is the Ribbon, which contains groups of icons that in the past were contained in menus:



To hide the Ribbon menu and replace it with the Classic menu and toolbar configuration...



...go to View > Classic View.

To hide the Classic view and replace it with the Ribbon toolbar, go to View > Switch to Ribbon View.

- [Classic Menus](#)
- [Repositioning and Resizing Toolbars](#)

1.23.1. Classic Menus

Final Draft 12's default view is the Ribbon, which contains groups of icons that in the past were contained in menus.

The Classic Toolbar view displays icons in rows that can be undocked and turned into floating tool palettes. These tool palettes can be positioned anywhere on the screen.

Each document window has a separate toolbar that is docked to that window.

Toolbars provide quick and easy access to commands without having to pull down any menus or press key combinations. Almost every toolbar function can also be performed using menu commands and / or key combinations. The user may modify the commands that appear on the toolbar. There are multiple toolbars, each of which can be shown, hidden or repositioned.

- [Toolbars Submenu](#)
- [Customize Classic Menus](#)

1.23.1.1. Toolbars Submenu

Located in the [View Menu](#), the Toolbars submenu contains menu items to show and hide the available toolbars and the status bar.

To Hide (or Show) any of the toolbars

Choose View > Toolbars > [name].

The designated toolbar either disappears or reappears. A check mark on the menu indicates that a toolbar is visible.

1.23.1.1.1. Show / Hide Toolbars


To Hide (or Show) any of the toolbars

Choose View > Toolbars > [name].

The designated toolbar either disappears or reappears. A check mark on the menu indicates that a toolbar is visible.

1.23.1.2. Customize Classic Menus


On the right end of each toolbar is a down-pointing arrow...



...which, when clicked on, opens an Add or Remove Buttons menu. Position the cursor on this menu and a submenu will appear with two items: Standard and Customize.

1.23.1.2.1. Standard Menus

Position the cursor on this menu and a list of available icons will be displayed. Icons currently part of the toolbar will have a check on the left; to add an icon to the toolbar, check its box. To remove an icon from the toolbar, uncheck its box.




1.23.1.2.2. The Customize Menu

Select the Customize command here or under View > Toolbars > Customize to show the Customize dialogue. In the Customize dialogue the user can customize the contents of each toolbar and even create new ones.

- [Commands](#)
- [Toolbars](#)
- [Keyboard](#)
- [Options](#)

1.23.1.2.2.1. Commands

The Commands tab contains a list of toolbar categories and a list of commands for a selected category. When the Commands tab is visible, the user can add commands to a toolbar and remove commands from a toolbar that is visible.



The commands in any visible toolbar may be changed when the Commands tab of the Customize dialogue is selected.

To add a command to a visible toolbar

1. Select the Category that contains the command to be added to a toolbar;
2. Drag the command to be added from the Commands list and drop it at the desired position on the toolbar.


To remove a command from a visible toolbar

1. On the toolbar, click and drag an item off the toolbar;

2. Release the mouse button.

1.23.1.2.2.2. Toolbars

The Toolbars tab contains options for showing and hiding toolbars and resetting toolbars back to their default configuration.



The Toolbars list shows all the toolbars available in Final Draft. A check next to the item indicates that the toolbar is currently visible.

To show or hide a toolbar

Check or uncheck one of the items in the Toolbars list. The change in the main window will be visible immediately.

To reset a toolbar to its default configuration

Select the toolbar in the Toolbars list and click Reset.


The toolbar immediately reverts to its default configuration, which means it contains only its default set of buttons. Reset All reverts all of the toolbars (visible or not) back to their default configuration.

To show icon text labels

Check Show Text Labels to show captions in the toolbar buttons under the icons.

1.23.1.2.2.3. Keyboard

The Keyboard tab of the Customize dialogue allows the user to set or change accelerator keys for all the menu commands (and some others).



To add or change an accelerator key

1. Select a category from the Categories dropdown. The Commands list changes to show all the commands that are available in that category;
2. Select the command to be added an accelerator key to. The current accelerator key (if any) appears in the Current Keys list. A brief explanation appears in the Description area;
3. Type the new accelerator key in the Press New Shortcut Key text field. For example, if the accelerator for File > New... is to be Control + N, hold down the Control key and type N;
4. Click Assign. The new accelerator key appears in the Current Keys list.


To remove an accelerator key from a command

1. Select the Category of the command in the Categories dropdown;
2. Select the command in the Commands list;
3. Click Remove. The accelerator disappears from the Current Keys list.

Click Reset All to revert all the commands in Final Draft to their default accelerator keys.

1.23.1.2.2.4. Options


In the Options tab of the Customize dialogue the user can set some general toolbar options. Show Screen Tips on toolbars determines whether a Screen Tip displays when the mouse is held over a toolbar button. Show shortcut keys in Screen Tips determines whether the accelerator key for the command appears in the Screen Tip. Check Large Icons to have the toolbar button icons display in a larger size.



1.23.2. Repositioning and Resizing Toolbars

To reposition a toolbar

Position the cursor so that it becomes a crosshair icon and click and hold down the mouse button on the "handle" on the left side:



(Note: the crosshair icon in the above graphic has been colored for clarity.)

Drag the toolbar anywhere on the toolbar area. If the toolbar is dragged out of the toolbar area it “undocks” and becomes a free-floating window.

To reposition a free-floating toolbar window

Position the cursor and click and hold down the mouse button on the label bar at the top of the window. Drag the toolbar window anywhere on the screen and release the mouse button.

To re-dock a toolbar window

Move it back into the toolbar area.

To resize a free-floating toolbar window

Position the cursor and click and hold down the mouse button on a corner or side of the toolbar window and drag it away from the center of the toolbar window. The window will resize depending on the distance and direction the corner or side is dragged.

1.24. Header and Footer

The Header and Footer section contains information on configuring what information the top (and sometimes the bottom) of script pages hold.

Every Final Draft document can contain a header which appears and is printed at the top of each page, and a footer that appears and is printed at the bottom of each page. The header and footer can contain custom text, the page number, the current date, scene number, special labels, the active revision or the name of the last revision on the page. The look of the header and footer may be customized to suit the needs of the script.




NOTE

Scripts usually do not have footers.

In the following, the header is used as an example; every function is also available for the footer.

To view the Header and Footer dialogue, choose Document > Header and Footer.

The Header and Footer dialogue appears, with the Header tab active:



The header contains just the page number and the Collated Revisions field by default. If no revisions are made, the Collated Revisions field will not appear on the script pages.

On every page in the actual script, the page number field is replaced with the appropriate page number. The other fields, if inserted into the header, will also display page-specific information on each appropriate page in the script.

To view the footer, click the Footer tab.

The footer text area is visible and is empty by default.

Header and footer margins are set in the [Margins](#) tab of the Page Layout dialogue.

- [Header and Footer Content](#)
- [Header and Footer Options](#)
- [Placeholder Fields](#)
- [Page Numbers on the Title Page](#)

1.24.1. Header and Footer Content

- [Tab Stops](#)
- [Text in the Header and Footer](#)
- [Changing the Font / Size of the Header / Footer](#)

1.24.1.1. Tab Stops

Use tab stops to align text and placeholder fields in the header. Tab stops are the only way to reliably align text.



IMPORTANT *Place all necessary tab stops in the text area before inserting text or placeholder fields. Text or placeholder fields are anchored to the tab stops.*




IMPORTANT *Do not use the space bar to position text or placeholder fields. If it is done this way and text or placeholder fields are added to or removed from the Header, existing text and placeholder fields will be shifted away from their original positions.*


Click on the tab marker button at the left end of the Ruler bar to toggle through the different types of tab stops that can be set.




Left tab stop. Text under this tab stop will be aligned left-justified.



Center tab stop. Text will be centered under this tab stop.



Right tab stop. Text under this tab stop will be aligned right-justified.



Decimal tab stop. Use this tab stop to align a column of numbers on their decimal points.

To insert a Tab stop:

1. Choose the justification (left, center, right, decimal) from the tab marker button;
2. Click once into the Ruler bar to place the Tab stop at that exact position.

To remove an unwanted Tab stop, drag it off the ruler bar.

1.24.1.2. Text in the Header and Footer

Text can be entered directly into the header and footer text areas. Text can be placed anywhere in the window and before or after any of the special fields. To insert text, place the cursor in the editing window under the appropriate Tab stop and type.

Any font attributes (type, style, size, etc.) may be changed by selecting the desired text and going to Format > Font. Changing font attributes in the header or footer does *not* affect the font used in the script.

Text typed into the Header or Footer will appear on every page of the script.

To remove unwanted Header text, select it and press Delete on the keyboard.

1.24.1.3. Changing the Font / Size of the Header / Footer

1. Click into the editing area below the ruler;
2. On the keyboard, press Control + A;
3. Go to Format > Font and select the font;
4. Click OK to return to the script.

1.24.2. Header and Footer Options

Show Header

The Show Header option determines whether the header is visible.

Header on First Page

The Header on First Page option indicates whether the header is visible on the first page.

Show Footer

The Show Footer option determines whether the footer is visible.

Footer on First Page

The Footer on First Page option indicates whether the footer is used on the first page.

Starting Page number

The Starting Page Number specifies the number for the first page of a document.

Example: A project is comprised of several scripts with sequential numbering; Script 1 has pages 1-20, Script 2 has pages 21-50 and Script 3 has pages 51-70. On Scripts 2 and 3, the starting page numbers (21 and 51) would be changed accordingly in the Header and Footer Options window.

When all changes to the Header and Footer options have been made, click OK.

1.24.3. Placeholder Fields

Placeholder fields for the header and footer include: Page, Date, Scene, Label, Active Revision and Collated Revisions.

Page

Displays the current page number.

Date

Displays today's date. The Date field will insert today's date dynamically; if the Date field is inserted on July 4, on that day the Header will show July 4. When the same script is opened on July 5, the Header will show July 5.

Scene

Displays the current scene number if the scenes have been numbered using the Production > [Scene Numbers](#) command. If the scenes have not been numbered, nothing will appear in this location in the Headers on each page.

Label

Contains custom text over a series of pages. Insert a Label placeholder field where appropriate in the Header. See Insert > [Label](#) for more information.

Active Revision

Contains the name of the active revision set.

Collated Revisions

Contains the name of the revision set active when changes were last made to this page.


Example: On Monday, the writing staff was on the Pink revision set and Page 10 was edited. "Pink Revised" will appear at the top of Page 10. On Tuesday the writing staff moved to the Yellow revision set and Page 10 was edited again. "Yellow Revised" will now appear at the top of Page 10.

File Name


Displays the name of the document.

To position a placeholder field in the header or footer text area, place the cursor in the editing window under the appropriate Tab stop and click the appropriate button.

The placeholder field appears at the cursor position. For example, this setup...



...produces this header on Page 2:



To remove an unwanted placeholder field, click on it once to select it and press Delete on the keyboard.



NOTE

All placeholder fields are available for both the header and footer.

1.24.4. Page Numbers on the Title Page

Title pages are a separate section of a script. They can include cast lists, character biographies, sets, locations, songs, or any other information. Title pages are numbered separately from the body of the script and use lower case Roman numerals; i.e., i, ii, iii, iv, etc.

1.25. Reformatting

The Reformatting section contains information on how to render script paragraph correctly, if they are not currently correct.

Most of the time there is no need to reformat text. As the user types, Final Draft formats and paginates text according to industry standards.

However, there may be times when, for example, dialogue is erroneously formatted as action and needs to be rendered as such. This can occur when a script written in another word processor is imported into Final Draft. Final Draft's built-in formatting logic should turn most, if not all, of the text into a correctly formatted script. However, the quality of the import depends on how and how well the script was formatted in the first program.

There are a number of ways text may be reformatted.

- [Reformatting a Single Paragraph](#)
- [Reformatting Many Paragraphs](#)


1.25.1. Reformatting a Single Paragraph

There are multiple ways to convert a paragraph from one type to another.


In the following example, UNCLE is supposed to be a Character paragraph but it is misformatted as an Action paragraph:



1. Place the cursor in the paragraph you want to reformat. There is no need to highlight the entire paragraph;
2. From the Elements dropdown menu in the toolbar at the top of the screen...




...choose the desired paragraph type (Character, in this example):




- or -

- b. Right-click and from the context menu, choose Change Element To and choose Character;




This Character paragraph will be correctly formatted:



1.25.2. Reformatting Many Paragraphs

1. Choose Tools > Reformat. The Reformat dialogue appears:



The paragraph containing the cursor is selected and its current paragraph type indicated.

2. Choose a new element for the paragraph;

- or -

2. Press the number key or Shift + number key for the new element for the paragraph;

The paragraph is reformatted and the next paragraph in the script is automatically selected.

3. Continue reformatting each paragraph as needed;

- Click the right-pointing arrow to skip a paragraph without any reformatting;
- Click left-pointing arrow to select the previous paragraph;
- Click Delete to delete the current paragraph;

There is no confirmation dialogue and the deletion cannot be undone.

4. When done, click Close or press the Escape key on the keyboard.



TIP

If a large block of text needs to be broken up as well as reformatted, break it into many paragraphs first by placing the cursor between what should be two separate sections and pressing the Enter key on the keyboard. The Reformat tool cannot be used to break up a large block of text.



NOTE

You cannot type in the script while the Reformat dialogue is open.

1.26. SmartType

The SmartType section contains information on configuring and using the SmartType feature, a set of macros and commands that eliminates repetitive typing.

To ease the frustration of having to type the same names and phrases over and over again, Final Draft provides an auto-complete function called **SmartType**. SmartType maintains lists of all the character names, character extensions, scene intros, locations, times and transitions in the script.

When the cursor is positioned on a character, scene heading or transitions paragraph, SmartType auto-completes the list, narrowing choices as text is entered. SmartType lists are included for these elements:

- Characters
- Character Extensions, such as voiceovers or subtitles
- Scene Intros, such as interior
- Locations
- Times
- Transitions

More information on SmartType features is here:

- [Entering SmartType Items in the Script](#)
- [New SmartType Entries](#)
- [Modify SmartType Entries](#)
- [Correcting and Deleting SmartType Entries](#)
- [Rebuild SmartType Lists](#)
- [Reorder SmartType Lists](#)
- [Managing SmartType Lists](#)

- SmartType Options
- Scene Intros and Times Separators

1.26.1. Entering SmartType Items in the Script




NOTE


By default, all SmartType lists are initially active (see [SmartType Options](#) to learn how to disable SmartType lists).

The Character SmartType List from the sample script *Tangle & Mossy - script* is used as an example here. All the functions described are applicable to the Extensions, Locations, Times, and Transitions SmartType Lists.

The Character SmartType List for *Tangle & Mossy - script* initially consists of:




When a letter is typed into an empty character paragraph, if any items in the Character SmartType start with that letter, the SmartType window displays all the matching items in the list. The rest of the first matching item text appears in a light gray color after the cursor. For example, in the character paragraph below, suppose the letter “M” is typed in. At the moment there is only one character whose name begins with the letter M. This entry, MOSSY, will be displayed in the SmartType window:



The rest of the name appears in gray, allowing the user to either accept the SmartType choice with the Enter key or continue typing to add a new character. New items are added to SmartType lists automatically when they are typed into the script. In *Tangle & Mossy*, there are no items in the Character SmartType list that begin with the letter O. Consequently, if the letter "O" is typed into a character paragraph, the SmartType window does not appear. If the rest of the name "OLD SOLDIER" is typed and the Enter key is pressed to create a Dialogue paragraph, SmartType automatically adds OLD SOLDIER to the Character SmartType list.

If another character is added whose name begins with the letter M ("MAID"), it will be added to the SmartType list and both will be displayed in the SmartType window when the letter M is pressed:



As more letters are entered, SmartType narrows the items in the list to contain only those that match what has been typed.

To highlight and choose MAID for insertion on the page:

- Click that name with the mouse OR

- Tap the M key to cycle through the list OR
- Type the letter A to form "MA" (which removes MOSSY from the list of candidates) and select it OR
- Arrow down on the keyboard.


When the correct item has been highlighted, press Enter or double-click it to insert the name and dismiss the SmartType window.

1.26.2. New SmartType Entries

Although new items are automatically entered into the appropriate list as the user types in the script, they can also be added manually in the SmartType dialogue.

To add a new item to a SmartType list:

1. Choose the list to which the new item is to be added by clicking the appropriate tab;
2. Click New;



3. Type the name of the new item;
4. Click OK to return to the script.

1.26.3. Modify SmartType Entries

To change an existing entry in the list

1. Choose the list in which the item is stored by selecting it from the dropdown menu;
2. Select the item to change;

The item's name appears in the text box above the list.

3. Click in the text box;
4. Edit the item;
3. Click OK to return to the script.




NOTE

Editing an item in a list does not change it in the script. To change an item in the script, use Edit > [Find](#) and replace the entries that you modified with the new text.

1.26.4. Correcting and Deleting Erroneous SmartType Entries

It is a good idea to manage SmartType lists by deleting erroneous or duplicate entries. In this example, the writer has accidentally misspelled the name "SECOND MAID" and it has been added to the Character SmartType list:



Go to Document > SmartType and select the unwanted SmartType item, in this example, "SECODN MAID." Either correct it in the field at the top of the window or click Delete to remove it from the SmartType list. Note that there is no confirmation dialogue.



NOTE

Deleting an item from a list does not remove it from the script. To delete an item from the script, use Edit > Find and then delete the text from the script.



TIP

Rebuilding the SmartType List may accomplish the list maintenance quickly but may remove SmartType items you want to keep for a particular reason.

1.26.5. Rebuilding SmartType Lists

As a script is written, new character names, locations, times of day and other pieces of text will be entered that Final Draft stores in the SmartType lists. If a character is entered on the page (and added to the SmartType list) but is later removed from the pages, that entry will remain on the SmartType list.

The remedy is to rebuild the SmartType list, which causes Final Draft to compare the contents of the SmartType list to what is actually in the script. If a word or term is on a SmartType list but is not found in the body of the script, it is removed from the SmartType list. Conversely, if a word or term is in the script but is not on a SmartType list, rebuilding the SmartType list will add that word or term to it.

Erroneous SmartType entries can be removed manually by opening that list, selecting the item and clicking Delete but using the Rebuild command is a quicker and more comprehensive way to ensure the accuracy of the SmartType lists.



TIP

Before creating any report from Tools > [Reports](#), best practice is to rebuild all SmartType lists. The reports are based on the SmartType lists and if the lists contain erroneous or unused information, it will appear in the reports as well.

1.26.6. Reorder SmartType Lists

By default, SmartType lists are listed in the order in which entries are made. The list may be reordered.

To view the list in alphabetical order

Click the Alphabetize button.



NOTE

The order of the items in the SmartType dialogue is the same as they appear in the SmartType window in the script.


To reposition an item within a SmartType list, drag and drop the item to a new position.

1.26.7. Managing SmartType Lists

All SmartType lists can be edited, rebuilt and rearranged.

View and modify all SmartType lists in the SmartType dialogue.


1. Choose Document > SmartType and the SmartType dialogue appears with the SmartType Character List displayed;
2. Choose a list to view or modify by selecting its tab:



All SmartType lists can be edited, rebuilt and rearranged.

1.26.8. SmartType Options

Click the Options tab in the SmartType dialogue to view SmartType options:



By default, matching for all of the SmartType Lists is enabled.

To disable Character, Scene Heading or Transition matching

Uncheck the option for the SmartType list to be disabled.

If matching for a SmartType list is disabled and a new paragraph of that type is created, the SmartType window does not appear. SmartType still automatically adds any new entries to the appropriate list, however.

Automatically Guess Next Character

Checking this option causes Final Draft to track the entry of character names and when it senses that two individuals are having a conversation, alternately offers their names when a new character element is created, which is useful when a scene contains multiple conversations between two individuals.

Tab Key Transitions to Character Extension

By default, pressing the tab key after entering a character automatically creates a parenthetical paragraph. Check this box so that pressing tab will create a character extension instead.

Window

Check this option if the SmartType window should appear when the user types.

List Order

Expand this dropdown menu for options for the order in which characters are presented in the SmartType window. Options are Alphabetical and Custom.

If Alphabetical is chosen, the list of characters is presented A-Z.

If Custom is chosen, SmartType items may be dragged in a desired order and will be presented in that order in the SmartType window.

This dropdown menu is disabled if the box to display the SmartType window is unchecked.

Sort Characters by Number of Dialogues

Check this option to place characters with the most dialogue at the top of the SmartType window, regardless of the order in which they were entered into the script.

SmartType Color


Select the text color for SmartType matches. When the color swatch is clicked, a standard Windows color picker is displayed.

1.26.9. Scene Intros and Times Separators

Scene Intros and Times are special entries in their respective SmartType lists because they are subunits of the Scene Heading element. The characters used to separate sections of the scene heading may be changed. In US film production (and in the default Screenplay template), the defaults are a period (.) separating scene intro and location and a dash (-) separating the location and the time.

To change the separator character

1. In the SmartType dialogue, select either the Scene Intros or Times SmartType list;
2. Type the new separator character in the Separator text box. If there should be spaces before and / or after the character, type those in as well;
3. Click OK.



1.27. Shortcuts & Menus

The Shortcuts & Menus section contains information about how to use Final Draft quickly and efficiently.

- [Adding Paragraphs with the Enter Key](#)
- [Element Shortcuts](#)
- [Keyboard Shortcuts](#)
- [INT./EXT. Creates Scene Headings](#)
- [Tab Key](#)

1.27.1. Adding Paragraphs with the Enter Key

When the insertion point is at the end of a paragraph, pressing the Enter key inserts a new paragraph. The kind of paragraph created depends on the kind of paragraph it follows. The default transitions are:

- General to General
- Scene Heading to Action
- Action to Action
- Character to Dialogue
- Dialogue to Action
- Parenthetical to Dialogue
- Transition to Scene Heading
- Shot to Action
- Cast List to Action
- New Act to Scene Heading
- End of Act to New Act
- Outline Body / Outline 1 - 4 to Outline Body


These transitions are based on the most logical flow for a writer, i.e. the most frequent element after a character name is dialogue.

To modify these transitions

Choose Format > [Elements Settings](#) and the Elements dialogue is displayed. Select the desired element from the list on the left.

Set the shortcut via the Next Element (Enter/Return) dropdown menu. In this example, the change is from the current setting of Dialogue-to-Action to Dialogue-to-

Character, so that when the insertion point is at the end of a Dialogue paragraph, pressing the Enter key inserts a new Character paragraph:



NOTE

The reason Enter doesn't change elements after typing action is because you can follow action with either another action, a character, a transition or a scene heading. There is no "usual" element paragraph that follows action.



NOTE

Pressing Enter in a blank paragraph will bring up the Element popup list. Choose the element desired with the mouse, the first letter of the element or the up/down arrow keys and press Enter. A new paragraph of that type will be inserted.

1.27.2. Element Shortcuts

An alternative method of adding new paragraphs is using the Control key combinations. The defaults are:

GENERAL	CONTROL + 0
SCENE HEADING	CONTROL + 1
ACTION	CONTROL + 2
CHARACTER	CONTROL + 3
PARENTHETICAL	CONTROL + 4
DIALOGUE	CONTROL + 5
TRANSITION	CONTROL + 6
SHOT	CONTROL + 7
CAST LIST	CONTROL + 8
NEW ACT	CONTROL + 9
END OF ACT	CONTROL + : (COLON)
OUTLINE BODY	CONTROL + SHIFT + 0
OUTLINE 1	CONTROL+ SHIFT +1
OUTLINE 2	CONTROL + SHIFT +2
OUTLINE 3	CONTROL+ SHIFT + 3
OUTLINE 4	CONTROL + SHIFT + 4

Similar to changing Enter key shortcuts, the Control key combination may be changed in the [Elements Menu](#) via the Shortcut key text area.

1.27.3. Keyboard Shortcuts

HOME

SPELLING	CONTROL + D
THESAURUS	CONTROL + SHIFT + D
PASTE	CONTROL + V
CUT	CONTROL + X
COPY	CONTROL + C
BOLD SELECTED TEXT	CONTROL + B
<i>ITALICIZE</i> SELECTED TEXT	CONTROL + I
<u>UNDERSCORE</u> SELECTED TEXT	CONTROL + U
NEW SCRIPTNOTE	CONTROL + J
ELEMENTS SETTINGS	CONTROL + E

FILE

NEW	CONTROL + N
NEW FROM TEMPLATE	CONTROL + SHIFT + N
OPEN	CONTROL + O
CLOSE	CONTROL + F4
SAVE	CONTROL + S
SAVE AS PDF	CONTROL + SHIFT + P
PRINT	CONTROL + P

EDIT

SELECT ALL	CONTROL + A
SELECT CURRENT SCENE	CONTROL + SHIFT + A

PASTE	CONTROL + V
COPY	CONTROL + C
CUT	CONTROL + X
UNDO	CONTROL + Z
REDO	CONTROL + SHIFT + Z
FIND	CONTROL + F
GO TO	CONTROL + G
FIND SELECTION	CONTROL + E
ACCEPT SELECTED CHANGE	CONTROL + ALT + A
REJECT SELECTED CHANGE	CONTROL + ALT + R
GO TO PREVIOUS CHANGE	CONTROL + SHIFT + ALT + K
GO TO NEXT CHANGE	CONTROL + ALT + K

VIEW

SHOW / HIDE RULER	CONTROL + SHIFT + H
SHOW / HIDE OUTLINE IN SCRIPT	CONTROL + SHIFT + O

FORMAT

GRID SNAPPING	CONTROL + SHIFT + ' (APOSTROPHE)
---------------	-------------------------------------

INSERT

INSERT SCRIPTNOTE	CONTROL + J
INSERT BOOKMARK	CONTROL + M
INSERT ALT DIALOGUE	CONTROL + ALT + L
REMOVE ALT DIALOGUE	CONTROL + SHIFT + ALT + L

INSERT BEAT (BEAT BOARD ONLY)	CONTROL + ENTER
NEW SCENE (CARDS / SCENE VIEW ONLY)	CONTROL + SHIFT + I
SEND TO SCRIPT (CARDS / SCENE VIEW ONLY)	CONTROL + SHIFT + C

DOCUMENT

SMARTTYPE	CONTROL + SHIFT + L
-----------	---------------------

TOOLS

SPELLING	CONTROL + D
THESAURUS	CONTROL + SHIFT + D

PRODUCTION

MARK SELECTED TEXT REVISED	CONTROL + R
MARK SELECTED TEXT UNREVISED	CONTROL + SHIFT + R
TAGS MODE ON / OFF	CONTROL + SHIFT + T

HELP

Final Draft USER GUIDE	F1
------------------------	----

BEAT BOARD

ZOOM IN (BEAT BOARD ONLY)	CONTROL + + (<i>PLUS</i>)
ZOOM OUT (BEAT BOARD ONLY)	CONTROL + - (<i>MINUS</i>)

ELEMENT TAB / ENTER KEY SHORTCUTS

TO GO FROM	TO	PRESS
Scene Heading Part 1	Scene Heading Part 2	TAB
Scene Heading Part 2	Scene Heading Part 3	TAB
Scene Heading Part 3	Action	ENTER
Scene Heading Part 2	Action	ENTER
Action	Action	ENTER
Action	Character	ENTER + TAB
Action	Shot	CONTROL + 7
Action	Transition	CONTROL + 6
Action	Scene Heading	Type int. or ext.
Character	Dialogue	ENTER
Character	Parenthetical	TAB
Parenthetical	Dialogue	ENTER
Dialogue	Action	ENTER
Dialogue	Character	ENTER + TAB
Dialogue	Scene Heading	CONTROL + 1
Dialogue	Transition	CONTROL + 6
Dialogue	Shot	CONTROL + 7

SPECIAL KEYS

PAGE UP / DOWN	Pages up or down one screen-full of text
HOME	Moves cursor to beginning of the line
END	Moves cursor to end of the line
CONTROL + HOME	Moves cursor to beginning of the document
CONTROL + END	Moves cursor to end of the document
CONTROL + RIGHT ARROW	Moves cursor to beginning of next word

CONTROL + LEFT ARROW	Moves cursor to beginning of previous word
UP ARROW	Moves cursor up a line
DOWN ARROW	Moves cursor down a line
ALT + UP ARROW	Moves cursor up a paragraph
ALT + DOWN ARROW	Moves cursor down a paragraph
SHIFT + RIGHT OR LEFT ARROW	Extends highlighted selection letter at a time
CONTROL + SHIFT + RIGHT ARROW	Extends highlighted selection a word at a time
CONTROL + SHIFT + LEFT ARROW	Extends highlighted selection a word at a time

1.27.4. INT./EXT. Creates Scene Headings

If **int.** or **ext.** is typed at the beginning of an action paragraph, it will automatically become a scene heading starting with INT. or EXT., respectively.

1.27.5. Tab Key

The Tab key supplements the functions of the Enter key.

- Scene Heading to Action
- Action to Character
- Character to Transition (only when character is blank)
- Transition to Scene Heading
- Dialogue to Parenthetical
- Parenthetical to Dialogue

On the Beat Board:

- Beat title field to Beat body field
- Beat body field to Beat title field

Press Tab to accept the current selection from a [SmartType](#) list and move to the next logical element.

Within a Scene Heading, the Tab key has additional functions:

From a Scene Intro (INT, EXT), pressing Tab adds a period plus a space (.) and moves the insertion point to the Location section. Press Tab again to call up the Location SmartType list;

From a Location, pressing Tab adds a space-dash-space (-) and moves the insertion point to the time area. Press Tab again to call up the Time SmartType list (DAY, NIGHT, etc.).

In the Index Cards > [Summary view](#), the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Summary field to the editable Scene Heading of the next scene card.

In the Index Cards > [Script view](#), the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Heading of the next scene card.

In the [Scene View](#), the Tab key moves the cursor from the editable Scene Heading field to the editable Scene Title field to the editable Scene Heading of the next scene row.

1.28. Language

The Language section contains information about using the Windows operating system's spell-check, thesaurus and user dictionary to identify misspelled words, provide alternatives and keep track of words the user has instructed the computer to learn.

Words added to the user's User Dictionary in other applications will not be flagged as misspelled in Final Draft and words added to the user's User Dictionary in Final Draft will not be flagged as misspelled in other applications.

- [Spell-Checking](#)
- [Spelling Options](#)
- [Thesaurus](#)
- [Grammarly](#)



NOTE

Final Draft's ability to support languages other than English is limited to spell-checkers for languages using Western (Latin)-based characters.


If you paste a foreign-language character into Final Draft or switch to a foreign-language font set, Final Draft may not be able to display it properly.

1.28.1. Spell-Checking


To Begin Spell-Checking

Choose Home > Spelling or Tools > Spelling. The Spelling dialogue appears and checking begins with the first misspelled word highlighted and a list of suggestions to correct the error.

When the spell-checker encounters a misspelled or unknown word, that word is highlighted in the script and the word appears in the Misspelled Word area in the Spelling dialogue, along with a list of possible alternatives. The first item in the Suggestions list appears in the Change To text field. In this example, the spell-checker has found "Majetsic" as a misspelled word:



To accept the suggestion "Majestic" and continue spell-checking, click Replace:



To substitute an alternate word:

1. Select a word from the Suggestions list or type another word in the Change to box. It appears in the Change To text field;
2. Click Replace. If there may be more than one instance of the misspelled word in the script, click Replace All.

Alternately:

Double-click a suggested word. The new word replaces the misspelled word in the script and spell-checking continues.

To instruct the spell-checker to learn a word, click Learn. The word in the Misspelled Word area is added to the computer's user dictionary and spell-checking resumes.

To disregard the word considered misspelled and continue, click Ignore.

To disregard all instances of that word in the document. click Ignore All.

When the spell-checker reaches the end of the script, it asks if the search should continue from the beginning of the script. If the spell-checking was started in the middle of the script, when the spell-check reaches the end of the script it may be continued from the top of the script. Click Yes to continue.

When the entire script has been checked, a message indicates that the whole script has been checked. Click OK to close the Spelling dialogue.




TIP

You can halt spell-checking at any time and close the Spelling dialogue by clicking the Close button.

Spell-checking with the Contextual Menu

Access spell-checker functionality from a context menu. In the sample text below, the word “Majestic” is misspelled as “Majetsic.” Right-click on the misspelled word and the context menu appears:



Select the correct word;

- or -

select any of the alternative words;

- or -

choose to have the spell-checker ignore or learn the word;

- or -

make the correction manually by typing directly into the script.




NOTE

Final Draft 12 supports Grammarly. See [this topic](#) for more information.

1.28.2. Spelling Options

Go to Tools > Spelling and click the Options tab to view spelling options:




Language popup menu


Choose a different foreign-language spell-check.

Check Capitalization

When this option is checked, the spell-checker checks for correct capitalization of words. In this example, the spell-checker flags the word "she" as incorrectly not capitalized:




Right-click on the word to display the context menu, which has a command to capitalize this word:




Check Repeated Words

If this option is checked, the spell-checker looks for duplicate occurrences of words and flags them as repeated. In this example, the second and erroneous "out" is flagged:



Right-click or Control + click on the word to display the context menu, which has a command to delete the second instance of this word:



Automatic Spell-Checking


If this option is checked, the spell-checker automatically scans the script and underlines in red any misspelled words.

1.28.3. Thesaurus

Find alternate word choices while writing.

To find words in the thesaurus:

1. Right-click a word for which synonyms are desired. In the example below, the word is “precocious.”
2. Choose Home > Thesaurus or Tools > Thesaurus. The Thesaurus dialogue appears:



1. Definitions of words are sorted alphabetically by part of speech, and a list of synonyms, antonyms, and related words is shown below each definition;
2. Select a replacement word. It appears in the text field above the definitions;
3. Click Replace.

The Thesaurus dialogue closes and the selected word replaces the selected word in the script.

If no alternate is acceptable, click Close.

To manually enter a word to find alternatives:


1. Position the cursor where the word is to be inserted;
2. Choose Tools > Thesaurus. The Thesaurus dialogue appears;
3. Type the word to be looked up in the text field above the alternatives;

4. Press the Enter key;
5. Definition(s), synonyms, alternatives, etc. are presented;
6. Select an alternative;
7. Click Replace.

The Thesaurus dialogue closes and the alternate replaces the selected word in the script. If no alternate is acceptable, click Close.

Thesaurus Context Menu


Another way to call a list of synonyms is to right-click on a word and from the Synonyms section of the context menu, choose a word from the list to replace the selection:



To dismiss these context menus without choosing an alternative word, press the Escape key until they disappear.

1.28.4. Grammarly

Final Draft 12 supports the desktop [Grammarly©](#) client. If you have the free or premium version of Grammarly installed and running on your computer and you open FD12, you'll see the Grammarly widget on your screen. Use Grammarly in Final Draft the same way you would in any other program.



NOTE that you need Final Draft 12.0.7 or later installed to use Grammarly. If you're not sure which version of FD12 you have, open FD, go to the Help menu and choose Check for Updates. If an update is available, follow the prompts to install the new version.

1.28.5. Foreign Language Spell-Checkers and Thesauri

Final Draft uses the foreign-language spell-checkers and thesauri that are built in to the Windows operating system.

The following languages are available:

Catalan	Czech	Danish	Dutch	English	French
German	Hindi	Norwegian Bokmål	Polish	Portuguese	Spanish
Swedish	Swiss German	Turkish			

1. Close Final Draft and install the desired language(s) per [Microsoft](#) instructions;
2. Restart your computer;
3. Open Final Draft, go to Tools > Spelling > Options and choose the language for the spell-check.



NOTE

Final Draft's ability to support languages other than English is limited to spell-checkers for the above languages using Western (Latin)-based characters.

If a foreign-language character is pasted into Final Draft or a foreign-language font set is used, Final Draft may or may not be able to display it properly.

1.29. Glossary of Screenwriting and Final Draft Terminology

Some glossary entries are followed by "[FD]." This indicates what the word or phrase means in Final Draft, although other programs may also use it.

Entries in ALL CAPS are words or phrases written into a script by the writer.

A B C D E F I J K L M N O P R S T V W X Z

A

A and B Pages / Scenes

Refers to any additional pages added to a [production script](#). Once a script becomes a production script, page and scene numbering cannot change. To keep them consecutive and so that they will fit with older versions of the production script, the letters "A," "B," "C" (and so on) are added to page and scene numbers in order to keep the pages in order. For example, if two pages are added between pages 78 and 79, they are numbered 78A and 78B. For information on A & B pages see [Page Locking](#). For information on A & B pages, see [Scene Numbers](#).

Action

A sequence of events in a script, visuals that have their purpose in plot development, which may include physical and psychological action; the movement of the subject within the camera field of view; an element in Final Draft.

Activate [FD]

Allows Final Draft to be used on a specific computer without restrictions. For more information see [Activate / Deactivate](#).

ANGLE ON

Used to emphasize a specific object in a shot to indicate that a different camera angle is to be made of a previous shot.

B

BACK TO / BACK TO SCENE

The camera reverts to its original shot position from another.

BACKGROUND (b.g.)

Any action or object(s) which is secondary to the main action and which appears far away to the main action, and which serves as a backdrop for that action. Usually abbreviated in lowercase letters with periods after each letter.

Backup Copy

To guard against total loss of important information, a duplicate copy of a computer file, usually saved in a separate location, and placed in a safe, separate place. Making two backup copies of important data should be a regular part of any computer use. For information on backing up a file, see File > [Backup](#).

BEAT

In a screenplay, this term is used to indicate a pause in a character's speech or action. Also refers to actions or incidents within scenes.

Beat Board

A field in which cards representing story point and plot milestones can be arranged in a free-form fashion. See [Beat Board](#).

Bookmarks [FD]

Placeholders within a Final Draft script whose placement is determined by the user.

See Insert > [Bookmark](#).

Breakdown (Breakdown Script)

Detailed analysis of a screenplay which is used to create the Shooting Schedule.

Organizes the script into related scenes, locations, sets, characters and props. Also used for determining all the expenses for a film's budget.

C

Character

The various real or fictitious individuals who take part in a screenplay; an element in Final Draft. The very first time a character is introduced into the screenplay, the name is capitalized. Always capitalized before dialogue. In Final Draft, it refers to the paragraph that contains a character name.

Character Extension [FD]

Enclosed in parentheses next to the character name, it describes where the speech is coming from -- off screen, voice over, etc. See [Typing a Sample Script](#) for more information on using character extensions.

CLOSE SHOT

Camera shot that generally includes only the head and shoulders of a character. Always typed in capital letters.

CLOSEUP (C.U.)

Camera shot that closely emphasizes (isolates) a detail in a person, animal or object. Always typed in capital letters and is usually abbreviated.

Color Picker

A mechanism that allows a color to be chosen, usually from a color wheel.

Continued(s)

At a Scene Break, used to indicate a scene has not been completed at the end of a page (at the page break) and the beginning of the next page. At a dialogue break, used to indicate a character's speech has not been completed at the end of a page and that the speech is a continuation of one from the previous page. See [Mores and Continueds](#).

Courier Final Draft

The default font in Final Draft. It was designed to paginate consistently from computer to computer and between Mac and Windows. Using another font, even a Courier font, is not advised.

Cursor

An on-screen pointer that follows the movements of the computer's mouse.

CUT / CUT TO

Instantaneous transition (change) from a scene (or a shot, or another person) to another. Always typed in capital letters.

D

Dialogue Breaks

When dialogue “spills” over one page onto the next because of its length and has to be split into sections. The phrase (MORE) indicates there is additional dialogue to follow on the next page, and the phrase (CONT’D) appears at the top of the page, indicating the dialogue is continuing from the preceding page. See [Mores and Continueds](#).

DISSOLVE / DISSOLVE TO

A transition from one scene, which fades out, as another simultaneously fades in. Dissolves are also used to indicate a lapse of time and/or of place.

DOLLY IN / DOLLY OUT

Camera movement toward or away from a subject, involving physical movement of the camera. Always typed in capital letters.

Drag-and-Drop

Computer process of using a mouse to select and move text (a single word or entire pages) from one location to another without having to use the commands Cut and Paste. See [Using Smart Drag-and-Drop](#).

E

Elements [FD]

The types of paragraphs (styles) used in a screenplay: scene heading, action, character, character, dialogue, transition and shot. See [Elements](#).

Exporting

The process of converting (translating) a Final Draft document so the information in it may be used in other computer programs. See [Export](#).

EXT.

Denotes a shot taken outdoors. Part of a [scene heading](#).

Exterior (EXT.)

A scene intro which indicates that a scene takes place, or is supposed to take place, outside. Always abbreviated in all capital letters. Part of a [scene heading](#).

EXTREME CLOSEUP (E.C.U.)

Camera shot that is extremely close to a subject, used to emphasize some particular detail. Usually typed out in full in capital letters.

EXTREME LONG SHOT

Camera shot usually taken from a long distance away from the subject. Always typed out in full in capital letters.

F

FADE IN / FADE OUT

Smooth, gradual transition from complete blackness to a scene (fade in); gradual transition from a scene to complete blackness (fade out). Always typed out in full in capital letters.

FDX

The default XML-based file format written by Final Draft. FDX is the file extension appended to the file name when it is saved by the Final Draft program. Can also refer to a Final Draft file.

FLOW LINE

A connector line between two or more Beats on the Beat Board. Flow Lines may have no arrows or single or double arrows and can be colored.

FOREGROUND (f.g.)

The area of the scene (objects or action) which is closest to the camera. Usually abbreviated in lowercase letters with periods after each letter.

FREEZE FRAME

Camera direction (which is really an optical printing, or other, effect) where a single frame is repeated over time to give the illusion that all action has stopped.

Function Key

Special keys on a computer keyboard (labeled F1 through F12) that may have special commands assigned to them. In Final Draft, Function Keys have built-in functions, but the user can assign different commands to some of them, if desired.

H

Header [FD]

Text that appears at the top of a page, such as page numbers. See [Header](#).

I

I/E (INT./EXT.)

Refers to shots taken in both an interior and an exterior location. For example, a police chase where we start inside a car and the camera moves outside the window when the character leans out to fire a gun. Part of a [scene heading](#).

Importing [FD]

The process of converting (translating) information (data) from other computer programs so it can be used as part of a Final Draft document. See [Open](#).

Index Cards Views

These views mimic the traditional way that scripts have been developed, fleshed-out and annotated. Each card contains one scene. Cards are ordered in a left-to-right, top-to-bottom, fashion. There are two “sides” to every card. The Summary side initially is blank and is available for text to be entered - for development ideas, notes, sequence or act markers, comments, locations, blocking... anything you feel is applicable. The Script side contains the actual text of a particular scene. See [Index Card Panel](#).

INSERT

A shot within a scene which calls attention to a specific piece of information, usually an inanimate object.

Installation [FD]

The process of loading the Final Draft program and all associated files onto a computer so that they may be used. Different from Activation. See [Installation](#).

INT. (Interior)

A scene intro which indicates that a scene takes place, or is supposed to take place, indoors; a set representing an indoor scene. Always abbreviated in all capital letters. Part of a [scene heading](#).

ISOLATE

A camera shot with tight framing on an object or person.

JUMP CUT

An exaggerated acceleration of natural action achieved by removing from a scene footage that provides continuity of action, camera position or time. For example, a shot of man starting frame left and walking right who, in the blink of an eye, is next seen almost at frame right would be a jump cut. He appears to have "jumped" to the right edge.

K

Keystroke Shortcut

A keystroke, or combination of keys, that initiates a command or other function.

L

LIGHTS UP

Transition used in Stageplay format, denoting the beginning and discovery of a scene by the illumination of lights onto a particular area of the stage.

Location

The actual (physical) setting for a production; a part of a [scene heading](#) which describes where the scene takes place.

LONG SHOT

Camera shot that is taken at a considerable distance from the subject, usually containing a large number of background objects. Always spelled out in capital letters.

M

Macro [FD]

Text which can be entered with a single keystroke or combination of keys, usually containing words or phrases that are frequently repeated. See [Macros](#).

MAGIC

Shorthand for "Magic Hour," the short period of time around sunset.

Margin

The amount of space left unused at the top and bottom, and right and left, of a printed page. See [Margins](#).

MATCH CUT

An edit in which physical elements or actions in the first shot greatly resemble actions or physical elements in the next shot. One classic example of this is from Hitchcock's "North by Northwest" in which a shot of Cary Grant pulling Eva Marie Saint up off Mount Rushmore turns into a matching shot in which he pulls her up into a bunk bed. Another is the match cut from the shower drain to Janet Leigh's eye in "Psycho."

MEDIUM SHOT (MED. SHOT)

Camera shot often used to describe a shot of character approximately from the waist up.

MONTAGE

Scene heading which indicates a rapid succession of shots.

More(s)

Used to indicate that a character's speech has not been completed at the end of a page and that the speech is a continuation of one from the previous page. See [Mores and Continueds](#).

MOVING / MOVING SHOT

Camera shot which follows whatever is being filmed.

N

Narration

Off-screen commentary, which is heard over the action. Also referred to as a voice-over. Not the same as a character offscreen (O.S.), which usually means the character is in the scene but not on camera when speaking.

O

OFFSCREEN (O.S.)

Indicates that the character speaking is not visible in the frame. Always abbreviated in all capital letters and enclosed in parentheses. Not the same as V.O. or NARRATION.

Outline

A complete story broken down into its component beats, scenes, sequences and acts before dialogue is written. See [Outline Editor](#).

Outline Editor [FD]

A tool that allows the user to lay out scenes, story milestones and story beats in a linear fashion. See [Outline Editor](#).

P

Page Break

Where one page ends and another begins. Final Draft simulates this break in [Normal View](#) with a line.

PAN

Camera shot (from the word panorama) where the camera moves gradually from right to left or left to right, without stopping; to slowly move to another subject or setting without cutting the action.

Parenthetical

Indicates dialogue should be delivered in a certain way or a specific action taken; an element in Final Draft. Should be no more than a few words. See [Typing a Sample Script](#).

POINT OF VIEW (P.O.V.)

Camera position that views a scene from the viewpoint of a particular character. Always abbreviated in capital letters with periods after each letter.

Production Script

A script that includes scene numbers, camera angles, inserts and direction notes. All page numbers and scene numbers remain unchanged, no matter if text is added to or deleted from the script. See [Lock Pages](#), [Scene Numbers](#), [Revision Mode](#).

R

Reformatting [FD]

The process of changing element paragraphs from one to another. See [Reformat](#).

Revised Pages

When a production script is being edited, changes are distributed to the actors and crew on “change pages,” which are generally a different color from the original pages

of the script and follow a set hierarchy of color pertaining to the revision number.

See [Revision Mode](#).

Revision(s)

In Production Scripts, any modified or new text (revised text) needs to be designated as such via marks in the margins (like asterisks). See [Revision Mode](#).

S

Scene

A single cohesive unit of narrative, usually confined to one location at one particular time. See [Select Scene](#).

Scene Breaks

When a scene “spills” over one page to another because of its length and has to be split into sections. The phrase (CONTINUED) indicates there is more to the scene to follow on the next page, and the phrase CONTINUED: appears at the top of the page, indicating the scene began on the preceding page(s). See [Mores and Continueds](#).

Scene Continued(s)

See Scene Breaks, above.

Scene Heading

Used at the beginning of all scenes, a short description which indicates where and when the scene takes place. Always typed in capital letters. Sometimes called a Slug Line.

Scene Intro [FD]

The part of a scene heading whether a scene takes place indoors or outdoors. Scene Intros are INT., EXT., or INT./EXT.

Scene Number

Indicates the sequence number of a particular scene. Scene numbers are used only in Production Scripts. See [Scene Numbers](#).

Scene View

A view in which each row contains one scene. See [Scene View](#).

Screenplay

A script for a feature film, that is (or could be, and hopefully will be) made into a motion picture. Generally 90 to 120 pages in length.

Script

Text of a screenplay, teleplay or stage play, including dialogue and action. In a shooting script, scene numbers and sometimes camera shots and moves are added.

ScriptNote [FD]

Text fields that contain your ideas, notes or messages about a particular paragraph in the script. These notes can be placed anywhere. See [ScriptNote](#).

Sequence

A group of connected scenes that moves a story forward. A feature script usually has between 7 and 10 sequences.

Shooting Schedule

A production schedule for shooting a film with the scenes from a script grouped together and ordered with production considerations in mind.

Shooting Script

See [Production Script](#).

Shot

The basic unit of a motion picture. A moving image of objects, persons, buildings and/or landscapes. Also a type of Final Draft element, used as a camera instruction to indicate a closeup, wide shot, dolly-in, etc.

Sitcom (Situation Comedy)

Usually refers to a television comedy in which the humor is derived from situations or predicaments of the characters, rather than on incidents or gags. Also known as a "half-hour," a reference to the length of each episode.

Slugline [FD]

See [Scene Heading](#).

SmartType [FD]

Provides an automatic type-ahead facility for entering a character name, location, extension, time and transition in the script; used to avoid repetitive typing.

See [SmartType](#).

Spec Script

A "spec" or speculative screenplay is an uncommissioned (unpaid) project written for the open market. The writer hopes it will be bought and produced or will serve as a calling card to get paid writing jobs.

SUPER (SUPERIMPOSE)

The effect of showing one image over another. Always typed in capital letters.

T

Text Document [FD]

This mode eliminates all screenwriting-related options and functions, so that Final Draft may be used as a “normal” word processor. See [Text Documents](#).

Time

The part of a scene heading which indicates the time of day. Part of a [scene heading](#).

Title Page

Includes the title, centered in the upper third of the page, the writer’s name, contact information (address, phone), copyright and registration number (optional). See [Title Page](#).

Transition

Indicates how one scene ends and the next one begins; an element in Final Draft. Always typed in capital letters. Examples are CUT TO, DISSOLVE TO, SMASH CUT.

Treatment

Summary of a story, integrating all its elements, detailing the plot, and providing a sense of who the characters are, including their motivations. See [Text Documents](#).

TWO-SHOT

Camera shot of two people, usually from the waist up.

V

VOICE OVER (V.O.)

A Character Extension in which a character's voice is heard over a scene, as in narration, a tape-recorded voice, or a voice heard over the phone. Always abbreviated in capital letters with periods after each letter and enclosed in parentheses next to the Character Name, capitalized and spelled out in the script. See [Typing a Sample Script](#).

W

WIDE SHOT

See [Long Shot](#).

WIPE

A wide variety of patterned transitions in which images seem to move (or push) other images off the screen.

WRYLY (WRYLIES)

Popular nickname for a parenthetical paragraph in which the actor is directed to deliver a line in a certain way.

X

XML (Extensible Markup Language)

The Extensible Markup Language is a general-purpose markup language that allows its users to define their own elements. Its primary purpose is to facilitate the sharing of structured data across different information systems, particularly via the Internet.

Final Draft files -- FDX files -- are XML files.

ZOOM IN / ZOOM OUT

A quick transition from a long shot to a close shot or the reverse, usually achieved by manipulating the camera's lens.